

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\WX012422\
 Data File : VX026556.D
 Acq On : 24 Jan 2022 17:20
 Operator : JC/MD
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Jan 25 03:26:07 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X011122W.M
 Quant Title : SW846 8260
 QLast Update : Tue Jan 11 14:45:13 2022
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	50.000	50.000	0.0	99	0.00
2 T	Dichlorodifluoromethane	50.000	40.405	19.2	79	0.00
3 P	Chloromethane	50.000	42.157	15.7	85	0.00
4 C	Vinyl Chloride	50.000	42.617	14.8#	82	0.00
5 T	Bromomethane	50.000	42.176	15.6	84	0.00
6 T	Chloroethane	50.000	43.453	13.1	86	0.00
7 T	Trichlorofluoromethane	50.000	42.871	14.3	81	0.00
8 T	Diethyl Ether	50.000	43.769	12.5	83	0.00
9 T	1,1,2-Trichlorotrifluoroeth	50.000	46.056	7.9	88	0.00
10 T	Methyl Iodide	50.000	55.193	-10.4	113	0.00
11 T	Tert butyl alcohol	250.000	231.840	7.3	86	-0.01
12 CM	1,1-Dichloroethene	50.000	45.212	9.6#	86	0.00
13 T	Acrolein	250.000	248.678	0.5	103	0.00
14 T	Allyl chloride	50.000	46.059	7.9	86	0.00
15 T	Acrylonitrile	250.000	229.037	8.4	89	0.00
16 T	Acetone	250.000	190.831	23.7	73	0.00
17 T	Carbon Disulfide	50.000	41.171	17.7	81	0.00
18 T	Methyl Acetate	50.000	45.901	8.2	90	0.00
19 T	Methyl tert-butyl Ether	50.000	44.731	10.5	86	0.00
20 T	Methylene Chloride	50.000	44.101	11.8	89	0.00
21 T	trans-1,2-Dichloroethene	50.000	44.970	10.1	86	0.00
22 T	Diisopropyl ether	50.000	45.712	8.6	87	0.00
23 T	Vinyl Acetate	250.000	232.975	6.8	86	0.00
24 P	1,1-Dichloroethane	50.000	45.482	9.0	87	0.00
25 T	2-Butanone	250.000	213.216	14.7	80	0.00
26 T	2,2-Dichloropropane	50.000	47.382	5.2	87	0.00
27 T	cis-1,2-Dichloroethene	50.000	46.515	7.0	88	0.00
28 T	Bromochloromethane	50.000	48.389	3.2	91	0.00
29 T	Tetrahydrofuran	250.000	221.953	11.2	86	0.00
30 C	Chloroform	50.000	45.802	8.4#	88	0.00
31 T	Cyclohexane	50.000	43.905	12.2	85	0.00
32 T	1,1,1-Trichloroethane	50.000	46.116	7.8	85	0.00
33 S	1,2-Dichloroethane-d4	50.000	46.284	7.4	88	0.00
34 I	1,4-Difluorobenzene	50.000	50.000	0.0	97	0.00
35 S	Dibromofluoromethane	50.000	49.197	1.6	91	0.00
36 T	1,1-Dichloropropene	50.000	45.259	9.5	85	0.00
37 T	Ethyl Acetate	50.000	46.695	6.6	87	0.00
38 T	Carbon Tetrachloride	50.000	47.072	5.9	86	0.00
39 T	Methylcyclohexane	50.000	46.312	7.4	87	0.00
40 TM	Benzene	50.000	46.510	7.0	88	0.00
41 T	Methacrylonitrile	50.000	47.615	4.8	89	0.00
42 TM	1,2-Dichloroethane	50.000	45.002	10.0	84	0.00
43 T	Isopropyl Acetate	50.000	46.918	6.2	86	0.00
44 TM	Trichloroethene	50.000	47.897	4.2	89	0.00
45 C	1,2-Dichloropropane	50.000	47.779	4.4#	89	0.00
46 T	Dibromomethane	50.000	47.098	5.8	88	0.00
47 T	Bromodichloromethane	50.000	47.384	5.2	86	0.00
48 T	Methyl methacrylate	50.000	46.252	7.5	86	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX012422\
 Data File : VX026556.D
 Acq On : 24 Jan 2022 17:20
 Operator : JC/MD
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Jan 25 03:26:07 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X011122W.M
 Quant Title : SW846 8260
 QLast Update : Tue Jan 11 14:45:13 2022
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
49 T	1,4-Dioxane	1000.000	866.880	13.3	79	0.00
50 S	Toluene-d8	50.000	48.888	2.2	92	0.00
51 T	4-Methyl-2-Pentanone	250.000	234.123	6.4	87	0.00
52 CM	Toluene	50.000	47.037	5.9#	88	0.00
53 T	t-1,3-Dichloropropene	50.000	44.887	10.2	88	0.00
54 T	cis-1,3-Dichloropropene	50.000	49.920	0.2	88	0.00
55 T	1,1,2-Trichloroethane	50.000	46.939	6.1	88	0.00
56 T	Ethyl methacrylate	50.000	48.665	2.7	87	0.00
57 T	1,3-Dichloropropane	50.000	47.840	4.3	90	0.00
58 T	2-Chloroethyl Vinyl ether	250.000	245.624	1.8	90	0.00
59 T	2-Hexanone	250.000	230.266	7.9	84	0.00
60 T	Dibromochloromethane	50.000	49.658	0.7	89	0.00
61 T	1,2-Dibromoethane	50.000	47.503	5.0	88	0.00
62 S	4-Bromofluorobenzene	50.000	48.986	2.0	91	0.00
63 I	Chlorobenzene-d5	50.000	50.000	0.0	96	0.00
64 T	Tetrachloroethene	50.000	48.765	2.5	91	0.00
65 PM	Chlorobenzene	50.000	47.689	4.6	90	0.00
66 T	1,1,1,2-Tetrachloroethane	50.000	48.769	2.5	90	0.00
67 C	Ethyl Benzene	50.000	47.765	4.5#	88	0.00
68 T	m/p-Xylenes	100.000	96.323	3.7	88	0.00
69 T	o-Xylene	50.000	48.105	3.8	88	0.00
70 T	Styrene	50.000	49.704	0.6	89	0.00
71 P	Bromoform	50.000	46.026	7.9	91	0.00
72 I	1,4-Dichlorobenzene-d4	50.000	50.000	0.0	97	0.00
73 T	Isopropylbenzene	50.000	46.561	6.9	88	0.00
74 T	N-amyl acetate	50.000	47.428	5.1	85	0.00
75 P	1,1,2,2-Tetrachloroethane	50.000	47.007	6.0	90	0.00
76 T	1,2,3-Trichloropropane	50.000	47.703	4.6	89	0.00
77 T	Bromobenzene	50.000	46.771	6.5	89	0.00
78 T	n-propylbenzene	50.000	47.153	5.7	89	0.00
79 T	2-Chlorotoluene	50.000	45.933	8.1	88	0.00
80 T	1,3,5-Trimethylbenzene	50.000	47.078	5.8	89	0.00
81 T	trans-1,4-Dichloro-2-butene	50.000	47.049	5.9	95	0.00
82 T	4-Chlorotoluene	50.000	46.001	8.0	88	0.00
83 T	tert-Butylbenzene	50.000	47.779	4.4	89	0.00
84 T	1,2,4-Trimethylbenzene	50.000	46.835	6.3	88	0.00
85 T	sec-Butylbenzene	50.000	47.929	4.1	89	0.00
86 T	p-Isopropyltoluene	50.000	49.151	1.7	91	0.00
87 T	1,3-Dichlorobenzene	50.000	47.085	5.8	91	0.00
88 T	1,4-Dichlorobenzene	50.000	46.529	6.9	89	0.00
89 T	n-Butylbenzene	50.000	48.739	2.5	89	0.00
90 T	Hexachloroethane	50.000	45.554	8.9	90	0.00
91 T	1,2-Dichlorobenzene	50.000	47.089	5.8	89	0.00
92 T	1,2-Dibromo-3-Chloropropane	50.000	47.577	4.8	86	0.00
93 T	1,2,4-Trichlorobenzene	50.000	48.710	2.6	90	0.00
94 T	Hexachlorobutadiene	50.000	49.480	1.0	94	0.00
95 T	Naphthalene	50.000	49.353	1.3	90	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX012422\
Data File : VX026556.D
Acq On : 24 Jan 2022 17:20
Operator : JC/MD
Sample : VSTDCCC050
Misc : 5.0mL/MSVOA_X/WATER
ALS Vial : 9 Sample Multiplier: 1

Instrument :
MSVOA_X
LabSampleId :
VSTDCCC050

Quant Time: Jan 25 03:26:07 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X011122W.M
Quant Title : SW846 8260
QLast Update : Tue Jan 11 14:45:13 2022
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
96 T	1,2,3-Trichlorobenzene	50.000	49.279	1.4	92	0.00

(#) = Out of Range SPCC's out = 0 CCC's out = 6