

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX012621\
 Data File : VX020745.D
 Acq On : 26 Jan 2021 12:00
 Operator : JC/SP
 Sample : VX0126WBSD01
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 VX0126WBSD01

Manual Integrations
 APPROVED

MMDadoda
 1/27/2021 12:49:20 PM

Quant Time: Jan 26 14:39:12 2021
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X012521W.M
 Quant Title : SW846 8260
 QLast Update : Mon Jan 25 13:38:15 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	5.623	168	315231	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	6.824	114	494610	50.00	ug/l	0.00
63) Chlorobenzene-d5	10.092	117	474278	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	12.061	152	239358	50.00	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	6.025	65	203192	47.26	ug/l	0.00
Spiked Amount 50.000	Range 61 - 141		Recovery =	94.52%		
35) Dibromofluoromethane	5.458	113	163518	48.26	ug/l	0.00
Spiked Amount 50.000	Range 69 - 133		Recovery =	96.52%		
50) Toluene-d8	8.690	98	607743	48.93	ug/l	0.00
Spiked Amount 50.000	Range 65 - 126		Recovery =	97.86%		
62) 4-Bromofluorobenzene	11.122	95	237955	49.33	ug/l	0.00
Spiked Amount 50.000	Range 58 - 135		Recovery =	98.66%		
Target Compounds					Qvalue	
2) Dichlorodifluoromethane	1.185	85	90097	18.84	ug/l	100
3) Chloromethane	1.313	50	83236	18.77	ug/l	99
4) Vinyl Chloride	1.392	62	80833	18.28	ug/l	100
5) Bromomethane	1.624	94	47317	22.28	ug/l	98
6) Chloroethane	1.709	64	47549	19.00	ug/l	98
7) Trichlorofluoromethane	1.916	101	112863	18.82	ug/l	96
8) Diethyl Ether	2.166	74	41866	19.45	ug/l	98
9) 1,1,2-Trichlorotrifluo...	2.361	101	57481	18.78	ug/l	99
10) Methyl Iodide	2.489	142	77061	17.95	ug/l	93
11) Tert butyl alcohol	3.008	59	77618	96.70	ug/l	99
12) 1,1-Dichloroethene	2.355	96	55437	18.31	ug/l	96
13) Acrolein	2.270	56	54282	89.67	ug/l	100
14) Allyl chloride	2.703	41	101849	18.06	ug/l	94
15) Acrylonitrile	3.111	53	190236	93.63	ug/l	99
16) Acetone	2.416	43	138500	84.96	ug/l	99
17) Carbon Disulfide	2.550	76	167590	17.77	ug/l	98
18) Methyl Acetate	2.745	43	78520	18.85	ug/l	100
19) Methyl tert-butyl Ether	3.160	73	222597	19.66	ug/l	98
20) Methylene Chloride	2.831	84	74565	18.12	ug/l	96
21) trans-1,2-Dichloroethene	3.142	96	67139	17.75	ug/l	99
22) Diisopropyl ether	3.818	45	218545	19.72	ug/l	97
23) Vinyl Acetate	3.782	43	879398	96.46	ug/l	98
24) 1,1-Dichloroethane	3.666	63	125042	18.67	ug/l	98
25) 2-Butanone	4.629	43	232401	91.02	ug/l	100
26) 2,2-Dichloropropane	4.544	77	99127	18.44	ug/l	99
27) cis-1,2-Dichloroethene	4.556	96	77260	18.63	ug/l	100
28) Bromochloromethane	4.977	49	49181	17.13	ug/l	96
29) Tetrahydrofuran	5.087	42	151104	91.88	ug/l	97
30) Chloroform	5.172	83	131639	19.12	ug/l	98
31) Cyclohexane	5.544	56	105470	18.24	ug/l	97
32) 1,1,1-Trichloroethane	5.458	97	112201	18.51	ug/l	99
36) 1,1-Dichloropropene	5.763	75	93018	18.74	ug/l	99
37) Ethyl Acetate	4.788	43	91784	19.50	ug/l	99
38) Carbon Tetrachloride	5.751	117	100142	19.19	ug/l	99
39) Methylcyclohexane	7.434	83	106978	18.91	ug/l	97
40) Benzene	6.105	78	282281	19.31	ug/l	100

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX012621\
 Data File : VX020745.D
 Acq On : 26 Jan 2021 12:00
 Operator : JC/SP
 Sample : VX0126WBSD01
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 VX0126WBSD01

Manual Integrations
 APPROVED

MMDadoda
 1/27/2021 12:49:20 PM

Quant Time: Jan 26 14:39:12 2021
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X012521W.M
 Quant Title : SW846 8260
 QLast Update : Mon Jan 25 13:38:15 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
41) Methacrylonitrile	5.001	41	49616	18.84	ug/l	99
42) 1,2-Dichloroethane	6.160	62	102545	19.67	ug/l	99
43) Isopropyl Acetate	6.403	43	145527	19.40	ug/l	98
44) Trichloroethene	7.184	130	75112	19.31	ug/l	99
45) 1,2-Dichloropropane	7.489	63	74038	19.43	ug/l	94
46) Dibromomethane	7.635	93	49367	19.30	ug/l	99
47) Bromodichloromethane	7.873	83	103810	19.21	ug/l	100
48) Methyl methacrylate	7.745	41	73505	19.39	ug/l	96
49) 1,4-Dioxane	7.708	88	35270	396.69	ug/l	95
51) 4-Methyl-2-Pentanone	8.616	43	462420	97.66	ug/l	99
52) Toluene	8.763	92	179867	19.57	ug/l	99
53) t-1,3-Dichloropropene	9.019	75	106851	18.79	ug/l	98
54) cis-1,3-Dichloropropene	8.409	75	117743	19.20	ug/l	96
55) 1,1,2-Trichloroethane	9.196	97	76299	19.99	ug/l	98
56) Ethyl methacrylate	9.159	69	103912	18.85	ug/l	98
57) 1,3-Dichloropropane	9.348	76	127671	19.94	ug/l	99
58) 2-Chloroethyl Vinyl ether	8.287	63	259438	98.23	ug/l	98
59) 2-Hexanone	9.470	43	343834	97.54	ug/l	98
60) Dibromochloromethane	9.561	129	83464	19.78	ug/l	99
61) 1,2-Dibromoethane	9.653	107	77107	19.52	ug/l	100
64) Tetrachloroethene	9.318	164	72156	19.84	ug/l	95
65) Chlorobenzene	10.116	112	192467	18.76	ug/l	98
66) 1,1,1,2-Tetrachloroethane	10.201	131	74898	19.66	ug/l	97
67) Ethyl Benzene	10.232	91	335119	18.84	ug/l	99
68) m/p-Xylenes	10.342	106	255658	38.53	ug/l	98
69) o-Xylene	10.677	106	119935	19.22	ug/l	96
70) Styrene	10.695	104	208259	19.44	ug/l	98
71) Bromoform	10.836	173	59671	19.51	ug/l #	99
73) Isopropylbenzene	11.000	105	332926	19.24	ug/l	100
74) N-amyl acetate	10.878	43	120705	17.92	ug/l	98
75) 1,1,2,2-Tetrachloroethane	11.250	83	110923	19.03	ug/l	98
76) 1,2,3-Trichloropropane	11.281	75	110471m	19.90	ug/l	
77) Bromobenzene	11.238	156	84780	19.36	ug/l	98
78) n-propylbenzene	11.342	91	380634	19.06	ug/l	99
79) 2-Chlorotoluene	11.402	91	233904	19.17	ug/l	100
80) 1,3,5-Trimethylbenzene	11.488	105	287790	19.46	ug/l	99
81) trans-1,4-Dichloro-2-b...	11.055	75	35070	17.70	ug/l	95
82) 4-Chlorotoluene	11.494	91	270794	18.75	ug/l	99
83) tert-Butylbenzene	11.756	119	270622	18.95	ug/l	97
84) 1,2,4-Trimethylbenzene	11.793	105	288790	19.36	ug/l	99
85) sec-Butylbenzene	11.927	105	319075	19.33	ug/l	100
86) p-Isopropyltoluene	12.049	119	294383	19.22	ug/l	98
87) 1,3-Dichlorobenzene	12.006	146	154539	19.37	ug/l	99
88) 1,4-Dichlorobenzene	12.079	146	150081	18.11	ug/l	97
89) n-Butylbenzene	12.372	91	253364	18.47	ug/l	99
90) Hexachloroethane	12.579	117	51382	18.63	ug/l	93
91) 1,2-Dichlorobenzene	12.372	146	145761	18.96	ug/l	97
92) 1,2-Dibromo-3-Chloropr...	12.981	75	21911	16.96	ug/l	96
93) 1,2,4-Trichlorobenzene	13.628	180	91236	18.30	ug/l	98
94) Hexachlorobutadiene	13.762	225	42609	18.13	ug/l	95
95) Naphthalene	13.817	128	291154	17.82	ug/l	100
96) 1,2,3-Trichlorobenzene	14.000	180	91549	18.86	ug/l	98

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX012621\
 Data File : VX020745.D
 Acq On : 26 Jan 2021 12:00
 Operator : JC/SP
 Sample : VX0126WBSD01
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 VX0126WBSD01


Manual Integrations
 APPROVED

MMDadoda
 1/27/2021 12:49:20 PM


Quant Time: Jan 26 14:39:12 2021
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X012521W.M
 Quant Title : SW846 8260
 QLast Update : Mon Jan 25 13:38:15 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
----------	------	------	----------	------	-------	----------



(#) = qualifier out of range (m) = manual integration (+) = signals summed



#1
Pentafluorobenzene
Concen: 50.00 ug/l
RT: 5.623 min Scan# 744
Delta R.T. -0.006 min
Lab File: VX020745.D
Acq: 26 Jan 2021 12:00




Tgt Ion: 168 Resp: 315231
Ion Ratio Lower Upper
168 100
99 59.0 45.8 68.6




Instrument :
MSVOA_X
ClientSampleId :
VX0126WBSD01

Manual Integrations
APPROVED



MMDadoda
1/27/2021 12:49:20 PM




#2
Dichlorodifluoromethane
Concen: 18.84 ug/l
RT: 1.185 min Scan# 16
Delta R.T. -0.000 min
Lab File: VX020745.D
Acq: 26 Jan 2021 12:00



Tgt Ion: 85 Resp: 90097
Ion Ratio Lower Upper
85 100
87 32.7 16.4 49.2









#3
Chloromethane
Concen: 18.77 ug/l
RT: 1.313 min Scan# 37
Delta R.T. -0.000 min
Lab File: VX020745.D
Acq: 26 Jan 2021 12:00

Tgt Ion: 50 Resp: 83236
Ion Ratio Lower Upper
50 100
52 32.4 26.4 39.6

Instrument :
MSVOA_X
ClientSampleId :
VX0126WBSD01




Manual Integrations
APPROVED


MMDadoda
1/27/2021 12:49:20 PM



#4
Vinyl Chloride
Concen: 18.28 ug/l
RT: 1.392 min Scan# 50
Delta R.T. 0.000 min
Lab File: VX020745.D
Acq: 26 Jan 2021 12:00

Tgt Ion: 62 Resp: 80833
Ion Ratio Lower Upper
62 100
64 31.8 25.7 38.5









#5
Bromomethane
Concen: 22.28 ug/l
RT: 1.624 min Scan# 88
Delta R.T. -0.000 min
Lab File: VX020745.D
Acq: 26 Jan 2021 12:00

Tgt Ion: 94 Resp: 47317
Ion Ratio Lower Upper
94 100
96 93.1 76.4 114.6

Instrument :
MSVOA_X
ClientSampleId :
VX0126WBSD01




Manual Integrations
APPROVED


MMDadoda
1/27/2021 12:49:20 PM



#6
Chloroethane
Concen: 19.00 ug/l
RT: 1.709 min Scan# 102
Delta R.T. 0.006 min
Lab File: VX020745.D
Acq: 26 Jan 2021 12:00

Tgt Ion: 64 Resp: 47549
Ion Ratio Lower Upper
64 100
66 32.7 25.4 38.0









#7
Trichlorofluoromethane
Concen: 18.82 ug/l
RT: 1.916 min Scan# 136
Delta R.T. 0.006 min
Lab File: VX020745.D
Acq: 26 Jan 2021 12:00

Tgt Ion:101 Resp: 112863
Ion Ratio Lower Upper
101 100
103 63.7 53.2 79.8

Instrument :
MSVOA_X
ClientSampleId :
VX0126WBSD01




Manual Integrations
APPROVED


MMDadoda
1/27/2021 12:49:20 PM



#8
Diethyl Ether
Concen: 19.45 ug/l
RT: 2.166 min Scan# 177
Delta R.T. 0.000 min
Lab File: VX020745.D
Acq: 26 Jan 2021 12:00


Tgt Ion: 74 Resp: 41866
Ion Ratio Lower Upper
74 100
45 91.1 44.5 133.5





#9
1,1,2-Trichlorotrifluoroethane
Concen: 18.78 ug/l
RT: 2.361 min Scan# 209
Delta R.T. 0.000 min
Lab File: VX020745.D
Acq: 26 Jan 2021 12:00




Instrument :
MSVOA_X
ClientSampleId :
VX0126WBSD01




Tgt Ion:101 Resp: 57481
Ion Ratio Lower Upper
101 100
85 44.7 34.9 52.3
151 77.2 61.4 92.2

Manual Integrations
APPROVED



MMDadoda
1/27/2021 12:49:20 PM




#10
Methyl Iodide
Concen: 17.95 ug/l
RT: 2.489 min Scan# 230
Delta R.T. 0.000 min
Lab File: VX020745.D
Acq: 26 Jan 2021 12:00




Tgt Ion:142 Resp: 77061
Ion Ratio Lower Upper
142 100
127 47.8 33.3 49.9
141 14.4 11.4 17.0









#11
Tert butyl alcohol
Concen: 96.70 ug/l
RT: 3.008 min Scan# 315
Delta R.T. -0.012 min
Lab File: VX020745.D
Acq: 26 Jan 2021 12:00





Tgt Ion: 59 Resp: 77618
Ion Ratio Lower Upper
59 100
57 9.4 7.8 11.8



#12
1,1-Dichloroethene
Concen: 18.31 ug/l
RT: 2.355 min Scan# 208
Delta R.T. 0.000 min
Lab File: VX020745.D
Acq: 26 Jan 2021 12:00




Tgt Ion: 96 Resp: 55437
Ion Ratio Lower Upper
96 100
61 162.0 124.6 187.0
98 65.7 50.6 76.0



Instrument :
MSVOA_X
ClientSampleId :
VX0126WBSD01

Manual Integrations
APPROVED

MMDadoda
1/27/2021 12:49:20 PM







#13
Acrolein
Concen: 89.67 ug/l
RT: 2.270 min Scan# 194
Delta R.T. -0.000 min
Lab File: VX020745.D
Acq: 26 Jan 2021 12:00

Tgt Ion: 56 Resp: 54282
Ion Ratio Lower Upper
56 100
55 70.7 56.4 84.6

Instrument :
MSVOA_X
ClientSampleId :
VX0126WBSD01




Manual Integrations
APPROVED


MMDadoda
1/27/2021 12:49:20 PM



#14
Allyl chloride
Concen: 18.06 ug/l
RT: 2.703 min Scan# 265
Delta R.T. -0.000 min
Lab File: VX020745.D
Acq: 26 Jan 2021 12:00

Tgt Ion: 41 Resp: 101849
Ion Ratio Lower Upper
41 100
39 59.5 51.6 77.4
76 35.5 30.5 45.7









#15
Acrylonitrile
Concen: 93.63 ug/l
RT: 3.111 min Scan# 332
Delta R.T. -0.006 min
Lab File: VX020745.D
Acq: 26 Jan 2021 12:00

Tgt Ion: 53 Resp: 190236
Ion Ratio Lower Upper
53 100
52 80.6 65.3 97.9
51 35.1 28.2 42.2

Instrument :
MSVOA_X
ClientSampleId :
VX0126WBSD01




Manual Integrations
APPROVED


MMDadoda
1/27/2021 12:49:20 PM



#16
Acetone
Concen: 84.96 ug/l
RT: 2.416 min Scan# 218
Delta R.T. -0.006 min
Lab File: VX020745.D
Acq: 26 Jan 2021 12:00

Tgt Ion: 43 Resp: 138500
Ion Ratio Lower Upper
43 100
58 35.5 27.8 41.8









#17
Carbon Disulfide
Concen: 17.77 ug/l
RT: 2.550 min Scan# 240
Delta R.T. 0.006 min
Lab File: VX020745.D
Acq: 26 Jan 2021 12:00

Tgt Ion: 76 Resp: 167590
Ion Ratio Lower Upper
76 100
78 9.5 7.2 10.8

Instrument :
MSVOA_X
ClientSampleId :
VX0126WBSD01




Manual Integrations
APPROVED


MMDadoda
1/27/2021 12:49:20 PM



#18
Methyl Acetate
Concen: 18.85 ug/l
RT: 2.745 min Scan# 272
Delta R.T. 0.000 min
Lab File: VX020745.D
Acq: 26 Jan 2021 12:00

Tgt Ion: 43 Resp: 78520
Ion Ratio Lower Upper
43 100
74 27.5 21.9 32.9









#19
Methyl tert-butyl Ether
Concen: 19.66 ug/l
RT: 3.160 min Scan# 340
Delta R.T. -0.006 min
Lab File: VX020745.D
Acq: 26 Jan 2021 12:00

Tgt Ion: 73 Resp: 222597
Ion Ratio Lower Upper
73 100
57 20.4 17.1 25.7

Instrument :
MSVOA_X
ClientSampleId :
VX0126WBSD01




Manual Integrations
APPROVED


MMDadoda
1/27/2021 12:49:20 PM



#20
Methylene Chloride
Concen: 18.12 ug/l
RT: 2.831 min Scan# 286
Delta R.T. -0.000 min
Lab File: VX020745.D
Acq: 26 Jan 2021 12:00


Tgt Ion: 84 Resp: 74565
Ion Ratio Lower Upper
84 100
49 116.5 88.6 132.8
51 35.1 27.0 40.6
86 61.8 50.3 75.5





#21
trans-1,2-Dichloroethene
Concen: 17.75 ug/l
RT: 3.142 min Scan# 337
Delta R.T. -0.000 min
Lab File: VX020745.D
Acq: 26 Jan 2021 12:00




Instrument :
MSVOA_X
ClientSampleId :
VX0126WBSD01




Tgt Ion: 96 Resp: 67139
Ion Ratio Lower Upper
96 100
61 133.5 107.7 161.5
98 61.5 50.4 75.6

Manual Integrations
APPROVED



MMDadoda
1/27/2021 12:49:20 PM




#22
Diisopropyl ether
Concen: 19.72 ug/l
RT: 3.818 min Scan# 448
Delta R.T. -0.007 min
Lab File: VX020745.D
Acq: 26 Jan 2021 12:00



Tgt Ion: 45 Resp: 218545
Ion Ratio Lower Upper
45 100
43 75.7 58.0 87.0
87 30.0 25.4 38.0
59 12.4 10.2 15.2









#23
 Vinyl Acetate
 Concen: 96.46 ug/l
 RT: 3.782 min Scan# 442
 Delta R.T. -0.000 min
 Lab File: VX020745.D
 Acq: 26 Jan 2021 12:00

Tgt Ion: 43 Resp: 879398
 Ion Ratio Lower Upper
 43 100
 86 11.7 9.9 14.9

Instrument :
 MSVOA_X
 ClientSampleId :
 VX0126WBSD01




Manual Integrations
 APPROVED


MMDadoda
 1/27/2021 12:49:20 PM



#24
 1,1-Dichloroethane
 Concen: 18.67 ug/l
 RT: 3.666 min Scan# 423
 Delta R.T. 0.000 min
 Lab File: VX020745.D
 Acq: 26 Jan 2021 12:00


Tgt Ion: 63 Resp: 125042
 Ion Ratio Lower Upper
 63 100
 98 7.4 3.8 11.2
 100 3.9 2.5 7.5





#25
2-Butanone
Concen: 91.02 ug/l
RT: 4.629 min Scan# 581
Delta R.T. -0.006 min
Lab File: VX020745.D
Acq: 26 Jan 2021 12:00




Instrument :
MSVOA_X
ClientSampleId :
VX0126WBSD01




Tgt Ion: 43 Resp: 232401
Ion Ratio Lower Upper
43 100
72 29.4 23.7 35.5

Manual Integrations
APPROVED



MMDadoda
1/27/2021 12:49:20 PM




#26
2,2-Dichloropropane
Concen: 18.44 ug/l
RT: 4.544 min Scan# 567
Delta R.T. -0.006 min
Lab File: VX020745.D
Acq: 26 Jan 2021 12:00



Tgt Ion: 77 Resp: 99127
Ion Ratio Lower Upper
77 100
97 22.7 11.7 35.1









#27
cis-1,2-Dichloroethene
Concen: 18.63 ug/l
RT: 4.556 min Scan# 569
Delta R.T. -0.006 min
Lab File: VX020745.D
Acq: 26 Jan 2021 12:00

Tgt Ion:	96	Resp:	77260
Ion	Ratio	Lower	Upper
96	100		
61	143.3	0.0	285.6
98	65.3	0.0	129.6

Instrument :
MSVOA_X
ClientSampleId :
VX0126WBSD01




Manual Integrations
APPROVED


MMDadoda
1/27/2021 12:49:20 PM



#28
Bromochloromethane
Concen: 17.13 ug/l
RT: 4.977 min Scan# 638
Delta R.T. -0.000 min
Lab File: VX020745.D
Acq: 26 Jan 2021 12:00

Tgt Ion:	49	Resp:	49181
Ion	Ratio	Lower	Upper
49	100		
129	2.0	0.0	4.0
130	81.9	68.2	102.2





#29

Tetrahydrofuran

Concen: 91.88 ug/l

RT: 5.087 min Scan# 656

Delta R.T. 0.001 min

Lab File: VX020745.D





Acq: 26 Jan 2021 12:00

Tgt Ion:	42	Resp:	151104
Ion	Ratio	Lower	Upper
42	100		
72	49.6	41.7	62.5
71	46.8	38.4	57.6

Instrument :
MSVOA_X
ClientSampleId :
VX0126WBSD01

Manual Integrations
APPROVED

MMDadoda
1/27/2021 12:49:20 PM



#30

Chloroform

Concen: 19.12 ug/l




RT: 5.172 min Scan# 670


Delta R.T. -0.006 min

Lab File: VX020745.D

Acq: 26 Jan 2021 12:00


Tgt Ion:	83	Resp:	131639
Ion	Ratio	Lower	Upper
83	100		
85	66.8	52.0	78.0





#31
Cyclohexane
Concen: 18.24 ug/l
RT: 5.544 min Scan# 731
Delta R.T. -0.000 min
Lab File: VX020745.D
Acq: 26 Jan 2021 12:00




Instrument :
MSVOA_X
ClientSampleId :
VX0126WBSD01




Tgt Ion: 56 Resp: 105470
Ion Ratio Lower Upper
56 100
69 33.2 25.3 37.9
84 86.3 71.4 107.0

Manual Integrations
APPROVED



MMDadoda
1/27/2021 12:49:20 PM




#32
1,1,1-Trichloroethane
Concen: 18.51 ug/l
RT: 5.458 min Scan# 717
Delta R.T. 0.000 min
Lab File: VX020745.D
Acq: 26 Jan 2021 12:00




Tgt Ion: 97 Resp: 112201
Ion Ratio Lower Upper
97 100
99 64.9 51.5 77.3
61 42.5 34.2 51.4









#33
1,2-Dichloroethane-d4
Concen: 47.26 ug/l
RT: 6.025 min Scan# 810
Delta R.T. 0.000 min
Lab File: VX020745.D
Acq: 26 Jan 2021 12:00





Tgt Ion: 65 Resp: 203192
Ion Ratio Lower Upper
65 100
67 52.7 0.0 105.4



#34
1,4-Difluorobenzene
Concen: 50.00 ug/l
RT: 6.824 min Scan# 941
Delta R.T. -0.006 min
Lab File: VX020745.D
Acq: 26 Jan 2021 12:00




Tgt Ion: 114 Resp: 494610
Ion Ratio Lower Upper
114 100
63 21.1 0.0 40.8
88 16.8 0.0 32.8




Instrument :
MSVOA_X
ClientSampleId :
VX0126WBSD01

Manual Integrations
APPROVED




MMDadoda
1/27/2021 12:49:20 PM




#35
Dibromofluoromethane
Concen: 48.26 ug/l
RT: 5.458 min Scan# 717
Delta R.T. -0.006 min
Lab File: VX020745.D
Acq: 26 Jan 2021 12:00





Tgt Ion:113 Resp: 163518
Ion Ratio Lower Upper
113 100
111 105.2 81.9 122.9
192 20.6 16.7 25.1



#36
1,1-Dichloropropene
Concen: 18.74 ug/l
RT: 5.763 min Scan# 767
Delta R.T. -0.006 min
Lab File: VX020745.D
Acq: 26 Jan 2021 12:00




Tgt Ion: 75 Resp: 93018
Ion Ratio Lower Upper
75 100
110 35.5 18.1 54.4
77 31.8 25.3 37.9




Instrument :
MSVOA_X
ClientSampleId :
VX0126WBSD01

Manual Integrations
APPROVED




MMDadoda
1/27/2021 12:49:20 PM




#37
Ethyl Acetate
Concen: 19.50 ug/l
RT: 4.788 min Scan# 607
Delta R.T. -0.006 min
Lab File: VX020745.D
Acq: 26 Jan 2021 12:00





Tgt Ion: 43 Resp: 91784
Ion Ratio Lower Upper
43 100
61 15.6 12.8 19.2
70 12.7 10.5 15.7



#38
Carbon Tetrachloride
Concen: 19.19 ug/l
RT: 5.751 min Scan# 765
Delta R.T. 0.000 min
Lab File: VX020745.D
Acq: 26 Jan 2021 12:00




Tgt Ion: 117 Resp: 100142
Ion Ratio Lower Upper
117 100
119 95.6 76.2 114.2
121 32.1 24.8 37.2




Instrument :
MSVOA_X
ClientSampleId :
VX0126WBSD01

Manual Integrations
APPROVED




MMDadoda
1/27/2021 12:49:20 PM



#39
Methylcyclohexane
Concen: 18.91 ug/l
RT: 7.434 min Scan# 1041
Delta R.T. -0.006 min
Lab File: VX020745.D
Acq: 26 Jan 2021 12:00






Tgt Ion: 83 Resp: 106978
Ion Ratio Lower Upper
83 100
55 77.8 58.9 88.3
98 48.3 38.1 57.1



#40
Benzene
Concen: 19.31 ug/l
RT: 6.105 min Scan# 823
Delta R.T. -0.006 min
Lab File: VX020745.D
Acq: 26 Jan 2021 12:00


Tgt Ion: 78 Resp: 282281
Ion Ratio Lower Upper
78 100
77 23.5 18.9 28.3




Instrument :
MSVOA_X
ClientSampleId :
VX0126WBSD01

Manual Integrations
APPROVED




MMDadoda
1/27/2021 12:49:20 PM




#41
Methacrylonitrile
Concen: 18.84 ug/l
RT: 5.001 min Scan# 642
Delta R.T. 0.000 min
Lab File: VX020745.D
Acq: 26 Jan 2021 12:00





Tgt Ion:	41	Resp:	49616
Ion Ratio	Lower	Upper	
41	100		
39	52.1	42.5	63.7
67	80.8	65.0	97.6
52	33.2	25.3	37.9



#42
1,2-Dichloroethane
Concen: 19.67 ug/l
RT: 6.160 min Scan# 832
Delta R.T. 0.001 min
Lab File: VX020745.D
Acq: 26 Jan 2021 12:00




Tgt Ion:	62	Resp:	102545
Ion Ratio	Lower	Upper	
62	100		
98	10.3	0.0	20.2



Instrument :
MSVOA_X
ClientSampleId :
VX0126WBSD01

Manual Integrations
APPROVED

MMDadoda
1/27/2021 12:49:20 PM







#43
Isopropyl Acetate
Concen: 19.40 ug/l
RT: 6.403 min Scan# 872
Delta R.T. -0.006 min
Lab File: VX020745.D
Acq: 26 Jan 2021 12:00

Tgt Ion: 43	Resp: 145527
Ion Ratio	Lower Upper
43 100	
61 21.8	18.2 27.4
87 14.4	12.5 18.7

Instrument :
MSVOA_X
ClientSampleId :
VX0126WBSD01




Manual Integrations
APPROVED


MMDadoda
1/27/2021 12:49:20 PM



#44
Trichloroethene
Concen: 19.31 ug/l
RT: 7.184 min Scan# 1000
Delta R.T. -0.000 min
Lab File: VX020745.D
Acq: 26 Jan 2021 12:00

Tgt Ion:130	Resp: 75112
Ion Ratio	Lower Upper
130 100	
95 99.7	0.0 198.0









#45
1,2-Dichloropropane
Concen: 19.43 ug/l
RT: 7.489 min Scan# 1050
Delta R.T. 0.001 min
Lab File: VX020745.D
Acq: 26 Jan 2021 12:00

Tgt Ion: 63 Resp: 74038
Ion Ratio Lower Upper
63 100
65 28.8 25.7 38.5

Instrument :
MSVOA_X
ClientSampleId :
VX0126WBSD01




Manual Integrations
APPROVED


MMDadoda
1/27/2021 12:49:20 PM




#46
Dibromomethane
Concen: 19.30 ug/l
RT: 7.635 min Scan# 1074
Delta R.T. -0.000 min
Lab File: VX020745.D
Acq: 26 Jan 2021 12:00

Tgt Ion: 93 Resp: 49367
Ion Ratio Lower Upper
93 100
95 84.7 66.8 100.2
174 103.5 83.1 124.7






#47
Bromodichloromethane
Concen: 19.21 ug/l
RT: 7.873 min Scan# 1113
Delta R.T. -0.000 min
Lab File: VX020745.D
Acq: 26 Jan 2021 12:00





Tgt Ion: 83 Resp: 103810
Ion Ratio Lower Upper
83 100
85 64.4 51.4 77.0
127 9.0 6.8 10.2




Instrument :
MSVOA_X
ClientSampleId :
VX0126WBSD01

Manual Integrations
APPROVED



MMDadoda
1/27/2021 12:49:20 PM




#48
Methyl methacrylate
Concen: 19.39 ug/l
RT: 7.745 min Scan# 1092
Delta R.T. -0.000 min
Lab File: VX020745.D
Acq: 26 Jan 2021 12:00



Tgt Ion: 41 Resp: 73505
Ion Ratio Lower Upper
41 100
69 93.4 76.0 114.0
39 50.8 44.6 67.0









#49
1,4-Dioxane
Concen: 396.69 ug/l
RT: 7.708 min Scan# 1086
Delta R.T. -0.006 min
Lab File: VX020745.D
Acq: 26 Jan 2021 12:00

Tgt Ion: 88 Resp: 35270
Ion Ratio Lower Upper
88 100
43 30.6 23.2 34.8
58 73.3 55.0 82.4

Instrument :
MSVOA_X
ClientSampleId :
VX0126WBSD01




Manual Integrations
APPROVED


MMDadoda
1/27/2021 12:49:20 PM



#50
Toluene-d8
Concen: 48.93 ug/l
RT: 8.690 min Scan# 1247
Delta R.T. -0.006 min
Lab File: VX020745.D
Acq: 26 Jan 2021 12:00

Tgt Ion: 98 Resp: 607743
Ion Ratio Lower Upper
98 100
100 65.6 51.9 77.9









#51
4-Methyl-2-Pentanone
Concen: 97.66 ug/l
RT: 8.616 min Scan# 1235
Delta R.T. 0.000 min
Lab File: VX020745.D
Acq: 26 Jan 2021 12:00

Tgt Ion: 43 Resp: 462420
Ion Ratio Lower Upper
43 100
58 43.4 35.4 53.0

Instrument :
MSVOA_X
ClientSampleId :
VX0126WBSD01




Manual Integrations
APPROVED


MMDadoda
1/27/2021 12:49:20 PM



#52
Toluene
Concen: 19.57 ug/l
RT: 8.763 min Scan# 1259
Delta R.T. -0.000 min
Lab File: VX020745.D
Acq: 26 Jan 2021 12:00

Tgt Ion: 92 Resp: 179867
Ion Ratio Lower Upper
92 100
91 170.3 137.1 205.7









#53
t-1,3-Dichloropropene
Concen: 18.79 ug/l
RT: 9.019 min Scan# 1301
Delta R.T. -0.000 min
Lab File: VX020745.D
Acq: 26 Jan 2021 12:00

Tgt Ion: 75 Resp: 106851
Ion Ratio Lower Upper
75 100
77 32.3 24.9 37.3

Instrument :
MSVOA_X
ClientSampleId :
VX0126WBSD01




Manual Integrations
APPROVED


MMDadoda
1/27/2021 12:49:20 PM




#54
cis-1,3-Dichloropropene
Concen: 19.20 ug/l
RT: 8.409 min Scan# 1201
Delta R.T. -0.006 min
Lab File: VX020745.D
Acq: 26 Jan 2021 12:00

Tgt Ion: 75 Resp: 117743
Ion Ratio Lower Upper
75 100
77 32.9 25.7 38.5
39 40.6 35.1 52.7








#55
1,1,2-Trichloroethane
Concen: 19.99 ug/l
RT: 9.196 min Scan# 1330
Delta R.T. 0.001 min
Lab File: VX020745.D
Acq: 26 Jan 2021 12:00




Tgt Ion: 97 Resp: 76299

Ion	Ratio	Lower	Upper
97	100		
83	82.4	69.3	103.9
85	54.0	44.3	66.5
99	62.9	50.3	75.5





#56
Ethyl methacrylate
Concen: 18.85 ug/l
RT: 9.159 min Scan# 1324
Delta R.T. -0.000 min
Lab File: VX020745.D
Acq: 26 Jan 2021 12:00



Tgt Ion: 69 Resp: 103912


Ion	Ratio	Lower	Upper
69	100		
41	57.8	46.8	70.2
39	28.3	24.7	37.1



Instrument :
MSVOA_X
ClientSampleId :
VX0126WBSD01

Manual Integrations
APPROVED

MMDadoda
1/27/2021 12:49:20 PM







#57
1,3-Dichloropropane
Concen: 19.94 ug/l
RT: 9.348 min Scan# 1355
Delta R.T. -0.006 min
Lab File: VX020745.D
Acq: 26 Jan 2021 12:00

Tgt Ion: 76 Resp: 127671
Ion Ratio Lower Upper
76 100
78 32.0 26.2 39.2

Instrument :
MSVOA_X
ClientSampleId :
VX0126WBSD01




Manual Integrations
APPROVED


MMDadoda
1/27/2021 12:49:20 PM



#58
2-Chloroethyl Vinyl ether
Concen: 98.23 ug/l
RT: 8.287 min Scan# 1181
Delta R.T. 0.000 min
Lab File: VX020745.D
Acq: 26 Jan 2021 12:00

Tgt Ion: 63 Resp: 259438
Ion Ratio Lower Upper
63 100
106 28.5 23.5 35.3









#59
2-Hexanone
Concen: 97.54 ug/l
RT: 9.470 min Scan# 1375
Delta R.T. -0.000 min
Lab File: VX020745.D
Acq: 26 Jan 2021 12:00

Tgt Ion: 43 Resp: 343834
Ion Ratio Lower Upper
43 100
58 60.2 30.9 92.8

Instrument :
MSVOA_X
ClientSampleId :
VX0126WBSD01




Manual Integrations
APPROVED


MMDadoda
1/27/2021 12:49:20 PM



#60
Dibromochloromethane
Concen: 19.78 ug/l
RT: 9.561 min Scan# 1390
Delta R.T. 0.000 min
Lab File: VX020745.D
Acq: 26 Jan 2021 12:00

Tgt Ion: 129 Resp: 83464
Ion Ratio Lower Upper
129 100
127 76.0 38.4 115.2






#61
1,2-Dibromoethane
Concen: 19.52 ug/l
RT: 9.653 min Scan# 1405
Delta R.T. -0.000 min
Lab File: VX020745.D
Acq: 26 Jan 2021 12:00




Instrument :
MSVOA_X
ClientSampleId :
VX0126WBSD01

Manual Integrations
APPROVED

MMDadoda
1/27/2021 12:49:20 PM







Tgt Ion:107 Resp: 77107
Ion Ratio Lower Upper
107 100
109 94.8 75.8 113.6



#62
4-Bromofluorobenzene
Concen: 49.33 ug/l
RT: 11.122 min Scan# 1646
Delta R.T. 0.000 min
Lab File: VX020745.D
Acq: 26 Jan 2021 12:00

Tgt Ion: 95 Resp: 237955
Ion Ratio Lower Upper
95 100
174 76.8 0.0 154.6
176 74.5 0.0 155.8









#63
Chlorobenzene-d5
Concen: 50.00 ug/l
RT: 10.092 min Scan# 1477
Delta R.T. -0.000 min
Lab File: VX020745.D
Acq: 26 Jan 2021 12:00

Tgt Ion:	117	Resp:	474278
Ion	Ratio	Lower	Upper
117	100		
82	58.9	47.4	71.2
119	32.7	26.6	39.8

Instrument :
MSVOA_X
ClientSampleId :
VX0126WBSD01




Manual Integrations
APPROVED


MMDadoda
1/27/2021 12:49:20 PM



#64
Tetrachloroethene
Concen: 19.84 ug/l
RT: 9.318 min Scan# 1350
Delta R.T. 0.001 min
Lab File: VX020745.D
Acq: 26 Jan 2021 12:00

Tgt Ion:	164	Resp:	72156
Ion	Ratio	Lower	Upper
164	100		
166	133.7	103.4	155.2
129	98.7	70.8	106.2
131	90.0	72.5	108.7









#65
Chlorobenzene
Concen: 18.76 ug/l
RT: 10.116 min Scan# 1481
Delta R.T. -0.006 min
Lab File: VX020745.D
Acq: 26 Jan 2021 12:00

Instrument :
MSVOA_X
ClientSampleId :
VX0126WBSD01

Tgt Ion:112 Resp: 192467
Ion Ratio Lower Upper
112 100
114 30.9 25.8 38.6




Manual Integrations
APPROVED


MMDadoda
1/27/2021 12:49:20 PM



#66
1,1,1,2-Tetrachloroethane
Concen: 19.66 ug/l
RT: 10.201 min Scan# 1495
Delta R.T. 0.000 min
Lab File: VX020745.D
Acq: 26 Jan 2021 12:00

Tgt Ion:131 Resp: 74898
Ion Ratio Lower Upper
131 100
133 91.8 47.7 143.1
119 63.6 32.1 96.5









#67
Ethyl Benzene
Concen: 18.84 ug/l
RT: 10.232 min Scan# 1500
Delta R.T. -0.000 min
Lab File: VX020745.D
Acq: 26 Jan 2021 12:00

Tgt Ion: 91 Resp: 335119
Ion Ratio Lower Upper
91 100
106 30.2 24.6 37.0

Instrument :
MSVOA_X
ClientSampleId :
VX0126WBSD01




Manual Integrations
APPROVED


MMDadoda
1/27/2021 12:49:20 PM



#68
m/p-Xylenes
Concen: 38.53 ug/l
RT: 10.342 min Scan# 1518
Delta R.T. -0.000 min
Lab File: VX020745.D
Acq: 26 Jan 2021 12:00


Tgt Ion: 106 Resp: 255658
Ion Ratio Lower Upper
106 100
91 206.0 162.8 244.2





#69
o-Xylene
Concen: 19.22 ug/l
RT: 10.677 min Scan# 1573
Delta R.T. -0.006 min
Lab File: VX020745.D
Acq: 26 Jan 2021 12:00




Instrument :
MSVOA_X
ClientSampleId :
VX0126WBSD01




Tgt Ion:106 Resp: 119935
Ion Ratio Lower Upper
106 100
91 221.8 108.1 324.2

Manual Integrations
APPROVED



MMDadoda
1/27/2021 12:49:20 PM




#70
Styrene
Concen: 19.44 ug/l
RT: 10.695 min Scan# 1576
Delta R.T. 0.000 min
Lab File: VX020745.D
Acq: 26 Jan 2021 12:00



Tgt Ion:104 Resp: 208259
Ion Ratio Lower Upper
104 100
78 51.7 40.0 60.0
103 54.7 43.4 65.0









#71
Bromoform
Concen: 19.51 ug/l
RT: 10.836 min Scan# 1599
Delta R.T. 0.001 min
Lab File: VX020745.D
Acq: 26 Jan 2021 12:00

Tgt Ion:173 Resp: 59671
Ion Ratio Lower Upper
173 100
175 48.7 23.9 71.8
254 0.0 0.1 0.1#

Instrument :
MSVOA_X
ClientSampleId :
VX0126WBSD01




Manual Integrations
APPROVED


MMDadoda
1/27/2021 12:49:20 PM



#72
1,4-Dichlorobenzene-d4
Concen: 50.00 ug/l
RT: 12.061 min Scan# 1800
Delta R.T. -0.000 min
Lab File: VX020745.D
Acq: 26 Jan 2021 12:00


Tgt Ion:152 Resp: 239358
Ion Ratio Lower Upper
152 100
115 69.8 41.1 123.3
150 163.9 0.0 349.0





#73
Isopropylbenzene
Concen: 19.24 ug/l
RT: 11.000 min Scan# 1626
Delta R.T. 0.000 min
Lab File: VX020745.D
Acq: 26 Jan 2021 12:00




Instrument :
MSVOA_X
ClientSampleId :
VX0126WBSD01




Tgt Ion:105 Resp: 332926
Ion Ratio Lower Upper
105 100
120 26.5 13.2 39.6

Manual Integrations
APPROVED



MMDadoda
1/27/2021 12:49:20 PM




#74
N-ethyl acetate
Concen: 17.92 ug/l
RT: 10.878 min Scan# 1606
Delta R.T. 0.000 min
Lab File: VX020745.D
Acq: 26 Jan 2021 12:00



Tgt Ion: 43 Resp: 120705
Ion Ratio Lower Upper
43 100
70 48.3 39.0 58.6
55 28.3 21.5 32.3
61 26.7 22.1 33.1









#75
1,1,2,2-Tetrachloroethane
Concen: 19.03 ug/l
RT: 11.250 min Scan# 1667
Delta R.T. 0.000 min
Lab File: VX020745.D
Acq: 26 Jan 2021 12:00

Tgt Ion: 83 Resp: 110923
Ion Ratio Lower Upper
83 100
131 10.7 5.1 15.2
85 65.6 31.8 95.4

Instrument :
MSVOA_X
ClientSampleId :
VX0126WBSD01




Manual Integrations
APPROVED


MMDadoda
1/27/2021 12:49:20 PM



#76
1,2,3-Trichloropropane
Concen: 19.90 ug/l m
RT: 11.281 min Scan# 1672
Delta R.T. 0.001 min
Lab File: VX020745.D
Acq: 26 Jan 2021 12:00

Tgt Ion: 75 Resp: 110471
Ion Ratio Lower Upper
75 100
77 36.8 19.1 57.5









#77
Bromobenzene
Concen: 19.36 ug/l
RT: 11.238 min Scan# 1665
Delta R.T. -0.000 min
Lab File: VX020745.D
Acq: 26 Jan 2021 12:00

Tgt Ion: 156 Resp: 84780
Ion Ratio Lower Upper
156 100
77 164.3 82.8 248.6
158 95.6 49.1 147.4

Instrument :
MSVOA_X
ClientSampleId :
VX0126WBSD01




Manual Integrations
APPROVED


MMDadoda
1/27/2021 12:49:20 PM



#78
n-propylbenzene
Concen: 19.06 ug/l
RT: 11.342 min Scan# 1682
Delta R.T. 0.001 min
Lab File: VX020745.D
Acq: 26 Jan 2021 12:00


Tgt Ion: 91 Resp: 380634
Ion Ratio Lower Upper
91 100
120 22.7 11.5 34.5





#79
2-Chlorotoluene
Concen: 19.17 ug/l
RT: 11.402 min Scan# 1692
Delta R.T. 0.000 min
Lab File: VX020745.D
Acq: 26 Jan 2021 12:00




Instrument :
MSVOA_X
ClientSampleId :
VX0126WBSD01




Tgt Ion: 91 Resp: 233904
Ion Ratio Lower Upper
91 100
126 33.0 16.6 49.8

Manual Integrations
APPROVED



MMDadoda
1/27/2021 12:49:20 PM




#80
1,3,5-Trimethylbenzene
Concen: 19.46 ug/l
RT: 11.488 min Scan# 1706
Delta R.T. -0.000 min
Lab File: VX020745.D
Acq: 26 Jan 2021 12:00



Tgt Ion: 105 Resp: 287790
Ion Ratio Lower Upper
105 100
120 48.2 23.8 71.5









#81
trans-1,4-Dichloro-2-butene
Concen: 17.70 ug/l
RT: 11.055 min Scan# 1635
Delta R.T. -0.000 min
Lab File: VX020745.D
Acq: 26 Jan 2021 12:00

Tgt Ion: 75 Resp: 35070
Ion Ratio Lower Upper
75 100
53 99.4 74.5 111.7
89 46.5 37.9 56.9

Instrument :
MSVOA_X
ClientSampleId :
VX0126WBSD01




Manual Integrations
APPROVED


MMDadoda
1/27/2021 12:49:20 PM



#82
4-Chlorotoluene
Concen: 18.75 ug/l
RT: 11.494 min Scan# 1707
Delta R.T. -0.000 min
Lab File: VX020745.D
Acq: 26 Jan 2021 12:00

Tgt Ion: 91 Resp: 270794
Ion Ratio Lower Upper
91 100
126 29.0 14.9 44.5









#83
tert-Butylbenzene
Concen: 18.95 ug/l
RT: 11.756 min Scan# 1750
Delta R.T. 0.006 min
Lab File: VX020745.D
Acq: 26 Jan 2021 12:00

Tgt Ion:119 Resp: 270622
Ion Ratio Lower Upper
119 100
91 58.2 27.9 83.7
134 23.1 11.3 33.9

Instrument :
MSVOA_X
ClientSampleId :
VX0126WBSD01




Manual Integrations
APPROVED


MMDadoda
1/27/2021 12:49:20 PM



#84
1,2,4-Trimethylbenzene
Concen: 19.36 ug/l
RT: 11.793 min Scan# 1756
Delta R.T. -0.000 min
Lab File: VX020745.D
Acq: 26 Jan 2021 12:00


Tgt Ion:105 Resp: 288790
Ion Ratio Lower Upper
105 100
120 44.3 22.4 67.3





#85
 sec-Butylbenzene
 Concen: 19.33 ug/l
 RT: 11.927 min Scan# 1778
 Delta R.T. -0.000 min
 Lab File: VX020745.D
 Acq: 26 Jan 2021 12:00




Instrument :
 MSVOA_X
 ClientSampleId :
 VX0126WBSD01




Tgt Ion:105 Resp: 319075
 Ion Ratio Lower Upper
 105 100
 134 20.0 10.0 29.8

Manual Integrations
 APPROVED



MMDadoda
 1/27/2021 12:49:20 PM




#86
 p-Isopropyltoluene
 Concen: 19.22 ug/l
 RT: 12.049 min Scan# 1798
 Delta R.T. -0.000 min
 Lab File: VX020745.D
 Acq: 26 Jan 2021 12:00



Tgt Ion:119 Resp: 294383
 Ion Ratio Lower Upper
 119 100
 134 26.1 12.9 38.7
 91 24.6 11.7 35.0









#87
1,3-Dichlorobenzene
Concen: 19.37 ug/l
RT: 12.006 min Scan# 1791
Delta R.T. 0.000 min
Lab File: VX020745.D
Acq: 26 Jan 2021 12:00

Tgt Ion:146 Resp: 154539
Ion Ratio Lower Upper
146 100
111 40.8 20.2 60.5
148 62.6 31.9 95.7

Instrument :
MSVOA_X
ClientSampleId :
VX0126WBSD01




Manual Integrations
APPROVED


MMDadoda
1/27/2021 12:49:20 PM




#88
1,4-Dichlorobenzene
Concen: 18.11 ug/l
RT: 12.079 min Scan# 1803
Delta R.T. 0.000 min
Lab File: VX020745.D
Acq: 26 Jan 2021 12:00

Tgt Ion:146 Resp: 150081
Ion Ratio Lower Upper
146 100
111 42.4 19.6 58.8
148 65.1 31.6 95.0







#89
n-Butylbenzene
Concen: 18.47 ug/l
RT: 12.372 min Scan# 1851
Delta R.T. -0.000 min
Lab File: VX020745.D
Acq: 26 Jan 2021 12:00




Tgt Ion: 91 Resp: 253364
Ion Ratio Lower Upper
91 100
92 54.0 27.4 82.0
134 25.6 13.2 39.5




Instrument :
MSVOA_X
ClientSampleId :
VX0126WBSD01

Manual Integrations
APPROVED



MMDadoda
1/27/2021 12:49:20 PM




#90
Hexachloroethane
Concen: 18.63 ug/l
RT: 12.579 min Scan# 1885
Delta R.T. 0.000 min
Lab File: VX020745.D
Acq: 26 Jan 2021 12:00




Tgt Ion: 117 Resp: 51382
Ion Ratio Lower Upper
117 100
201 74.9 40.4 121.2





#91
1,2-Dichlorobenzene
Concen: 18.96 ug/l
RT: 12.372 min Scan# 1851
Delta R.T. -0.000 min
Lab File: VX020745.D
Acq: 26 Jan 2021 12:00




Instrument :
MSVOA_X
ClientSampleId :
VX0126WBSD01




Tgt Ion:146 Resp: 145761
Ion Ratio Lower Upper
146 100
111 43.8 20.8 62.2
148 65.5 31.9 95.5

Manual Integrations
APPROVED



MMDadoda
1/27/2021 12:49:20 PM




#92
1,2-Dibromo-3-Chloropropane
Concen: 16.96 ug/l
RT: 12.981 min Scan# 1951
Delta R.T. 0.000 min
Lab File: VX020745.D
Acq: 26 Jan 2021 12:00



Tgt Ion: 75 Resp: 21911
Ion Ratio Lower Upper
75 100
155 88.0 45.3 135.9
157 110.1 57.7 173.1









#93
1,2,4-Trichlorobenzene
Concen: 18.30 ug/l
RT: 13.628 min Scan# 2057
Delta R.T. -0.000 min
Lab File: VX020745.D
Acq: 26 Jan 2021 12:00

Tgt Ion:	180	Resp:	91236
Ion Ratio	Lower	Upper	
180	100		
182	93.9	47.7	143.1
145	31.9	15.0	45.0

Instrument :
MSVOA_X
ClientSampleId :
VX0126WBSD01




Manual Integrations
APPROVED


MMDadoda
1/27/2021 12:49:20 PM



#94
Hexachlorobutadiene
Concen: 18.13 ug/l
RT: 13.762 min Scan# 2079
Delta R.T. -0.000 min
Lab File: VX020745.D
Acq: 26 Jan 2021 12:00

Tgt Ion:	225	Resp:	42609
Ion Ratio	Lower	Upper	
225	100		
223	66.7	31.1	93.2
227	66.3	31.6	95.0









#95
Naphthalene
Concen: 17.82 ug/l
RT: 13.817 min Scan# 2088
Delta R.T. -0.000 min
Lab File: VX020745.D
Acq: 26 Jan 2021 12:00

Tgt Ion:128 Resp: 291154
Ion Ratio Lower Upper
128 100
127 12.7 10.3 15.5
129 11.1 8.8 13.2

Instrument :
MSVOA_X
ClientSampleId :
VX0126WBSD01

Manual Integrations
APPROVED

MMDadoda
1/27/2021 12:49:20 PM



#96
1,2,3-Trichlorobenzene
Concen: 18.86 ug/l
RT: 14.000 min Scan# 2118
Delta R.T. 0.001 min
Lab File: VX020745.D
Acq: 26 Jan 2021 12:00

Tgt Ion:180 Resp: 91549
Ion Ratio Lower Upper
180 100
182 96.6 47.6 142.9
145 34.5 16.1 48.3

