

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_X\Data\VX012722\  
 Data File : VX026602.D  
 Acq On : 26 Jan 2022 18:10  
 Operator : JC/MD  
 Sample : N1286-02  
 Misc : 5.0mL/MSVOA\_X/WATER  
 ALS Vial : 21 Sample Multiplier: 1

Instrument :  
 MSVOA\_X  
 ClientSampleId :  
 MW-19

Quant Time: Jan 27 07:32:53 2022  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_X\Method\82X011122W.M  
 Quant Title : SW846 8260  
 QLast Update : Tue Jan 11 14:45:13 2022  
 Response via : Initial Calibration

| Compound                    | R.T.   | QIon  | Response | Conc     | Units  | Dev(Min) |
|-----------------------------|--------|-------|----------|----------|--------|----------|
| -----                       |        |       |          |          |        |          |
| Internal Standards          |        |       |          |          |        |          |
| 1) Pentafluorobenzene       | 5.555  | 168   | 141552   | 50.000   | ug/l   | 0.00     |
| 34) 1,4-Difluorobenzene     | 6.763  | 114   | 242928   | 50.000   | ug/l   | 0.00     |
| 63) Chlorobenzene-d5        | 10.055 | 117   | 216869   | 50.000   | ug/l   | 0.00     |
| 72) 1,4-Dichlorobenzene-d4  | 12.024 | 152   | 91334    | 50.000   | ug/l   | 0.00     |
| System Monitoring Compounds |        |       |          |          |        |          |
| 33) 1,2-Dichloroethane-d4   | 5.958  | 65    | 93347    | 47.208   | ug/l   | 0.00     |
| Spiked Amount               | 50.000 | Range | 78 - 117 | Recovery | =      | 94.420%  |
| 35) Dibromofluoromethane    | 5.391  | 113   | 76095    | 48.507   | ug/l   | 0.00     |
| Spiked Amount               | 50.000 | Range | 75 - 124 | Recovery | =      | 97.020%  |
| 50) Toluene-d8              | 8.652  | 98    | 283375   | 50.127   | ug/l   | 0.00     |
| Spiked Amount               | 50.000 | Range | 92 - 112 | Recovery | =      | 100.260% |
| 62) 4-Bromofluorobenzene    | 11.079 | 95    | 101465   | 50.525   | ug/l   | 0.00     |
| Spiked Amount               | 50.000 | Range | 83 - 123 | Recovery | =      | 101.060% |
| Target Compounds            |        |       |          |          |        |          |
|                             |        |       |          |          | Qvalue |          |
| 16) Acetone                 | 2.391  | 43    | 6161     | 6.110    | ug/l   | 98       |
| 37) Ethyl Acetate           | 4.720  | 43    | 43078    | 17.196   | ug/l   | 99       |
| -----                       |        |       |          |          |        |          |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_X\Data\VX012722\  
Data File : VX026602.D  
Acq On : 26 Jan 2022 18:10  
Operator : JC/MD  
Sample : N1286-02  
Misc : 5.0mL/MSVOA\_X/WATER  
ALS Vial : 21 Sample Multiplier: 1

Instrument :  
MSVOA\_X  
ClientSampleId :  
MW-19

Quant Time: Jan 27 07:32:53 2022  
Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_X\Method\82X011122W.M  
Quant Title : SW846 8260  
QLast Update : Tue Jan 11 14:45:13 2022  
Response via : Initial Calibration

