

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\WX012722\
 Data File : VX026612.D
 Acq On : 27 Jan 2022 10:11
 Operator : JC/MD
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Jan 28 04:23:26 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X011122W.M
 Quant Title : SW846 8260
 QLast Update : Tue Jan 11 14:45:13 2022
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	50.000	50.000	0.0	95	0.00
2 T	Dichlorodifluoromethane	50.000	43.906	12.2	83	0.00
3 P	Chloromethane	50.000	48.558	2.9	94	0.00
4 C	Vinyl Chloride	50.000	47.622	4.8#	88	0.00
5 T	Bromomethane	50.000	51.402	-2.8	99	0.00
6 T	Chloroethane	50.000	45.087	9.8	86	0.00
7 T	Trichlorofluoromethane	50.000	45.777	8.4	84	0.00
8 T	Diethyl Ether	50.000	47.859	4.3	87	0.00
9 T	1,1,2-Trichlorotrifluoroeth	50.000	49.232	1.5	91	0.00
10 T	Methyl Iodide	50.000	57.365	-14.7	114	0.00
11 T	Tert butyl alcohol	250.000	208.298	16.7	75	0.03
12 CM	1,1-Dichloroethene	50.000	47.986	4.0#	88	0.00
13 T	Acrolein	250.000	177.807	28.9#	71	0.00
14 T	Allyl chloride	50.000	48.115	3.8	87	0.00
15 T	Acrylonitrile	250.000	252.752	-1.1	94	0.00
16 T	Acetone	250.000	234.063	6.4	86	0.00
17 T	Carbon Disulfide	50.000	42.883	14.2	81	0.00
18 T	Methyl Acetate	50.000	49.860	0.3	95	0.00
19 T	Methyl tert-butyl Ether	50.000	47.450	5.1	88	0.00
20 T	Methylene Chloride	50.000	48.676	2.6	95	0.00
21 T	trans-1,2-Dichloroethene	50.000	47.644	4.7	88	0.00
22 T	Diisopropyl ether	50.000	49.417	1.2	91	0.00
23 T	Vinyl Acetate	250.000	244.258	2.3	87	0.00
24 P	1,1-Dichloroethane	50.000	48.849	2.3	90	0.00
25 T	2-Butanone	250.000	249.201	0.3	90	0.00
26 T	2,2-Dichloropropane	50.000	50.074	-0.1	88	0.00
27 T	cis-1,2-Dichloroethene	50.000	49.391	1.2	90	0.00
28 T	Bromochloromethane	50.000	47.705	4.6	86	0.00
29 T	Tetrahydrofuran	250.000	241.953	3.2	90	0.00
30 C	Chloroform	50.000	48.643	2.7#	90	0.00
31 T	Cyclohexane	50.000	46.286	7.4	87	0.00
32 T	1,1,1-Trichloroethane	50.000	48.578	2.8	87	0.00
33 S	1,2-Dichloroethane-d4	50.000	42.103	15.8	77	0.00
34 I	1,4-Difluorobenzene	50.000	50.000	0.0	94	0.00
35 S	Dibromofluoromethane	50.000	45.459	9.1	82	0.00
36 T	1,1-Dichloropropene	50.000	48.758	2.5	89	0.00
37 T	Ethyl Acetate	50.000	49.549	0.9	90	0.00
38 T	Carbon Tetrachloride	50.000	49.655	0.7	87	0.00
39 T	Methylcyclohexane	50.000	49.924	0.2	90	0.00
40 TM	Benzene	50.000	50.088	-0.2	92	0.00
41 T	Methacrylonitrile	50.000	51.995	-4.0	94	0.00
42 TM	1,2-Dichloroethane	50.000	48.015	4.0	87	0.00
43 T	Isopropyl Acetate	50.000	50.535	-1.1	89	0.00
44 TM	Trichloroethene	50.000	52.516	-5.0	94	0.00
45 C	1,2-Dichloropropane	50.000	52.192	-4.4#	94	0.00
46 T	Dibromomethane	50.000	51.378	-2.8	93	0.00
47 T	Bromodichloromethane	50.000	52.304	-4.6	92	0.00
48 T	Methyl methacrylate	50.000	51.121	-2.2	92	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX012722\
 Data File : VX026612.D
 Acq On : 27 Jan 2022 10:11
 Operator : JC/MD
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Jan 28 04:23:26 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X011122W.M
 Quant Title : SW846 8260
 QLast Update : Tue Jan 11 14:45:13 2022
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
49 T	1,4-Dioxane	1000.000	762.013	23.8	67	0.00
50 S	Toluene-d8	50.000	47.865	4.3	87	0.00
51 T	4-Methyl-2-Pentanone	250.000	256.503	-2.6	92	0.00
52 CM	Toluene	50.000	54.007	-8.0#	98	0.00
53 T	t-1,3-Dichloropropene	50.000	50.897	-1.8	97	0.00
54 T	cis-1,3-Dichloropropene	50.000	54.719	-9.4	93	0.00
55 T	1,1,2-Trichloroethane	50.000	54.819	-9.6	99	0.00
56 T	Ethyl methacrylate	50.000	55.876	-11.8	97	0.00
57 T	1,3-Dichloropropane	50.000	54.397	-8.8	99	0.00
58 T	2-Chloroethyl Vinyl ether	250.000	175.466	29.8#	63	0.00
59 T	2-Hexanone	250.000	258.605	-3.4	91	0.00
60 T	Dibromochloromethane	50.000	58.660	-17.3	101	0.00
61 T	1,2-Dibromoethane	50.000	55.012	-10.0	99	0.00
62 S	4-Bromofluorobenzene	50.000	50.730	-1.5	91	0.00
63 I	Chlorobenzene-d5	50.000	50.000	0.0	101	0.00
64 T	Tetrachloroethene	50.000	53.607	-7.2	105	0.00
65 PM	Chlorobenzene	50.000	51.931	-3.9	102	0.00
66 T	1,1,1,2-Tetrachloroethane	50.000	52.834	-5.7	101	0.00
67 C	Ethyl Benzene	50.000	52.221	-4.4#	100	0.00
68 T	m/p-Xylenes	100.000	107.067	-7.1	102	0.00
69 T	o-Xylene	50.000	53.757	-7.5	103	0.00
70 T	Styrene	50.000	54.553	-9.1	102	0.00
71 P	Bromoform	50.000	50.060	-0.1	104	0.00
72 I	1,4-Dichlorobenzene-d4	50.000	50.000	0.0	99	0.00
73 T	Isopropylbenzene	50.000	53.175	-6.3	103	0.00
74 T	N-ethyl acetate	50.000	50.248	-0.5	92	0.00
75 P	1,1,2,2-Tetrachloroethane	50.000	48.707	2.6	95	0.00
76 T	1,2,3-Trichloropropane	50.000	50.741	-1.5	97	0.00
77 T	Bromobenzene	50.000	52.704	-5.4	102	0.00
78 T	n-propylbenzene	50.000	53.370	-6.7	102	0.00
79 T	2-Chlorotoluene	50.000	51.274	-2.5	101	0.00
80 T	1,3,5-Trimethylbenzene	50.000	52.828	-5.7	102	0.00
81 T	trans-1,4-Dichloro-2-butene	50.000	50.130	-0.3	104	0.00
82 T	4-Chlorotoluene	50.000	51.360	-2.7	100	0.00
83 T	tert-Butylbenzene	50.000	51.929	-3.9	99	0.00
84 T	1,2,4-Trimethylbenzene	50.000	52.528	-5.1	101	0.00
85 T	sec-Butylbenzene	50.000	53.971	-7.9	102	0.00
86 T	p-Isopropyltoluene	50.000	54.084	-8.2	102	0.00
87 T	1,3-Dichlorobenzene	50.000	51.677	-3.4	102	0.00
88 T	1,4-Dichlorobenzene	50.000	51.701	-3.4	101	0.00
89 T	n-Butylbenzene	50.000	55.375	-10.8	104	0.00
90 T	Hexachloroethane	50.000	50.383	-0.8	103	0.00
91 T	1,2-Dichlorobenzene	50.000	52.618	-5.2	101	0.00
92 T	1,2-Dibromo-3-Chloropropane	50.000	47.268	5.5	87	0.00
93 T	1,2,4-Trichlorobenzene	50.000	53.097	-6.2	101	0.00
94 T	Hexachlorobutadiene	50.000	54.213	-8.4	105	0.00
95 T	Naphthalene	50.000	52.005	-4.0	97	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX012722\
Data File : VX026612.D
Acq On : 27 Jan 2022 10:11
Operator : JC/MD
Sample : VSTDCCC050
Misc : 5.0mL/MSVOA_X/WATER
ALS Vial : 2 Sample Multiplier: 1

Instrument :
MSVOA_X
LabSampleId :
VSTDCCC050

Quant Time: Jan 28 04:23:26 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X011122W.M
Quant Title : SW846 8260
QLast Update : Tue Jan 11 14:45:13 2022
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
96 T	1,2,3-Trichlorobenzene	50.000	53.951	-7.9	103	0.00

(#) = Out of Range SPCC's out = 0 CCC's out = 6