

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\WX012722\
 Data File : VX026639.D
 Acq On : 27 Jan 2022 20:53
 Operator : JC/MD
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 29 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Jan 28 04:28:36 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X011122W.M
 Quant Title : SW846 8260
 QLast Update : Tue Jan 11 14:45:13 2022
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	50.000	50.000	0.0	88	0.00
2 T	Dichlorodifluoromethane	50.000	39.361	21.3	69	0.00
3 P	Chloromethane	50.000	41.795	16.4	75	0.00
4 C	Vinyl Chloride	50.000	42.429	15.1#	73	0.00
5 T	Bromomethane	50.000	30.413	39.2#	54	0.00
6 T	Chloroethane	50.000	46.451	7.1	82	0.00
7 T	Trichlorofluoromethane	50.000	42.516	15.0	72	0.00
8 T	Diethyl Ether	50.000	45.031	9.9	76	0.00
9 T	1,1,2-Trichlorotrifluoroeth	50.000	45.736	8.5	78	0.00
10 T	Methyl Iodide	50.000	33.567	32.9#	58	0.00
11 T	Tert butyl alcohol	250.000	233.387	6.6	78	-0.02
12 CM	1,1-Dichloroethene	50.000	46.351	7.3#	79	0.00
13 T	Acrolein	250.000	140.406	43.8#	52	0.00
14 T	Allyl chloride	50.000	46.573	6.9	78	0.00
15 T	Acrylonitrile	250.000	247.107	1.2	86	0.00
16 T	Acetone	250.000	170.994	31.6#	58	0.00
17 T	Carbon Disulfide	50.000	39.641	20.7	70	0.00
18 T	Methyl Acetate	50.000	49.440	1.1	87	0.00
19 T	Methyl tert-butyl Ether	50.000	46.238	7.5	79	0.00
20 T	Methylene Chloride	50.000	45.822	8.4	83	0.00
21 T	trans-1,2-Dichloroethene	50.000	46.116	7.8	79	0.00
22 T	Diisopropyl ether	50.000	47.669	4.7	81	0.00
23 T	Vinyl Acetate	250.000	239.546	4.2	79	0.00
24 P	1,1-Dichloroethane	50.000	47.237	5.5	81	0.00
25 T	2-Butanone	250.000	212.354	15.1	71	0.00
26 T	2,2-Dichloropropane	50.000	43.309	13.4	71	0.00
27 T	cis-1,2-Dichloroethene	50.000	48.223	3.6	81	0.00
28 T	Bromochloromethane	50.000	54.505	-9.0	92	0.00
29 T	Tetrahydrofuran	250.000	241.713	3.3	83	0.00
30 C	Chloroform	50.000	47.594	4.8#	81	0.00
31 T	Cyclohexane	50.000	44.019	12.0	77	0.00
32 T	1,1,1-Trichloroethane	50.000	46.303	7.4	77	0.00
33 S	1,2-Dichloroethane-d4	50.000	49.088	1.8	84	0.00
34 I	1,4-Difluorobenzene	50.000	50.000	0.0	91	0.00
35 S	Dibromofluoromethane	50.000	50.358	-0.7	87	0.00
36 T	1,1-Dichloropropene	50.000	44.665	10.7	78	0.00
37 T	Ethyl Acetate	50.000	47.682	4.6	83	0.00
38 T	Carbon Tetrachloride	50.000	44.895	10.2	76	0.00
39 T	Methylcyclohexane	50.000	44.093	11.8	77	0.00
40 TM	Benzene	50.000	47.106	5.8	83	0.00
41 T	Methacrylonitrile	50.000	47.916	4.2	83	0.00
42 TM	1,2-Dichloroethane	50.000	44.260	11.5	77	0.00
43 T	Isopropyl Acetate	50.000	47.444	5.1	81	0.00
44 TM	Trichloroethene	50.000	47.030	5.9	81	0.00
45 C	1,2-Dichloropropane	50.000	48.972	2.1#	85	0.00
46 T	Dibromomethane	50.000	47.632	4.7	83	0.00
47 T	Bromodichloromethane	50.000	47.564	4.9	81	0.00
48 T	Methyl methacrylate	50.000	46.859	6.3	81	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\WX012722\
 Data File : VX026639.D
 Acq On : 27 Jan 2022 20:53
 Operator : JC/MD
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 29 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Jan 28 04:28:36 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X011122W.M
 Quant Title : SW846 8260
 QLast Update : Tue Jan 11 14:45:13 2022
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
49 T	1,4-Dioxane	1000.000	879.492	12.1	75	0.00
50 S	Toluene-d8	50.000	50.987	-2.0	89	0.00
51 T	4-Methyl-2-Pentanone	250.000	240.056	4.0	83	0.00
52 CM	Toluene	50.000	47.674	4.7#	83	0.00
53 T	t-1,3-Dichloropropene	50.000	43.812	12.4	80	0.00
54 T	cis-1,3-Dichloropropene	50.000	49.377	1.2	81	0.00
55 T	1,1,2-Trichloroethane	50.000	48.967	2.1	85	0.00
56 T	Ethyl methacrylate	50.000	49.468	1.1	82	0.00
57 T	1,3-Dichloropropane	50.000	48.841	2.3	85	0.00
58 T	2-Chloroethyl Vinyl ether	250.000	251.714	-0.7	86	0.00
59 T	2-Hexanone	250.000	226.235	9.5	77	0.00
60 T	Dibromochloromethane	50.000	49.955	0.1	83	0.00
61 T	1,2-Dibromoethane	50.000	48.768	2.5	84	0.00
62 S	4-Bromofluorobenzene	50.000	50.516	-1.0	88	0.00
63 I	Chlorobenzene-d5	50.000	50.000	0.0	90	0.00
64 T	Tetrachloroethene	50.000	48.982	2.0	86	0.00
65 PM	Chlorobenzene	50.000	47.927	4.1	85	0.00
66 T	1,1,1,2-Tetrachloroethane	50.000	48.786	2.4	84	0.00
67 C	Ethyl Benzene	50.000	48.079	3.8#	83	0.00
68 T	m/p-Xylenes	100.000	96.616	3.4	83	0.00
69 T	o-Xylene	50.000	48.904	2.2	84	0.00
70 T	Styrene	50.000	49.780	0.4	83	0.00
71 P	Bromoform	50.000	44.698	10.6	83	0.00
72 I	1,4-Dichlorobenzene-d4	50.000	50.000	0.0	89	0.00
73 T	Isopropylbenzene	50.000	48.339	3.3	84	0.00
74 T	N-amyl acetate	50.000	48.656	2.7	79	0.00
75 P	1,1,2,2-Tetrachloroethane	50.000	48.558	2.9	84	0.00
76 T	1,2,3-Trichloropropane	50.000	47.718	4.6	81	0.00
77 T	Bromobenzene	50.000	47.763	4.5	83	0.00
78 T	n-propylbenzene	50.000	47.866	4.3	82	0.00
79 T	2-Chlorotoluene	50.000	46.458	7.1	81	0.00
80 T	1,3,5-Trimethylbenzene	50.000	47.708	4.6	82	0.00
81 T	trans-1,4-Dichloro-2-butene	50.000	44.574	10.9	81	0.00
82 T	4-Chlorotoluene	50.000	45.957	8.1	80	0.00
83 T	tert-Butylbenzene	50.000	48.434	3.1	82	0.00
84 T	1,2,4-Trimethylbenzene	50.000	47.381	5.2	81	0.00
85 T	sec-Butylbenzene	50.000	48.301	3.4	82	0.00
86 T	p-Isopropyltoluene	50.000	48.117	3.8	81	0.00
87 T	1,3-Dichlorobenzene	50.000	47.203	5.6	83	0.00
88 T	1,4-Dichlorobenzene	50.000	46.812	6.4	82	0.00
89 T	n-Butylbenzene	50.000	47.319	5.4	79	0.00
90 T	Hexachloroethane	50.000	43.773	12.5	79	0.00
91 T	1,2-Dichlorobenzene	50.000	48.237	3.5	83	0.00
92 T	1,2-Dibromo-3-Chloropropane	50.000	47.121	5.8	77	0.00
93 T	1,2,4-Trichlorobenzene	50.000	47.379	5.2	80	0.00
94 T	Hexachlorobutadiene	50.000	45.932	8.1	80	0.00
95 T	Naphthalene	50.000	50.141	-0.3	83	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX012722\
Data File : VX026639.D
Acq On : 27 Jan 2022 20:53
Operator : JC/MD
Sample : VSTDCCC050
Misc : 5.0mL/MSVOA_X/WATER
ALS Vial : 29 Sample Multiplier: 1

Instrument :
MSVOA_X
LabSampleId :
VSTDCCC050

Quant Time: Jan 28 04:28:36 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X011122W.M
Quant Title : SW846 8260
QLast Update : Tue Jan 11 14:45:13 2022
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
96 T	1,2,3-Trichlorobenzene	50.000	48.792	2.4	83	0.00

(#) = Out of Range SPCC's out = 0 CCC's out = 6