

Data Path : Z:\VOASRV\HPCHEM1\MSVOA X\DATA\VX012919\
 Data File : VX007283.D
 Acq On : 29 Jan 2019 13:03
 Operator : JC/SP
 Sample : K1260-02
 Misc : 5.0mL/MSVOA X/WATER
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 MH-C05

Quant Time: Jan 30 09:29:21 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA X\METHOD\624X012519W.M
 Quant Title : METHOD 624 VOLATILE ORGANIC ANALYSIS
 QLast Update : Mon Jan 28 10:35:22 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Bromochloromethane	5.03	128	77235	30.00	ug/l	0.00
28) 1,4-Difluorobenzene	6.86	114	409450	30.00	ug/l	0.00
57) Chlorobenzene-d5	10.12	117	361458	30.00	ug/l	0.00

System Monitoring Compounds						
27) 1,2-Dichloroethane-d4	6.07	65	154822	30.54	ug/l	0.00
Spiked Amount	30.000	Range	50 - 169	Recovery	=	101.80%
60) 4-Bromofluorobenzene	11.13	95	153003	27.43	ug/l	0.00
Spiked Amount	30.000	Range	56 - 143	Recovery	=	91.43%
63) Toluene-d8	8.71	98	479488	29.43	ug/l	0.00
Spiked Amount	30.000	Range	66 - 137	Recovery	=	98.10%

Target Compounds	Ovalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA X\DATA\VX012919\
Data File : VX007283.D
Acq On : 29 Jan 2019 13:03
Operator : JC/SP
Sample : K1260-02
Misc : 5.0mL/MSVOA X/WATER
ALS Vial : 9 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
MH-C05

Quant Time: Jan 30 09:29:21 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA X\METHOD\624X012519W.M
Quant Title : METHOD 624 VOLATILE ORGANIC ANALYSIS
QLast Update : Mon Jan 28 10:35:22 2019
Response via : Initial Calibration

