

Data Path : Z:\VOASRV\HPCHEM1\MSVOA X\DATA\VX020119\
 Data File : VX007348.D
 Acq On : 01 Feb 2019 20:26
 Operator : JC/SP
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA X/WATER
 ALS Vial : 25 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Feb 02 04:18:11 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X020119W.M
 Quant Title : SW846 8260
 QLast Update : Sat Feb 02 01:32:36 2019
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	100	0.00
2 T	Dichlorodifluoromethane	0.557	0.629	-12.9	100	0.00
3 P	Chloromethane	0.563	0.571	-1.4	104	0.00
4 C	Vinyl Chloride	0.552	0.603	-9.2#	106	0.00
5 T	Bromomethane	0.629	0.592	5.9	106	0.00
6 T	Chloroethane	0.357	0.364	-2.0	107	0.00
7 T	Trichlorofluoromethane	0.864	0.893	-3.4	106	0.00
8 T	Diethyl Ether	0.325	0.323	0.6	104	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.514	0.496	3.5	102	0.00
10 T	Methyl Iodide	0.756	0.779	-3.0	100	0.00
11 T	Tert butyl alcohol	0.110	0.120	-9.1	120	0.01
12 CM	1,1-Dichloroethene	0.477	0.472	1.0#	105	0.00
13 T	Acrolein	0.052	0.073	-40.4#	141	0.00
14 T	Allyl chloride	0.778	0.806	-3.6	106	0.00
15 T	Acrylonitrile	0.272	0.286	-5.1	115	0.00
16 T	Acetone	0.243	0.247	-1.6	109	0.00
17 T	Carbon Disulfide	1.260	1.279	-1.5	109	0.00
18 T	Methyl Acetate	0.688	0.704	-2.3	115	0.00
19 T	Methyl tert-butyl Ether	1.547	1.577	-1.9	109	0.00
20 T	Methylene Chloride	0.550	0.527	4.2	108	0.00
21 T	trans-1,2-Dichloroethene	0.509	0.506	0.6	107	0.00
22 T	Diisopropyl ether	1.431	1.456	-1.7	106	0.00
23 T	Vinyl Acetate	1.187	1.244	-4.8	106	0.00
24 P	1,1-Dichloroethane	0.822	0.804	2.2	102	0.00
25 T	2-Butanone	0.346	0.361	-4.3	113	0.01
26 T	2,2-Dichloropropane	0.626	0.553	11.7	89	0.00
27 T	cis-1,2-Dichloroethene	0.555	0.536	3.4	104	0.00
28 T	Bromochloromethane	0.378	0.371	1.9	99	0.00
29 T	Tetrahydrofuran	0.218	0.235	-7.8	115	0.00
30 C	Chloroform	0.857	0.851	0.7#	104	0.00
31 T	Cyclohexane	0.738	0.723	2.0	102	0.00
32 T	1,1,1-Trichloroethane	0.724	0.750	-3.6	105	0.00
33 S	1,2-Dichloroethane-d4	0.531	0.522	1.7	102	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	100	0.00
35 S	Dibromofluoromethane	0.325	0.323	0.6	102	0.00
36 T	1,1-Dichloropropene	0.449	0.428	4.7	102	0.00
37 T	Ethyl Acetate	0.453	0.461	-1.8	111	0.00
38 T	Carbon Tetrachloride	0.435	0.443	-1.8	102	0.00
39 T	Methylcyclohexane	0.543	0.527	2.9	101	0.00
40 TM	Benzene	1.321	1.306	1.1	105	0.00
41 T	Methacrylonitrile	0.243	0.258	-6.2	110	0.00
42 TM	1,2-Dichloroethane	0.457	0.445	2.6	104	0.00
43 T	Isopropyl Acetate	0.700	0.737	-5.3	109	0.00
44 TM	Trichloroethene	0.398	0.382	4.0	101	0.00
45 C	1,2-Dichloropropane	0.331	0.331	0.0	105	0.00

Data Path : Z:\VOASRV\HPCHEM1\MSVOA X\DATA\WX020119\
 Data File : VX007348.D
 Acq On : 01 Feb 2019 20:26
 Operator : JC/SP
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA X/WATER
 ALS Vial : 25 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Feb 02 04:18:11 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X020119W.M
 Quant Title : SW846 8260
 QLast Update : Sat Feb 02 01:32:36 2019
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
46 T	Dibromomethane	0.241	0.233	3.3	106	0.00
47 T	Bromodichloromethane	0.408	0.422	-3.4	107	0.00
48 T	Methyl methacrylate	0.350	0.380	-8.6	109	0.00
49 T	1,4-Dioxane	0.009	0.009	0.0	116	0.00
50 S	Toluene-d8	1.207	1.213	-0.5	102	0.00
51 T	4-Methyl-2-Pentanone	0.461	0.490	-6.3	109	0.00
52 CM	Toluene	0.853	0.844	1.1#	103	0.00
53 T	t-1,3-Dichloropropene	0.438	0.462	-5.5	103	0.00
54 T	cis-1,3-Dichloropropene	0.482	0.508	-5.4	103	0.00
55 T	1,1,2-Trichloroethane	0.355	0.347	2.3	105	0.00
56 T	Ethyl methacrylate	0.492	0.523	-6.3	107	0.00
57 T	1,3-Dichloropropane	0.565	0.564	0.2	106	0.00
58 T	2-Chloroethyl Vinyl ether	0.259	0.262	-1.2	101	0.00
59 T	2-Hexanone	0.359	0.371	-3.3	109	0.00
60 T	Dibromochloromethane	0.336	0.371	-10.4	105	0.00
61 T	1,2-Dibromoethane	0.376	0.383	-1.9	105	0.00
62 S	4-Bromofluorobenzene	0.441	0.435	1.4	99	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	100	0.00
64 T	Tetrachloroethene	0.471	0.422	10.4	96	0.00
65 PM	Chlorobenzene	1.091	1.046	4.1	102	0.00
66 T	1,1,1,2-Tetrachloroethane	0.366	0.377	-3.0	104	0.00
67 C	Ethyl Benzene	1.757	1.743	0.8#	103	0.00
68 T	m/p-Xylenes	0.698	0.690	1.1	101	0.00
69 T	o-Xylene	0.672	0.665	1.0	101	0.00
70 T	Styrene	1.090	1.090	0.0	101	0.00
71 P	Bromoform	0.283	0.306	-8.1	104	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	96	0.00
73 T	Isopropylbenzene	3.398	3.389	0.3	102	0.00
74 T	N-amyl acetate	1.314	1.362	-3.7	104	0.00
75 P	1,1,2,2-Tetrachloroethane	1.036	1.029	0.7	105	0.00
76 T	1,2,3-Trichloropropane	0.973	0.992	-2.0	102	0.00
77 T	Bromobenzene	0.957	0.920	3.9	100	0.00
78 T	n-propylbenzene	3.726	3.827	-2.7	101	0.00
79 T	2-Chlorotoluene	2.261	2.219	1.9	100	0.00
80 T	1,3,5-Trimethylbenzene	2.780	2.812	-1.2	101	0.00
81 T	trans-1,4-Dichloro-2-butene	0.280	0.290	-3.6	98	0.00
82 T	4-Chlorotoluene	2.616	2.600	0.6	99	0.00
83 T	tert-Butylbenzene	2.752	2.764	-0.4	101	0.00
84 T	1,2,4-Trimethylbenzene	2.822	2.861	-1.4	100	0.00
85 T	sec-Butylbenzene	3.331	3.377	-1.4	99	0.00
86 T	p-Isopropyltoluene	3.007	3.048	-1.4	99	0.00
87 T	1,3-Dichlorobenzene	1.718	1.637	4.7	99	0.00
88 T	1,4-Dichlorobenzene	1.743	1.633	6.3	99	0.00
89 T	n-Butylbenzene	2.587	2.588	-0.0	97	0.00

Data Path : Z:\VOASRV\HPCHEM1\MSVOA X\DATA\VX020119\
Data File : VX007348.D
Acq On : 01 Feb 2019 20:26
Operator : JC/SP
Sample : VSTDCCC050
Misc : 5.0mL/MSVOA X/WATER
ALS Vial : 25 Sample Multiplier: 1

Instrument :
MSVOA_X
LabSampleId :
VSTDCCC050

Quant Time: Feb 02 04:18:11 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X020119W.M
Quant Title : SW846 8260
QLast Update : Sat Feb 02 01:32:36 2019
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
90 T	Hexachloroethane	0.450	0.478	-6.2	102	0.00
91 T	1,2-Dichlorobenzene	1.710	1.612	5.7	99	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.215	0.228	-6.0	110	0.00
93 T	1,2,4-Trichlorobenzene	1.153	1.104	4.2	97	0.00
94 T	Hexachlorobutadiene	0.560	0.525	6.3	98	0.00
95 T	Naphthalene	3.372	3.435	-1.9	103	0.00
96 T	1,2,3-Trichlorobenzene	1.161	1.109	4.5	99	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 5