

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX020323\
 Data File : VX034001.D
 Acq On : 03 Feb 2023 09:42
 Operator : JC/MD
 Sample : VX0203WBL01
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 VBLK610

Quant Time: Feb 04 03:18:54 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\SFAMXML020223WMA.M
 Quant Title : VOC Analysis
 QLast Update : Sat Feb 04 03:17:09 2023
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-Difluorobenzene	6.757	114	236598	50.000	ug/L	0.00
28) Chlorobenzene-d5	10.049	117	201921	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	12.024	152	101881	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.368	65	64050	40.648	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	81.300%
7) Chloroethane-d5	1.672	69	35455	37.063	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	74.120%
11) 1,1-Dichloroethene-d2	2.307	63	99903	34.601	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	69.200%
21) 2-Butanone-d5	4.452	46	84695	93.750	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	93.750%
24) Chloroform-d	5.050	84	129604	45.853	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	91.700%
26) 1,2-Dichloroethane-d4	5.946	65	81024	47.510	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	95.020%
32) Benzene-d6	5.970	84	277959	48.022	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	96.040%
36) 1,2-Dichloropropane-d6	7.300	67	83650	48.883	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	97.760%
41) Toluene-d8	8.647	98	254987	46.439	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	92.880%
43) trans-1,3-Dichloroprop...	8.946	79	35112	45.215	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	90.420%
47) 2-Hexanone-d5	9.385	63	60530	94.326	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	94.330%
56) 1,1,2,2-Tetrachloroeth...	11.189	84	100352	46.768	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	93.540%
66) 1,2-Dichlorobenzene-d4	12.317	152	101699	49.872	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	99.740%
Target Compounds						
37) 1,2-Dichloropropane	7.300	63	8917	5.831	ug/L #	85
39) cis-1,3-Dichloropropene	8.318	75	2308	0.983	ug/L #	77


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX020323\
Data File : VX034001.D
Acq On : 03 Feb 2023 09:42
Operator : JC/MD
Sample : VX0203WBL01
Misc : 5.0mL/MSVOA_X/WATER
ALS Vial : 3 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
VBLK610

Quant Time: Feb 04 03:18:54 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\SFAMXML020223WMA.M
Quant Title : VOC Analysis
QLast Update : Sat Feb 04 03:17:09 2023
Response via : Initial Calibration





#37

1,2-Dichloropropane

Concen: 5.831 ug/L

RT: 7.300 min Scan# 1186

Delta R.T. -0.128 min

Lab File: VX034001.D

Acq: 03 Feb 2023 09:42

Instrument :

MSVOA_X

ClientSampleId :





VBLK610

Tgt Ion: 63 Resp: 8917

Ion Ratio Lower Upper

63 100

112 0.0 4.1 6.1#



#39

cis-1,3-Dichloropropene

Concen: 0.983 ug/L

RT: 8.318 min Scan# 1186

Delta R.T. -0.043 min

Lab File: VX034001.D

Acq: 03 Feb 2023 09:42

Tgt Ion: 75 Resp: 2308

Ion Ratio Lower Upper

75 100

77 44.8 22.5 41.9#

