

Data Path : Z:\VOASRV\HPCHEM1\MSVOA X\DATA\WX020520\  
 Data File : VX014832.D  
 Acq On : 05 Feb 2020 19:00  
 Operator : JC/SP  
 Sample : L1390-08  
 Misc : 5.0mL/MSVOA X/WATER  
 ALS Vial : 23 Sample Multiplier: 1

Instrument :  
 MSVOA\_X  
 ClientSampleId :  
 SB-5-WS

Quant Time: Feb 06 06:33:03 2020  
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA\_X\METHOD\82X012220W.M  
 Quant Title : SW846 8260  
 QLast Update : Wed Jan 22 12:35:15 2020  
 Response via : Initial Calibration

| Internal Standards         | R.T.  | QIon | Response | Conc  | Units | Dev(Min) |
|----------------------------|-------|------|----------|-------|-------|----------|
| 1) Pentafluorobenzene      | 5.65  | 168  | 435231   | 50.00 | ug/l  | 0.00     |
| 34) 1,4-Difluorobenzene    | 6.85  | 114  | 675852   | 50.00 | ug/l  | 0.00     |
| 63) Chlorobenzene-d5       | 10.11 | 117  | 626054   | 50.00 | ug/l  | 0.00     |
| 72) 1,4-Dichlorobenzene-d4 | 12.07 | 152  | 289763   | 50.00 | ug/l  | 0.00     |

| System Monitoring Compounds |        |     |          |       |        |      |
|-----------------------------|--------|-----|----------|-------|--------|------|
| 33) 1,2-Dichloroethane-d4   | 6.05   | 65  | 251929   | 49.57 | ug/l   | 0.00 |
| Spiked Amount               | 50.000 |     | Recovery | =     | 99.14% |      |
| 35) Dibromofluoromethane    | 5.49   | 113 | 209183   | 49.05 | ug/l   | 0.00 |
| Spiked Amount               | 50.000 |     | Recovery | =     | 98.10% |      |
| 50) Toluene-d8              | 8.71   | 98  | 804026   | 49.04 | ug/l   | 0.00 |
| Spiked Amount               | 50.000 |     | Recovery | =     | 98.08% |      |
| 62) 4-Bromofluorobenzene    | 11.13  | 95  | 278192   | 47.63 | ug/l   | 0.00 |
| Spiked Amount               | 50.000 |     | Recovery | =     | 95.26% |      |

| Target Compounds | Qvalue |
|------------------|--------|
| -----            |        |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA X\DATA\VX020520\  
Data File : VX014832.D  
Acq On : 05 Feb 2020 19:00  
Operator : JC/SP  
Sample : L1390-08  
Misc : 5.0mL/MSVOA X/WATER  
ALS Vial : 23 Sample Multiplier: 1

Instrument :  
MSVOA\_X  
ClientSampleId :  
SB-5-WS

Quant Time: Feb 06 06:33:03 2020  
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA\_X\METHOD\82X012220W.M  
Quant Title : SW846 8260  
QLast Update : Wed Jan 22 12:35:15 2020  
Response via : Initial Calibration

