

Data Path : Z:\voasrv\HPCHEM1\MSVOA X\Data\WX020520\
 Data File : VX014834.D
 Acq On : 05 Feb 2020 19:47
 Operator : JC/SP
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA X/WATER
 ALS Vial : 25 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Feb 06 03:28:56 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X012220W.M
 Quant Title : SW846 8260
 QLast Update : Wed Jan 22 12:35:15 2020
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	97	0.00
2 T	Dichlorodifluoromethane	0.598	0.548	8.4	77	0.00
3 P	Chloromethane	0.676	0.571	15.5	79	0.00
4 C	Vinyl Chloride	0.731	0.661	9.6#	80	0.00
5 T	Bromomethane	0.497	0.405	18.5	80	0.00
6 T	Chloroethane	0.458	0.374	18.3	81	0.00
7 T	Trichlorofluoromethane	0.852	0.774	9.2	88	0.00
8 T	Diethyl Ether	0.372	0.342	8.1	91	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.500	0.458	8.4	88	0.00
10 T	Methyl Iodide	0.656	0.650	0.9	87	0.00
11 T	Tert butyl alcohol	0.131	0.115	12.2	97	0.00
12 CM	1,1-Dichloroethene	0.497	0.453	8.9#	88	0.00
13 T	Acrolein	0.103	0.102	1.0	98	0.00
14 T	Allyl chloride	0.893	0.824	7.7	86	0.00
15 T	Acrylonitrile	0.303	0.284	6.3	91	0.00
16 T	Acetone	0.348	0.247	29.0#	75	0.00
17 T	Carbon Disulfide	1.358	1.078	20.6#	75	0.00
18 T	Methyl Acetate	0.913	0.896	1.9	95	0.00
19 T	Methyl tert-butyl Ether	1.628	1.627	0.1	95	0.00
20 T	Methylene Chloride	0.592	0.532	10.1	90	0.00
21 T	trans-1,2-Dichloroethene	0.547	0.485	11.3	87	0.00
22 T	Diisopropyl ether	1.777	1.707	3.9	89	0.00
23 T	Vinyl Acetate	1.355	1.205	11.1	84	0.00
24 P	1,1-Dichloroethane	0.965	0.916	5.1	90	0.00
25 T	2-Butanone	0.458	0.397	13.3	85	0.00
26 T	2,2-Dichloropropane	0.773	0.728	5.8	89	0.00
27 T	cis-1,2-Dichloroethene	0.613	0.586	4.4	93	0.00
28 T	Bromochloromethane	0.424	0.371	12.5	90	0.00
29 T	Tetrahydrofuran	0.272	0.250	8.1	88	0.00
30 C	Chloroform	0.956	0.913	4.5#	92	0.00
31 T	Cyclohexane	0.908	0.808	11.0	83	0.00
32 T	1,1,1-Trichloroethane	0.808	0.785	2.8	94	0.00
33 S	1,2-Dichloroethane-d4	0.584	0.551	5.7	93	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	96	0.00
35 S	Dibromofluoromethane	0.315	0.299	5.1	92	0.00
36 T	1,1-Dichloropropene	0.465	0.443	4.7	87	0.00
37 T	Ethyl Acetate	0.532	0.507	4.7	91	0.00
38 T	Carbon Tetrachloride	0.444	0.437	1.6	92	0.00
39 T	Methylcyclohexane	0.582	0.535	8.1	83	0.00
40 TM	Benzene	1.436	1.366	4.9	89	0.00
41 T	Methacrylonitrile	0.319	0.285	10.7	90	0.00
42 TM	1,2-Dichloroethane	0.496	0.493	0.6	93	0.00
43 T	Isopropyl Acetate	0.871	0.851	2.3	92	0.00
44 TM	Trichloroethene	0.405	0.389	4.0	91	0.00
45 C	1,2-Dichloropropane	0.370	0.359	3.0#	90	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA X\Data\WX020520\
 Data File : VX014834.D
 Acq On : 05 Feb 2020 19:47
 Operator : JC/SP
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA X/WATER
 ALS Vial : 25 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Feb 06 03:28:56 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X012220W.M
 Quant Title : SW846 8260
 QLast Update : Wed Jan 22 12:35:15 2020
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
46 T	Dibromomethane	0.240	0.239	0.4	92	0.00
47 T	Bromodichloromethane	0.470	0.473	-0.6	92	0.00
48 T	Methyl methacrylate	0.416	0.417	-0.2	90	0.00
49 T	1,4-Dioxane	0.009	0.007	22.2#	87	0.00
50 S	Toluene-d8	1.213	1.130	6.8	90	0.00
51 T	4-Methyl-2-Pentanone	0.550	0.527	4.2	91	0.00
52 CM	Toluene	0.882	0.876	0.7#	91	0.00
53 T	t-1,3-Dichloropropene	0.506	0.526	-4.0	93	0.00
54 T	cis-1,3-Dichloropropene	0.556	0.578	-4.0	91	0.00
55 T	1,1,2-Trichloroethane	0.361	0.362	-0.3	93	0.00
56 T	Ethyl methacrylate	0.544	0.584	-7.4	95	0.00
57 T	1,3-Dichloropropane	0.618	0.605	2.1	92	0.00
58 T	2-Chloroethyl Vinyl ether	0.182	0.183	-0.5	88	0.00
59 T	2-Hexanone	0.427	0.401	6.1	88	0.00
60 T	Dibromochloromethane	0.377	0.390	-3.4	95	0.00
61 T	1,2-Dibromoethane	0.382	0.381	0.3	94	0.00
62 S	4-Bromofluorobenzene	0.432	0.412	4.6	93	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	98	0.00
64 T	Tetrachloroethene	0.495	0.529	-6.9	99	0.00
65 PM	Chlorobenzene	1.069	1.040	2.7	93	0.00
66 T	1,1,1,2-Tetrachloroethane	0.394	0.394	0.0	97	0.00
67 C	Ethyl Benzene	1.826	1.825	0.1#	92	0.00
68 T	m/p-Xylenes	0.692	0.697	-0.7	92	0.00
69 T	o-Xylene	0.668	0.679	-1.6	94	0.00
70 T	Styrene	1.120	1.172	-4.6	93	0.00
71 P	Bromoform	0.314	0.333	-6.1	99	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	99	0.00
73 T	Isopropylbenzene	3.516	3.518	-0.1	93	0.00
74 T	N-amyl acetate	1.541	1.592	-3.3	95	0.00
75 P	1,1,2,2-Tetrachloroethane	1.255	1.126	10.3	93	0.00
76 T	1,2,3-Trichloropropane	1.163	0.970	16.6	81	0.00
77 T	Bromobenzene	0.944	0.923	2.2	95	0.00
78 T	n-propylbenzene	3.991	3.983	0.2	92	0.00
79 T	2-Chlorotoluene	2.415	2.346	2.9	93	0.00
80 T	1,3,5-Trimethylbenzene	2.918	2.929	-0.4	92	0.00
81 T	trans-1,4-Dichloro-2-butene	0.409	0.388	5.1	91	0.00
82 T	4-Chlorotoluene	2.749	2.721	1.0	93	0.00
83 T	tert-Butylbenzene	2.742	2.644	3.6	93	0.00
84 T	1,2,4-Trimethylbenzene	2.927	2.983	-1.9	94	0.00
85 T	sec-Butylbenzene	3.359	3.409	-1.5	93	0.00
86 T	p-Isopropyltoluene	3.104	3.142	-1.2	93	0.00
87 T	1,3-Dichlorobenzene	1.697	1.648	2.9	95	0.00
88 T	1,4-Dichlorobenzene	1.700	1.647	3.1	96	0.00
89 T	n-Butylbenzene	2.704	2.753	-1.8	94	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA X\Data\VX020520\
Data File : VX014834.D
Acq On : 05 Feb 2020 19:47
Operator : JC/SP
Sample : VSTDCCC050
Misc : 5.0mL/MSVOA X/WATER
ALS Vial : 25 Sample Multiplier: 1

Instrument :
MSVOA_X
LabSampleId :
VSTDCCC050

Quant Time: Feb 06 03:28:56 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X012220W.M
Quant Title : SW846 8260
QLast Update : Wed Jan 22 12:35:15 2020
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
90 T	Hexachloroethane	0.577	0.550	4.7	94	0.00
91 T	1,2-Dichlorobenzene	1.686	1.656	1.8	95	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.270	0.256	5.2	96	0.00
93 T	1,2,4-Trichlorobenzene	1.087	1.172	-7.8	101	0.00
94 T	Hexachlorobutadiene	0.559	0.555	0.7	95	0.00
95 T	Naphthalene	3.127	3.575	-14.3	101	0.00
96 T	1,2,3-Trichlorobenzene	1.099	1.156	-5.2	97	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6