

Data Path : Z:\VOASRV\HPCHEM1\MSVOA X\DATA\VX020719\  
 Data File : VX007415.D  
 Acq On : 07 Feb 2019 10:43  
 Operator : JC/SP  
 Sample : VX0207WBL01  
 Misc : 5.0mL/MSVOA X/WATER  
 ALS Vial : 3 Sample Multiplier: 1

Instrument :  
 MSVOA\_X  
 ClientSampleId :  
 VX0207WBL01

Quant Time: Feb 08 22:08:40 2019  
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA\_X\METHOD\82X020119W.M  
 Quant Title : SW846 8260  
 QLast Update : Sat Feb 02 01:32:36 2019  
 Response via : Initial Calibration

| Internal Standards         | R.T.  | QIon | Response | Conc  | Units | Dev(Min) |
|----------------------------|-------|------|----------|-------|-------|----------|
| 1) Pentafluorobenzene      | 5.66  | 168  | 541514   | 50.00 | ug/l  | 0.00     |
| 34) 1,4-Difluorobenzene    | 6.86  | 114  | 835063   | 50.00 | ug/l  | 0.00     |
| 63) Chlorobenzene-d5       | 10.11 | 117  | 776292   | 50.00 | ug/l  | 0.00     |
| 72) 1,4-Dichlorobenzene-d4 | 12.08 | 152  | 371975   | 50.00 | ug/l  | 0.00     |

| System Monitoring Compounds | R.T.  | QIon | Response | Conc  | Units   | Dev(Min) |
|-----------------------------|-------|------|----------|-------|---------|----------|
| 33) 1,2-Dichloroethane-d4   | 6.07  | 65   | 293131   | 51.00 | ug/l    | 0.00     |
| Spiked Amount               |       |      | Recovery | =     | 102.00% |          |
| 35) Dibromofluoromethane    | 5.50  | 113  | 268232   | 49.37 | ug/l    | 0.00     |
| Spiked Amount               |       |      | Recovery | =     | 98.74%  |          |
| 50) Toluene-d8              | 8.71  | 98   | 997104   | 49.46 | ug/l    | 0.00     |
| Spiked Amount               |       |      | Recovery | =     | 98.92%  |          |
| 62) 4-Bromofluorobenzene    | 11.13 | 95   | 345464   | 46.94 | ug/l    | 0.00     |
| Spiked Amount               |       |      | Recovery | =     | 93.88%  |          |

| Target Compounds | Qvalue |
|------------------|--------|
|------------------|--------|

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA X\DATA\VX020719\  
Data File : VX007415.D  
Acq On : 07 Feb 2019 10:43  
Operator : JC/SP  
Sample : VX0207WBL01  
Misc : 5.0mL/MSVOA X/WATER  
ALS Vial : 3 Sample Multiplier: 1

Instrument :  
MSVOA\_X  
ClientSampleId :  
VX0207WBL01

Quant Time: Feb 08 22:08:40 2019  
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA\_X\METHOD\82X020119W.M  
Quant Title : SW846 8260  
QLast Update : Sat Feb 02 01:32:36 2019  
Response via : Initial Calibration

