

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX020823\
 Data File : VX034055.D
 Acq On : 07 Feb 2023 12:31
 Operator : JC/MD
 Sample : VX0208WBL01
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 VBLK615

Quant Time: Feb 07 20:42:59 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\SFAMXML020223WMA.M
 Quant Title : VOC Analysis
 QLast Update : Tue Feb 07 20:42:13 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.757	114	197953	50.000	ug/L	0.00
28) Chlorobenzene-d5	10.055	117	174679	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	12.024	152	91888	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.368	65	39120	29.673	ug/L	0.00
Spiked Amount	50.000	Range 60 - 135	Recovery	=	59.340%#	
7) Chloroethane-d5	1.666	69	30327	37.892	ug/L	0.00
Spiked Amount	50.000	Range 70 - 130	Recovery	=	75.780%	
11) 1,1-Dichloroethene-d2	2.307	63	65879	27.272	ug/L	0.00
Spiked Amount	50.000	Range 60 - 125	Recovery	=	54.540%#	
21) 2-Butanone-d5	4.446	46	69906	92.486	ug/L	0.00
Spiked Amount	100.000	Range 40 - 130	Recovery	=	92.490%	
24) Chloroform-d	5.056	84	97759	41.339	ug/L	0.00
Spiked Amount	50.000	Range 70 - 125	Recovery	=	82.680%	
26) 1,2-Dichloroethane-d4	5.952	65	62016	43.464	ug/L	0.00
Spiked Amount	50.000	Range 70 - 125	Recovery	=	86.920%	
32) Benzene-d6	5.971	84	196579	39.259	ug/L	0.00
Spiked Amount	50.000	Range 70 - 125	Recovery	=	78.520%	
36) 1,2-Dichloropropane-d6	7.306	67	60886	41.129	ug/L	0.00
Spiked Amount	50.000	Range 70 - 120	Recovery	=	82.260%	
41) Toluene-d8	8.647	98	181684	38.249	ug/L	0.00
Spiked Amount	50.000	Range 80 - 120	Recovery	=	76.500%#	
43) trans-1,3-Dichloroprop...	8.946	79	25888	38.536	ug/L	0.00
Spiked Amount	50.000	Range 60 - 125	Recovery	=	77.080%	
47) 2-Hexanone-d5	9.385	63	50382	90.756	ug/L	0.00
Spiked Amount	100.000	Range 45 - 130	Recovery	=	90.760%	
56) 1,1,2,2-Tetrachloroeth...	11.189	84	84723	45.642	ug/L	0.00
Spiked Amount	50.000	Range 65 - 120	Recovery	=	91.280%	
66) 1,2-Dichlorobenzene-d4	12.317	152	82768	45.002	ug/L	0.00
Spiked Amount	50.000	Range 80 - 120	Recovery	=	90.000%	

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX020823\
Data File : VX034055.D
Acq On : 07 Feb 2023 12:31
Operator : JC/MD
Sample : VX0208WBL01
Misc : 5.0mL/MSVOA_X/WATER
ALS Vial : 4 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
VBLK615

Quant Time: Feb 07 20:42:59 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\SFAMXML020223WMA.M
Quant Title : VOC Analysis
QLast Update : Tue Feb 07 20:42:13 2023
Response via : Initial Calibration

