

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_X\Data\WX021524\  
 Data File : VX040260.D  
 Acq On : 15 Feb 2024 18:17  
 Operator : JC/MD  
 Sample : VSTDCCC050  
 Misc : 5.0mL/MSVOA\_X/WATER  
 ALS Vial : 21 Sample Multiplier: 1

Instrument :  
 MSVOA\_X  
 LabSampleId :  
 VSTDCCC050

Quant Time: Feb 16 00:54:30 2024  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_X\Method\82X020924W.M  
 Quant Title : SW846 8260  
 QLast Update : Mon Feb 12 00:21:14 2024  
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min  
 Max. RRF Dev : 25% Max. Rel. Area : 150%

|       | Compound                    | Amount  | Calc.   | %Dev  | Area% | Dev(min) |
|-------|-----------------------------|---------|---------|-------|-------|----------|
| 1 I   | Pentafluorobenzene          | 50.000  | 50.000  | 0.0   | 90    | 0.00     |
| 2 T   | Dichlorodifluoromethane     | 50.000  | 51.332  | -2.7  | 88    | 0.00     |
| 3 P   | Chloromethane               | 50.000  | 46.868  | 6.3   | 87    | 0.00     |
| 4 C   | Vinyl Chloride              | 50.000  | 47.899  | 4.2#  | 84    | 0.00     |
| 5 T   | Bromomethane                | 50.000  | 55.121  | -10.2 | 88    | 0.00     |
| 6 T   | Chloroethane                | 50.000  | 48.068  | 3.9   | 88    | 0.00     |
| 7 T   | Trichlorofluoromethane      | 50.000  | 49.016  | 2.0   | 88    | 0.00     |
| 8 T   | Diethyl Ether               | 50.000  | 48.841  | 2.3   | 93    | 0.00     |
| 9 T   | 1,1,2-Trichlorotrifluoroeth | 50.000  | 49.335  | 1.3   | 89    | 0.00     |
| 10 T  | Methyl Iodide               | 50.000  | 54.139  | -8.3  | 93    | 0.00     |
| 11 T  | Tert butyl alcohol          | 250.000 | 242.439 | 3.0   | 89    | 0.00     |
| 12 CM | 1,1-Dichloroethene          | 50.000  | 49.715  | 0.6#  | 91    | 0.00     |
| 13 T  | Acrolein                    | 250.000 | 268.087 | -7.2  | 104   | 0.00     |
| 14 T  | Allyl chloride              | 50.000  | 48.324  | 3.4   | 89    | 0.00     |
| 15 T  | Acrylonitrile               | 250.000 | 258.235 | -3.3  | 92    | 0.00     |
| 16 T  | Acetone                     | 250.000 | 233.347 | 6.7   | 87    | 0.00     |
| 17 T  | Carbon Disulfide            | 50.000  | 45.245  | 9.5   | 87    | 0.00     |
| 18 T  | Methyl Acetate              | 50.000  | 44.818  | 10.4  | 81    | 0.00     |
| 19 T  | Methyl tert-butyl Ether     | 50.000  | 51.075  | -2.2  | 90    | 0.00     |
| 20 T  | Methylene Chloride          | 50.000  | 51.372  | -2.7  | 91    | 0.00     |
| 21 T  | trans-1,2-Dichloroethene    | 50.000  | 47.345  | 5.3   | 90    | 0.00     |
| 22 T  | Diisopropyl ether           | 50.000  | 52.113  | -4.2  | 92    | 0.00     |
| 23 T  | Vinyl Acetate               | 250.000 | 269.661 | -7.9  | 95    | 0.00     |
| 24 P  | 1,1-Dichloroethane          | 50.000  | 50.050  | -0.1  | 91    | 0.00     |
| 25 T  | 2-Butanone                  | 250.000 | 246.982 | 1.2   | 89    | 0.00     |
| 26 T  | 2,2-Dichloropropane         | 50.000  | 50.675  | -1.3  | 90    | 0.00     |
| 27 T  | cis-1,2-Dichloroethene      | 50.000  | 50.665  | -1.3  | 93    | 0.00     |
| 28 T  | Bromochloromethane          | 50.000  | 46.700  | 6.6   | 81    | 0.00     |
| 29 T  | Tetrahydrofuran             | 250.000 | 249.680 | 0.1   | 90    | 0.00     |
| 30 C  | Chloroform                  | 50.000  | 50.938  | -1.9# | 93    | 0.00     |
| 31 T  | Cyclohexane                 | 50.000  | 47.264  | 5.5   | 88    | 0.00     |
| 32 T  | 1,1,1-Trichloroethane       | 50.000  | 50.922  | -1.8  | 91    | 0.00     |
| 33 S  | 1,2-Dichloroethane-d4       | 50.000  | 47.751  | 4.5   | 89    | 0.00     |
| 34 I  | 1,4-Difluorobenzene         | 50.000  | 50.000  | 0.0   | 94    | 0.00     |
| 35 S  | Dibromofluoromethane        | 50.000  | 47.055  | 5.9   | 90    | 0.00     |
| 36 T  | 1,1-Dichloropropene         | 50.000  | 47.510  | 5.0   | 89    | 0.00     |
| 37 T  | Ethyl Acetate               | 50.000  | 48.970  | 2.1   | 94    | 0.00     |
| 38 T  | Carbon Tetrachloride        | 50.000  | 49.193  | 1.6   | 91    | 0.00     |
| 39 T  | Methylcyclohexane           | 50.000  | 46.790  | 6.4   | 87    | 0.00     |
| 40 TM | Benzene                     | 50.000  | 49.302  | 1.4   | 91    | 0.00     |
| 41 T  | Methacrylonitrile           | 50.000  | 49.793  | 0.4   | 92    | 0.00     |
| 42 TM | 1,2-Dichloroethane          | 50.000  | 50.136  | -0.3  | 90    | 0.00     |
| 43 T  | Isopropyl Acetate           | 50.000  | 50.619  | -1.2  | 93    | 0.00     |
| 44 TM | Trichloroethene             | 50.000  | 47.957  | 4.1   | 90    | 0.00     |
| 45 C  | 1,2-Dichloropropane         | 50.000  | 52.019  | -4.0# | 95    | 0.00     |
| 46 T  | Dibromomethane              | 50.000  | 51.803  | -3.6  | 92    | 0.00     |
| 47 T  | Bromodichloromethane        | 50.000  | 51.619  | -3.2  | 93    | 0.00     |
| 48 T  | Methyl methacrylate         | 50.000  | 49.823  | 0.4   | 89    | 0.00     |

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_X\Data\VX021524\  
 Data File : VX040260.D  
 Acq On : 15 Feb 2024 18:17  
 Operator : JC/MD  
 Sample : VSTDCCC050  
 Misc : 5.0mL/MSVOA\_X/WATER  
 ALS Vial : 21 Sample Multiplier: 1

Instrument :  
 MSVOA\_X  
 LabSampleId :  
 VSTDCCC050

Quant Time: Feb 16 00:54:30 2024  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_X\Method\82X020924W.M  
 Quant Title : SW846 8260  
 QLast Update : Mon Feb 12 00:21:14 2024  
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min  
 Max. RRF Dev : 25% Max. Rel. Area : 150%

|       | Compound                    | Amount   | Calc.   | %Dev  | Area% | Dev(min) |
|-------|-----------------------------|----------|---------|-------|-------|----------|
| 49 T  | 1,4-Dioxane                 | 1000.000 | 875.481 | 12.5  | 82    | 0.00     |
| 50 S  | Toluene-d8                  | 50.000   | 46.790  | 6.4   | 89    | 0.00     |
| 51 T  | 4-Methyl-2-Pentanone        | 250.000  | 255.405 | -2.2  | 92    | 0.00     |
| 52 CM | Toluene                     | 50.000   | 49.629  | 0.7#  | 90    | 0.00     |
| 53 T  | t-1,3-Dichloropropene       | 50.000   | 47.044  | 5.9   | 93    | 0.00     |
| 54 T  | cis-1,3-Dichloropropene     | 50.000   | 52.597  | -5.2  | 93    | 0.00     |
| 55 T  | 1,1,2-Trichloroethane       | 50.000   | 50.025  | -0.0  | 94    | 0.00     |
| 56 T  | Ethyl methacrylate          | 50.000   | 53.643  | -7.3  | 93    | 0.00     |
| 57 T  | 1,3-Dichloropropane         | 50.000   | 51.690  | -3.4  | 94    | 0.00     |
| 58 T  | 2-Chloroethyl Vinyl ether   | 250.000  | 266.095 | -6.4  | 95    | 0.00     |
| 59 T  | 2-Hexanone                  | 250.000  | 256.154 | -2.5  | 91    | 0.00     |
| 60 T  | Dibromochloromethane        | 50.000   | 51.803  | -3.6  | 91    | 0.00     |
| 61 T  | 1,2-Dibromoethane           | 50.000   | 51.461  | -2.9  | 93    | 0.00     |
| 62 S  | 4-Bromofluorobenzene        | 50.000   | 47.609  | 4.8   | 90    | 0.00     |
| 63 I  | Chlorobenzene-d5            | 50.000   | 50.000  | 0.0   | 93    | 0.00     |
| 64 T  | Tetrachloroethene           | 50.000   | 48.970  | 2.1   | 97    | 0.00     |
| 65 PM | Chlorobenzene               | 50.000   | 48.490  | 3.0   | 92    | 0.00     |
| 66 T  | 1,1,1,2-Tetrachloroethane   | 50.000   | 50.882  | -1.8  | 91    | 0.00     |
| 67 C  | Ethyl Benzene               | 50.000   | 50.169  | -0.3# | 91    | 0.00     |
| 68 T  | m/p-Xylenes                 | 100.000  | 100.864 | -0.9  | 92    | 0.00     |
| 69 T  | o-Xylene                    | 50.000   | 51.111  | -2.2  | 92    | 0.00     |
| 70 T  | Styrene                     | 50.000   | 52.296  | -4.6  | 94    | 0.00     |
| 71 P  | Bromoform                   | 50.000   | 47.121  | 5.8   | 93    | 0.00     |
| 72 I  | 1,4-Dichlorobenzene-d4      | 50.000   | 50.000  | 0.0   | 93    | 0.00     |
| 73 T  | Isopropylbenzene            | 50.000   | 49.822  | 0.4   | 94    | 0.00     |
| 74 T  | N-amyl acetate              | 50.000   | 53.271  | -6.5  | 95    | 0.00     |
| 75 P  | 1,1,2,2-Tetrachloroethane   | 50.000   | 49.225  | 1.5   | 93    | 0.00     |
| 76 T  | 1,2,3-Trichloropropane      | 50.000   | 51.302  | -2.6  | 94    | 0.00     |
| 77 T  | Bromobenzene                | 50.000   | 50.707  | -1.4  | 96    | 0.00     |
| 78 T  | n-propylbenzene             | 50.000   | 49.917  | 0.2   | 93    | 0.00     |
| 79 T  | 2-Chlorotoluene             | 50.000   | 47.797  | 4.4   | 91    | 0.00     |
| 80 T  | 1,3,5-Trimethylbenzene      | 50.000   | 50.007  | -0.0  | 90    | 0.00     |
| 81 T  | trans-1,4-Dichloro-2-butene | 50.000   | 47.095  | 5.8   | 94    | 0.00     |
| 82 T  | 4-Chlorotoluene             | 50.000   | 48.596  | 2.8   | 92    | 0.00     |
| 83 T  | tert-Butylbenzene           | 50.000   | 48.405  | 3.2   | 91    | 0.00     |
| 84 T  | 1,2,4-Trimethylbenzene      | 50.000   | 49.870  | 0.3   | 93    | 0.00     |
| 85 T  | sec-Butylbenzene            | 50.000   | 50.557  | -1.1  | 94    | 0.00     |
| 86 T  | p-Isopropyltoluene          | 50.000   | 50.088  | -0.2  | 92    | 0.00     |
| 87 T  | 1,3-Dichlorobenzene         | 50.000   | 49.087  | 1.8   | 92    | 0.00     |
| 88 T  | 1,4-Dichlorobenzene         | 50.000   | 46.535  | 6.9   | 91    | 0.00     |
| 89 T  | n-Butylbenzene              | 50.000   | 49.688  | 0.6   | 92    | 0.00     |
| 90 T  | Hexachloroethane            | 50.000   | 52.373  | -4.7  | 93    | 0.00     |
| 91 T  | 1,2-Dichlorobenzene         | 50.000   | 49.586  | 0.8   | 94    | 0.00     |
| 92 T  | 1,2-Dibromo-3-Chloropropane | 50.000   | 49.993  | 0.0   | 89    | 0.00     |
| 93 T  | 1,2,4-Trichlorobenzene      | 50.000   | 48.897  | 2.2   | 94    | 0.00     |
| 94 T  | Hexachlorobutadiene         | 50.000   | 47.161  | 5.7   | 94    | 0.00     |
| 95 T  | Naphthalene                 | 50.000   | 49.898  | 0.2   | 92    | 0.00     |

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_X\Data\VX021524\  
Data File : VX040260.D  
Acq On : 15 Feb 2024 18:17  
Operator : JC/MD  
Sample : VSTDCCC050  
Misc : 5.0mL/MSVOA\_X/WATER  
ALS Vial : 21 Sample Multiplier: 1

Instrument :  
MSVOA\_X  
LabSampleId :  
VSTDCCC050

Quant Time: Feb 16 00:54:30 2024  
Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_X\Method\82X020924W.M  
Quant Title : SW846 8260  
QLast Update : Mon Feb 12 00:21:14 2024  
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min  
Max. RRF Dev : 25% Max. Rel. Area : 150%

|      | Compound               | Amount | Calc.  | %Dev | Area% | Dev(min) |
|------|------------------------|--------|--------|------|-------|----------|
| 96 T | 1,2,3-Trichlorobenzene | 50.000 | 50.439 | -0.9 | 95    | 0.00     |

(#) = Out of Range                      SPCC's out = 0    CCC's out = 6