

Data Path : Z:\VOASRV\HPCHEM1\MSVOA X\DATA\VX022219\
 Data File : VX007652.D
 Acq On : 22 Feb 2019 11:50
 Operator : JC/SP
 Sample : K1570-11
 Misc : 5.0mL/MSVOA X/WATER
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 TB-2-21-19

Quant Time: Feb 23 00:53:58 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA X\METHOD\624X021319W.M
 Quant Title : METHOD 624 VOLATILE ORGANIC ANALYSIS
 QLast Update : Wed Feb 13 07:51:18 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Bromochloromethane	5.02	128	69532	30.00	ug/l	0.00
28) 1,4-Difluorobenzene	6.86	114	359919	30.00	ug/l	0.00
57) Chlorobenzene-d5	10.11	117	318634	30.00	ug/l	0.00

System Monitoring Compounds						
27) 1,2-Dichloroethane-d4	6.07	65	137861	30.65	ug/l	0.00
Spiked Amount	30.000	Range	50 - 169	Recovery	=	102.17%
60) 4-Bromofluorobenzene	11.13	95	135272	27.66	ug/l	0.00
Spiked Amount	30.000	Range	56 - 143	Recovery	=	92.20%
63) Toluene-d8	8.71	98	421688	29.28	ug/l	0.00
Spiked Amount	30.000	Range	66 - 137	Recovery	=	97.60%

Target Compounds	Ovalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA X\DATA\VX022219\
Data File : VX007652.D
Acq On : 22 Feb 2019 11:50
Operator : JC/SP
Sample : K1570-11
Misc : 5.0mL/MSVOA X/WATER
ALS Vial : 9 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
TB-2-21-19

Quant Time: Feb 23 00:53:58 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA X\METHOD\624X021319W.M
Quant Title : METHOD 624 VOLATILE ORGANIC ANALYSIS
QLast Update : Wed Feb 13 07:51:18 2019
Response via : Initial Calibration

