

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\WX022522\
 Data File : VX027207.D
 Acq On : 25 Feb 2022 22:44
 Operator : JC/MD
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 29 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Feb 25 23:45:54 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X022322W.M
 Quant Title : SW846 8260
 QLast Update : Wed Feb 23 13:06:57 2022
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	50.000	50.000	0.0	97	0.00
2 T	Dichlorodifluoromethane	50.000	48.672	2.7	96	0.00
3 P	Chloromethane	50.000	52.324	-4.6	101	0.00
4 C	Vinyl Chloride	50.000	48.505	3.0#	92	0.00
5 T	Bromomethane	50.000	48.424	3.2	103	0.00
6 T	Chloroethane	50.000	48.889	2.2	96	0.00
7 T	Trichlorofluoromethane	50.000	49.584	0.8	96	0.00
8 T	Diethyl Ether	50.000	50.824	-1.6	95	0.00
9 T	1,1,2-Trichlorotrifluoroeth	50.000	49.771	0.5	96	0.00
10 T	Methyl Iodide	50.000	54.253	-8.5	100	0.00
11 T	Tert butyl alcohol	250.000	254.172	-1.7	99	-0.01
12 CM	1,1-Dichloroethene	50.000	49.758	0.5#	95	0.00
13 T	Acrolein	250.000	258.004	-3.2	104	0.00
14 T	Allyl chloride	50.000	50.454	-0.9	96	0.00
15 T	Acrylonitrile	250.000	265.761	-6.3	100	0.00
16 T	Acetone	250.000	254.321	-1.7	101	0.00
17 T	Carbon Disulfide	50.000	48.099	3.8	93	0.00
18 T	Methyl Acetate	50.000	52.371	-4.7	99	0.00
19 T	Methyl tert-butyl Ether	50.000	51.400	-2.8	97	0.00
20 T	Methylene Chloride	50.000	50.606	-1.2	98	0.00
21 T	trans-1,2-Dichloroethene	50.000	50.959	-1.9	97	0.00
22 T	Diisopropyl ether	50.000	51.874	-3.7	98	0.00
23 T	Vinyl Acetate	250.000	267.556	-7.0	98	0.00
24 P	1,1-Dichloroethane	50.000	51.086	-2.2	98	0.00
25 T	2-Butanone	250.000	262.508	-5.0	99	0.00
26 T	2,2-Dichloropropane	50.000	48.139	3.7	90	0.00
27 T	cis-1,2-Dichloroethene	50.000	51.834	-3.7	98	0.00
28 T	Bromochloromethane	50.000	49.548	0.9	92	0.00
29 T	Tetrahydrofuran	250.000	257.155	-2.9	98	0.00
30 C	Chloroform	50.000	50.822	-1.6#	97	0.00
31 T	Cyclohexane	50.000	49.275	1.5	95	0.00
32 T	1,1,1-Trichloroethane	50.000	51.363	-2.7	96	0.00
33 S	1,2-Dichloroethane-d4	50.000	49.049	1.9	98	0.00
34 I	1,4-Difluorobenzene	50.000	50.000	0.0	98	0.00
35 S	Dibromofluoromethane	50.000	48.245	3.5	96	0.00
36 T	1,1-Dichloropropene	50.000	50.812	-1.6	96	0.00
37 T	Ethyl Acetate	50.000	51.894	-3.8	100	0.00
38 T	Carbon Tetrachloride	50.000	50.086	-0.2	94	0.00
39 T	Methylcyclohexane	50.000	49.691	0.6	94	0.00
40 TM	Benzene	50.000	51.185	-2.4	97	0.00
41 T	Methacrylonitrile	50.000	53.111	-6.2	100	0.00
42 TM	1,2-Dichloroethane	50.000	51.654	-3.3	98	0.00
43 T	Isopropyl Acetate	50.000	53.451	-6.9	99	0.00
44 TM	Trichloroethene	50.000	52.049	-4.1	99	0.00
45 C	1,2-Dichloropropane	50.000	53.515	-7.0#	99	0.00
46 T	Dibromomethane	50.000	52.363	-4.7	98	0.00
47 T	Bromodichloromethane	50.000	52.194	-4.4	99	0.00
48 T	Methyl methacrylate	50.000	55.152	-10.3	101	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX022522\
 Data File : VX027207.D
 Acq On : 25 Feb 2022 22:44
 Operator : JC/MD
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 29 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Feb 25 23:45:54 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X022322W.M
 Quant Title : SW846 8260
 QLast Update : Wed Feb 23 13:06:57 2022
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)

49 T	1,4-Dioxane	1000.000	1025.037	-2.5	96	0.00
50 S	Toluene-d8	50.000	48.639	2.7	97	0.00
51 T	4-Methyl-2-Pentanone	250.000	271.444	-8.6	101	0.00
52 CM	Toluene	50.000	52.152	-4.3#	99	0.00
53 T	t-1,3-Dichloropropene	50.000	46.764	6.5	95	0.00
54 T	cis-1,3-Dichloropropene	50.000	53.102	-6.2	96	0.00
55 T	1,1,2-Trichloroethane	50.000	53.528	-7.1	100	0.00
56 T	Ethyl methacrylate	50.000	54.339	-8.7	99	0.00
57 T	1,3-Dichloropropane	50.000	53.516	-7.0	99	0.00
58 T	2-Chloroethyl Vinyl ether	250.000	258.062	-3.2	95	0.00
59 T	2-Hexanone	250.000	267.389	-7.0	99	0.00
60 T	Dibromochloromethane	50.000	53.704	-7.4	98	0.00
61 T	1,2-Dibromoethane	50.000	52.031	-4.1	96	0.00
62 S	4-Bromofluorobenzene	50.000	48.201	3.6	94	0.00
63 I	Chlorobenzene-d5	50.000	50.000	0.0	99	0.00
64 T	Tetrachloroethene	50.000	51.345	-2.7	99	0.00
65 PM	Chlorobenzene	50.000	50.686	-1.4	98	0.00
66 T	1,1,1,2-Tetrachloroethane	50.000	51.439	-2.9	98	0.00
67 C	Ethyl Benzene	50.000	51.211	-2.4#	98	0.00
68 T	m/p-Xylenes	100.000	102.785	-2.8	96	0.00
69 T	o-Xylene	50.000	51.247	-2.5	98	0.00
70 T	Styrene	50.000	52.100	-4.2	96	0.00
71 P	Bromoform	50.000	45.981	8.0	96	0.00
72 I	1,4-Dichlorobenzene-d4	50.000	50.000	0.0	94	0.00
73 T	Isopropylbenzene	50.000	52.284	-4.6	97	0.00
74 T	N-ethyl acetate	50.000	58.140	-16.3	102	0.00
75 P	1,1,2,2-Tetrachloroethane	50.000	51.463	-2.9	98	0.00
76 T	1,2,3-Trichloropropane	50.000	54.478	-9.0	100	0.00
77 T	Bromobenzene	50.000	51.606	-3.2	96	0.00
78 T	n-propylbenzene	50.000	52.721	-5.4	96	0.00
79 T	2-Chlorotoluene	50.000	51.556	-3.1	96	0.00
80 T	1,3,5-Trimethylbenzene	50.000	52.543	-5.1	96	0.00
81 T	trans-1,4-Dichloro-2-butene	50.000	45.616	8.8	91	0.00
82 T	4-Chlorotoluene	50.000	51.587	-3.2	95	0.00
83 T	tert-Butylbenzene	50.000	50.966	-1.9	94	0.00
84 T	1,2,4-Trimethylbenzene	50.000	52.775	-5.5	96	0.00
85 T	sec-Butylbenzene	50.000	52.550	-5.1	95	0.00
86 T	p-Isopropyltoluene	50.000	52.243	-4.5	95	0.00
87 T	1,3-Dichlorobenzene	50.000	50.837	-1.7	94	0.00
88 T	1,4-Dichlorobenzene	50.000	50.528	-1.1	95	0.00
89 T	n-Butylbenzene	50.000	51.564	-3.1	92	0.00
90 T	Hexachloroethane	50.000	51.717	-3.4	92	0.00
91 T	1,2-Dichlorobenzene	50.000	51.420	-2.8	96	0.00
92 T	1,2-Dibromo-3-Chloropropane	50.000	53.598	-7.2	96	0.00
93 T	1,2,4-Trichlorobenzene	50.000	51.599	-3.2	94	0.00
94 T	Hexachlorobutadiene	50.000	49.136	1.7	90	0.00
95 T	Naphthalene	50.000	53.467	-6.9	94	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX022522\
Data File : VX027207.D
Acq On : 25 Feb 2022 22:44
Operator : JC/MD
Sample : VSTDCCC050
Misc : 5.0mL/MSVOA_X/WATER
ALS Vial : 29 Sample Multiplier: 1

Instrument :
MSVOA_X
LabSampleId :
VSTDCCC050

Quant Time: Feb 25 23:45:54 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X022322W.M
Quant Title : SW846 8260
QLast Update : Wed Feb 23 13:06:57 2022
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
96 T	1,2,3-Trichlorobenzene	50.000	51.712	-3.4	94	0.00

(#) = Out of Range SPCC's out = 0 CCC's out = 6