

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX030325\
 Data File : VX045107.D
 Acq On : 03 Mar 2025 12:16
 Operator : JC/MD
 Sample : Q1458-03
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :

Quant Time: Mar 03 13:15:10 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X022825W.M
 Quant Title : SW846 8260
 QLast Update : Fri Feb 28 06:45:16 2025
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) Pentafluorobenzene	5.544	168	81253	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	6.751	114	161207	50.00	ug/l	0.00
63) Chlorobenzene-d5	10.049	117	149187	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	12.018	152	65795	50.00	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	5.946	65	66417	51.39	ug/l	0.00
Spiked Amount	50.000	Range	74 - 125	Recovery	= 102.78%	
35) Dibromofluoromethane	5.373	113	54220	50.30	ug/l	-0.01
Spiked Amount	50.000	Range	75 - 124	Recovery	= 100.60%	
50) Toluene-d8	8.641	98	198672	50.84	ug/l	0.00
Spiked Amount	50.000	Range	86 - 113	Recovery	= 101.68%	
62) 4-Bromofluorobenzene	11.079	95	70672	54.57	ug/l	0.00
Spiked Amount	50.000	Range	77 - 121	Recovery	= 109.14%	
Target Compounds						
						Qvalue
5) Bromomethane	1.599	94	99	0.20	ug/l	98
6) Chloroethane	1.678	64	191	0.33	ug/l #	77
11) Tert butyl alcohol	2.940	59	2121	8.66	ug/l #	73
16) Acetone	2.380	43	17578	29.31	ug/l	96
18) Methyl Acetate	2.703	43	1865	1.29	ug/l	95
20) Methylene Chloride	2.782	84	2284	1.92	ug/l	98
25) 2-Butanone	4.574	43	7275	8.06	ug/l	93
29) Tetrahydrofuran	5.044	42	312	0.51	ug/l #	34
31) Cyclohexane	5.531	56	2244	1.28	ug/l #	60
36) 1,1-Dichloropropene	5.544	75	7272	4.92	ug/l #	50
37) Ethyl Acetate	4.745	43	1256	0.66	ug/l #	89
38) Carbon Tetrachloride	5.544	117	8696	5.79	ug/l #	18
43) Isopropyl Acetate	6.336	43	80627	28.62	ug/l	99
48) Methyl methacrylate	7.604	41	3047	2.16	ug/l #	15
51) 4-Methyl-2-Pentanone	8.543	43	59747	31.59	ug/l #	52
53) t-1,3-Dichloropropene	8.951	75	494	0.36	ug/l #	42
54) cis-1,3-Dichloropropene	8.543	75	25238	15.56	ug/l #	64
57) 1,3-Dichloropropane	9.476	76	3283	1.68	ug/l #	43
59) 2-Hexanone	9.372	43	67994	49.62	ug/l #	26
74) N-amyl acetate	10.780	43	1321	0.55	ug/l #	51
76) 1,2,3-Trichloropropane	11.079	75	37596	24.55	ug/l #	36
81) trans-1,4-Dichloro-2-b...	11.079	75	37596	84.02	ug/l #	6


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX030325\
Data File : VX045107.D
Acq On : 03 Mar 2025 12:16
Operator : JC/MD
Sample : Q1458-03
Misc : 5.0mL/MSVOA_X/WATER
ALS Vial : 9 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :


Quant Time: Mar 03 13:15:10 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X022825W.M
Quant Title : SW846 8260
QLast Update : Fri Feb 28 06:45:16 2025
Response via : Initial Calibration








#1
Pentafluorobenzene
Concen: 50.00 ug/l
RT: 5.544 min Scan# 71
Delta R.T. -0.006 min
Lab File: VX045107.D
Acq: 03 Mar 2025 12:16

Instrument :
MSVOA_X
ClientSampleId :






Tgt Ion:168 Resp: 81253
Ion Ratio Lower Upper
168 100
99 62.2 48.2 72.4




#5
Bromomethane
Concen: 0.20 ug/l
RT: 1.599 min Scan# 84
Delta R.T. 0.006 min
Lab File: VX045107.D
Acq: 03 Mar 2025 12:16

Tgt Ion: 94 Resp: 99
Ion Ratio Lower Upper
94 100
96 91.9 75.0 112.4



Abundance Scan 94 (1.660 min): VX045071.D\data.ms (-88)



#6

Chloroethane

Concen: 0.33 ug/l

RT: 1.678 min Scan# 91

Delta R.T. 0.018 min

Lab File: VX045107.D

Acq: 03 Mar 2025 12:16

Instrument :

MSVOA_X

ClientSampleId :


Tgt Ion: 64 Resp: 191

Ion Ratio Lower Upper


64 100

66 20.1 26.7 40.1#


Abundance Scan 97 (1.678 min): VX045107.D\data.ms




Abundance



Abundance Scan 97 (1.678 min): VX045107.D\data.ms (-45)



Abundance Scan 311 (2.983 min): VX045071.D\data.ms (-29)



#11

Tert butyl alcohol

Concen: 8.66 ug/l

RT: 2.940 min Scan# 304

Delta R.T. -0.043 min

Lab File: VX045107.D

Acq: 03 Mar 2025 12:16


Tgt Ion: 59 Resp: 2121

Ion Ratio Lower Upper


59 100

57 0.0 7.8 11.8#


Abundance Scan 304 (2.940 min): VX045107.D\data.ms




Abundance




Abundance Scan 304 (2.940 min): VX045107.D\data.ms (-26)








#16
Acetone
Concen: 29.31 ug/l
RT: 2.380 min Scan# 213
Delta R.T. -0.006 min
Lab File: VX045107.D
Acq: 03 Mar 2025 12:16

Instrument :
MSVOA_X
ClientSampleId :







Tgt Ion: 43 Resp: 17578
Ion Ratio Lower Upper
43 100
58 28.3 24.2 36.4



#18
Methyl Acetate
Concen: 1.29 ug/l
RT: 2.703 min Scan# 265
Delta R.T. -0.000 min
Lab File: VX045107.D
Acq: 03 Mar 2025 12:16


Tgt Ion: 43 Resp: 1865
Ion Ratio Lower Upper
43 100
74 19.4 17.4 26.2








#20
Methylene Chloride
Concen: 1.92 ug/l
RT: 2.782 min Scan# 21
Delta R.T. -0.000 min
Lab File: VX045107.D
Acq: 03 Mar 2025 12:16

Instrument :
MSVOA_X
ClientSampleId :



Tgt Ion: 84 Resp: 2284




Ion	Ratio	Lower	Upper
84	100		
49	129.5	106.5	159.7
51	38.4	32.1	48.1
86	62.5	50.0	75.0




#25
2-Butanone
Concen: 8.06 ug/l
RT: 4.574 min Scan# 572
Delta R.T. 0.012 min
Lab File: VX045107.D
Acq: 03 Mar 2025 12:16

Tgt Ion: 43 Resp: 7275

Ion	Ratio	Lower	Upper
43	100		
72	21.5	20.0	30.0





#29

Tetrahydrofuran

Concen: 0.51 ug/l

RT: 5.044 min Scan# 64

Delta R.T. 0.036 min


Lab File: VX045107.D

Acq: 03 Mar 2025 12:16

Instrument :



MSVOA_X

ClientSampleId :



Tgt Ion: 42 Resp: 312

Ion	Ratio	Lower	Upper
42	100		
72	0.0	34.1	51.1#
71	0.0	31.4	47.0#



#31

Cyclohexane

Concen: 1.28 ug/l

RT: 5.531 min Scan# 729




Delta R.T. 0.067 min


Lab File: VX045107.D

Acq: 03 Mar 2025 12:16

Tgt Ion: 56 Resp: 2244

Ion	Ratio	Lower	Upper
56	100		
69	104.2	23.4	35.2#
84	92.8	69.4	104.2





#33

1,2-Dichloroethane-d4

Concen: 51.39 ug/l

RT: 5.946 min Scan# 79

Delta R.T. -0.006 min

Lab File: VX045107.D

Acq: 03 Mar 2025 12:16

Instrument :

MSVOA_X





ClientSampleId :

Tgt Ion: 65 Resp: 66417

Ion Ratio Lower Upper

65 100

67 51.3 0.0 106.2



#34

1,4-Difluorobenzene

Concen: 50.00 ug/l

RT: 6.751 min Scan# 929

Delta R.T. -0.006 min

Lab File: VX045107.D

Acq: 03 Mar 2025 12:16




Tgt Ion: 114 Resp: 161207


Ion Ratio Lower Upper

114 100

63 21.9 0.0 41.8


88 16.4 0.0 32.8








#35
Dibromofluoromethane
Concen: 50.30 ug/l
RT: 5.373 min Scan# 703
Delta R.T. -0.012 min
Lab File: VX045107.D
Acq: 03 Mar 2025 12:16


Instrument :
MSVOA_X
ClientSampleId :





Tgt Ion:113 Resp: 54220
Ion Ratio Lower Upper
113 100
111 102.1 81.8 122.6
192 17.4 14.3 21.5




#36
1,1-Dichloropropene
Concen: 4.92 ug/l
RT: 5.544 min Scan# 731
Delta R.T. -0.146 min
Lab File: VX045107.D
Acq: 03 Mar 2025 12:16




Tgt Ion: 75 Resp: 7272
Ion Ratio Lower Upper
75 100
110 8.0 16.9 50.6#
77 0.0 24.5 36.7#








#37
Ethyl Acetate
Concen: 0.66 ug/l
RT: 4.745 min Scan# 600
Delta R.T. 0.030 min
Lab File: VX045107.D
Acq: 03 Mar 2025 12:16

Instrument :
MSVOA_X
ClientSampleId :







Tgt Ion: 43 Resp: 1256
Ion Ratio Lower Upper
43 100
61 14.6 10.8 16.2
70 1.7 7.7 11.5#



#38
Carbon Tetrachloride
Concen: 5.79 ug/l
RT: 5.544 min Scan# 731
Delta R.T. -0.128 min
Lab File: VX045107.D
Acq: 03 Mar 2025 12:16


Tgt Ion: 117 Resp: 8696
Ion Ratio Lower Upper
117 100
119 7.4 76.7 115.1#
121 0.0 25.5 38.3#








#43
Isopropyl Acetate
Concen: 28.62 ug/l
RT: 6.336 min Scan# 806
Delta R.T. -0.006 min
Lab File: VX045107.D
Acq: 03 Mar 2025 12:16

Instrument :
MSVOA_X
ClientSampleId :







Tgt Ion: 43 Resp: 80627
Ion Ratio Lower Upper
43 100
61 18.0 14.9 22.3
87 11.8 9.4 14.2



#48
Methyl methacrylate
Concen: 2.16 ug/l
RT: 7.604 min Scan# 1069
Delta R.T. -0.085 min
Lab File: VX045107.D
Acq: 03 Mar 2025 12:16

Tgt Ion: 41 Resp: 3047
Ion Ratio Lower Upper
41 100
69 0.0 63.0 94.6#
39 0.0 47.5 71.3#









#50
Toluene-d8
Concen: 50.84 ug/l
RT: 8.641 min Scan# 11
Delta R.T. -0.006 min
Lab File: VX045107.D
Acq: 03 Mar 2025 12:16




Instrument :
MSVOA_X
ClientSampleId :


Tgt Ion: 98 Resp: 198672
Ion Ratio Lower Upper
98 100
100 66.0 52.0 78.0



#51
4-Methyl-2-Pentanone
Concen: 31.59 ug/l
RT: 8.543 min Scan# 1223
Delta R.T. -0.031 min
Lab File: VX045107.D
Acq: 03 Mar 2025 12:16

Tgt Ion: 43 Resp: 59747
Ion Ratio Lower Upper
43 100
58 8.1 29.2 43.8#









#53
t-1,3-Dichloropropene
Concen: 0.36 ug/l
RT: 8.951 min Scan# 11
Delta R.T. -0.025 min
Lab File: VX045107.D
Acq: 03 Mar 2025 12:16




Instrument :
MSVOA_X
ClientSampleId :


Tgt Ion: 75 Resp: 494
Ion Ratio Lower Upper
75 100
77 0.0 26.5 39.7#



#54
cis-1,3-Dichloropropene
Concen: 15.56 ug/l
RT: 8.543 min Scan# 1223
Delta R.T. 0.177 min
Lab File: VX045107.D
Acq: 03 Mar 2025 12:16

Tgt Ion: 75 Resp: 25238
Ion Ratio Lower Upper
75 100
77 0.5 24.7 37.1#
39 34.5 40.7 61.1#









#57
1,3-Dichloropropane
Concen: 1.68 ug/l
RT: 9.476 min Scan# 11
Delta R.T. 0.171 min
Lab File: VX045107.D
Acq: 03 Mar 2025 12:16




Instrument :
MSVOA_X
ClientSampleId :


Tgt Ion: 76 Resp: 3283
Ion Ratio Lower Upper
76 100
78 0.0 25.5 38.3#



#59
2-Hexanone
Concen: 49.62 ug/l
RT: 9.372 min Scan# 1359
Delta R.T. -0.055 min
Lab File: VX045107.D
Acq: 03 Mar 2025 12:16

Tgt Ion: 43 Resp: 67994
Ion Ratio Lower Upper
43 100
58 0.0 25.9 77.6#









#62
4-Bromofluorobenzene
Concen: 54.57 ug/l
RT: 11.079 min Scan# 11
Delta R.T. -0.000 min
Lab File: VX045107.D
Acq: 03 Mar 2025 12:16




Instrument :
MSVOA_X
ClientSampleId :


Tgt Ion: 95 Resp: 70672
Ion Ratio Lower Upper
95 100
174 74.9 0.0 148.2
176 72.0 0.0 141.4



#63
Chlorobenzene-d5
Concen: 50.00 ug/l
RT: 10.049 min Scan# 1470
Delta R.T. -0.000 min
Lab File: VX045107.D
Acq: 03 Mar 2025 12:16


Tgt Ion: 117 Resp: 149187
Ion Ratio Lower Upper
117 100
82 58.0 46.3 69.5
119 32.3 25.7 38.5








#72
1,4-Dichlorobenzene-d4
Concen: 50.00 ug/l
RT: 12.018 min Scan# 11
Delta R.T. -0.000 min
Lab File: VX045107.D
Acq: 03 Mar 2025 12:16


Instrument :
MSVOA_X
ClientSampleId :





Tgt Ion:152 Resp: 65795
Ion Ratio Lower Upper
152 100
115 61.4 44.2 132.6
150 158.2 0.0 349.0




#74
N-ethyl acetate
Concen: 0.55 ug/l
RT: 10.780 min Scan# 1590
Delta R.T. -0.061 min
Lab File: VX045107.D
Acq: 03 Mar 2025 12:16



Tgt Ion: 43 Resp: 1321
Ion Ratio Lower Upper
43 100
70 0.0 31.8 47.6#
55 10.8 18.3 27.5#
61 0.0 18.3 27.5#









#76
1,2,3-Trichloropropane
Concen: 24.55 ug/l
RT: 11.079 min Scan# 1639
Delta R.T. -0.159 min
Lab File: VX045107.D
Acq: 03 Mar 2025 12:16

Instrument :
MSVOA_X
ClientSampleId :

Tgt Ion: 75 Resp: 37596
Ion Ratio Lower Upper
75 100
77 1.3 20.7 62.1#



#81
trans-1,4-Dichloro-2-butene
Concen: 84.02 ug/l
RT: 11.079 min Scan# 1639
Delta R.T. 0.061 min
Lab File: VX045107.D
Acq: 03 Mar 2025 12:16

Tgt Ion: 75 Resp: 37596
Ion Ratio Lower Upper
75 100
53 0.0 88.5 132.7#
89 0.0 36.2 54.4#

