

Data Path : Z:\VOASRV\HPCHEM1\MSVOA X\DATA\WX022619\
 Data File : VX007728.D
 Acq On : 26 Feb 2019 21:46
 Operator : JC/SP
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA X/WATER
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Feb 27 01:04:51 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X022519W.M
 Quant Title : SW846 8260
 QLast Update : Tue Feb 26 01:53:13 2019
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	97	0.00
2 T	Dichlorodifluoromethane	0.461	0.452	2.0	93	0.00
3 P	Chloromethane	0.510	0.481	5.7	97	0.00
4 C	Vinyl Chloride	0.524	0.498	5.0#	93	0.00
5 T	Bromomethane	0.378	0.314	16.9	91	0.00
6 T	Chloroethane	0.335	0.324	3.3	97	0.00
7 T	Trichlorofluoromethane	0.803	0.792	1.4	97	0.00
8 T	Diethyl Ether	0.329	0.305	7.3	95	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.485	0.448	7.6	94	0.00
10 T	Methyl Iodide	0.604	0.632	-4.6	95	0.00
11 T	Tert butyl alcohol	0.118	0.115	2.5	97	0.00
12 CM	1,1-Dichloroethene	0.437	0.438	-0.2#	98	0.00
13 T	Acrolein	0.104	0.179	-72.1#	167#	0.00
14 T	Allyl chloride	0.809	0.776	4.1	94	0.00
15 T	Acrylonitrile	0.277	0.272	1.8	95	0.00
16 T	Acetone	0.275	0.243	11.6	89	0.00
17 T	Carbon Disulfide	1.217	1.167	4.1	93	0.00
18 T	Methyl Acetate	0.601	0.658	-9.5	108	0.00
19 T	Methyl tert-butyl Ether	1.523	1.511	0.8	97	0.00
20 T	Methylene Chloride	0.509	0.477	6.3	96	0.00
21 T	trans-1,2-Dichloroethene	0.475	0.458	3.6	94	0.00
22 T	Diisopropyl ether	1.683	1.655	1.7	94	0.00
23 T	Vinyl Acetate	1.477	1.458	1.3	94	0.00
24 P	1,1-Dichloroethane	0.915	0.907	0.9	97	0.00
25 T	2-Butanone	0.420	0.404	3.8	92	0.00
26 T	2,2-Dichloropropane	0.730	0.594	18.6	79	0.00
27 T	cis-1,2-Dichloroethene	0.605	0.590	2.5	96	0.00
28 T	Bromochloromethane	0.445	0.437	1.8	96	0.00
29 T	Tetrahydrofuran	0.277	0.272	1.8	95	0.00
30 C	Chloroform	0.980	0.957	2.3#	95	0.00
31 T	Cyclohexane	0.861	0.811	5.8	93	0.00
32 T	1,1,1-Trichloroethane	0.811	0.811	0.0	96	0.00
33 S	1,2-Dichloroethane-d4	0.619	0.608	1.8	94	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	97	0.00
35 S	Dibromofluoromethane	0.334	0.338	-1.2	97	0.00
36 T	1,1-Dichloropropene	0.450	0.435	3.3	96	0.00
37 T	Ethyl Acetate	0.499	0.495	0.8	96	0.00
38 T	Carbon Tetrachloride	0.452	0.438	3.1	96	0.00
39 T	Methylcyclohexane	0.568	0.530	6.7	93	0.00
40 TM	Benzene	1.388	1.353	2.5	96	0.00
41 T	Methacrylonitrile	0.267	0.271	-1.5	98	0.00
42 TM	1,2-Dichloroethane	0.466	0.455	2.4	96	0.00
43 T	Isopropyl Acetate	0.769	0.762	0.9	93	0.00
44 TM	Trichloroethene	0.382	0.365	4.5	96	0.00
45 C	1,2-Dichloropropane	0.359	0.345	3.9#	95	0.00

Data Path : Z:\VOASRV\HPCHEM1\MSVOA X\DATA\VX022619\
 Data File : VX007728.D
 Acq On : 26 Feb 2019 21:46
 Operator : JC/SP
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA X/WATER
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Feb 27 01:04:51 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X022519W.M
 Quant Title : SW846 8260
 QLast Update : Tue Feb 26 01:53:13 2019
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
46 T	Dibromomethane	0.251	0.239	4.8	97	0.00
47 T	Bromodichloromethane	0.435	0.437	-0.5	95	0.00
48 T	Methyl methacrylate	0.403	0.394	2.2	95	0.00
49 T	1,4-Dioxane	0.009	0.008	11.1	97	0.00
50 S	Toluene-d8	1.280	1.257	1.8	94	0.00
51 T	4-Methyl-2-Pentanone	0.514	0.509	1.0	93	0.00
52 CM	Toluene	0.875	0.848	3.1#	94	0.00
53 T	t-1,3-Dichloropropene	0.477	0.479	-0.4	91	0.00
54 T	cis-1,3-Dichloropropene	0.527	0.522	0.9	91	0.00
55 T	1,1,2-Trichloroethane	0.365	0.355	2.7	96	0.00
56 T	Ethyl methacrylate	0.519	0.520	-0.2	94	0.00
57 T	1,3-Dichloropropane	0.584	0.580	0.7	95	0.00
58 T	2-Chloroethyl Vinyl ether	0.286	0.285	0.3	96	0.00
59 T	2-Hexanone	0.404	0.397	1.7	94	0.00
60 T	Dibromochloromethane	0.351	0.361	-2.8	96	0.00
61 T	1,2-Dibromoethane	0.379	0.379	0.0	97	0.00
62 S	4-Bromofluorobenzene	0.470	0.442	6.0	90	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	97	0.00
64 T	Tetrachloroethene	0.406	0.372	8.4	92	0.00
65 PM	Chlorobenzene	1.081	1.038	4.0	95	0.00
66 T	1,1,1,2-Tetrachloroethane	0.377	0.373	1.1	95	0.00
67 C	Ethyl Benzene	1.791	1.757	1.9#	94	0.00
68 T	m/p-Xylenes	0.697	0.696	0.1	97	0.00
69 T	o-Xylene	0.670	0.669	0.1	96	0.00
70 T	Styrene	1.102	1.108	-0.5	95	0.00
71 P	Bromoform	0.283	0.276	2.5	93	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	97	0.00
73 T	Isopropylbenzene	3.574	3.443	3.7	94	0.00
74 T	N-amyl acetate	1.552	1.540	0.8	96	0.00
75 P	1,1,2,2-Tetrachloroethane	1.236	1.149	7.0	97	0.00
76 T	1,2,3-Trichloropropane	1.066	1.080	-1.3	107	0.00
77 T	Bromobenzene	0.896	0.854	4.7	95	0.00
78 T	n-propylbenzene	4.038	3.984	1.3	94	0.00
79 T	2-Chlorotoluene	2.431	2.351	3.3	94	0.00
80 T	1,3,5-Trimethylbenzene	2.939	2.957	-0.6	96	0.00
81 T	trans-1,4-Dichloro-2-butene	0.353	0.317	10.2	84	0.00
82 T	4-Chlorotoluene	2.844	2.839	0.2	96	0.00
83 T	tert-Butylbenzene	2.822	2.830	-0.3	97	0.00
84 T	1,2,4-Trimethylbenzene	3.007	3.042	-1.2	96	0.00
85 T	sec-Butylbenzene	3.537	3.530	0.2	96	0.00
86 T	p-Isopropyltoluene	3.097	3.111	-0.5	94	0.00
87 T	1,3-Dichlorobenzene	1.663	1.572	5.5	95	0.00
88 T	1,4-Dichlorobenzene	1.703	1.614	5.2	96	0.00
89 T	n-Butylbenzene	2.762	2.733	1.0	93	0.00

Data Path : Z:\VOASRV\HPCHEM1\MSVOA X\DATA\VX022619\
Data File : VX007728.D
Acq On : 26 Feb 2019 21:46
Operator : JC/SP
Sample : VSTDCCC050
Misc : 5.0mL/MSVOA X/WATER
ALS Vial : 20 Sample Multiplier: 1

Instrument :
MSVOA_X
LabSampleId :
VSTDCCC050

Quant Time: Feb 27 01:04:51 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X022519W.M
Quant Title : SW846 8260
QLast Update : Tue Feb 26 01:53:13 2019
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
90 T	Hexachloroethane	0.522	0.504	3.4	93	0.00
91 T	1,2-Dichlorobenzene	1.664	1.584	4.8	97	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.269	0.255	5.2	95	0.00
93 T	1,2,4-Trichlorobenzene	1.015	0.961	5.3	95	0.00
94 T	Hexachlorobutadiene	0.465	0.425	8.6	95	0.00
95 T	Naphthalene	3.290	3.364	-2.2	96	0.00
96 T	1,2,3-Trichlorobenzene	1.020	0.990	2.9	98	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6