

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX022625\
 Data File : VX045048.D
 Acq On : 26 Feb 2025 11:56
 Operator : JC/MD
 Sample : Q1417-02
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 LRSA-MOD-2

Quant Time: Feb 27 05:13:05 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\624X022125W.M
 Quant Title : METHOD 624 VOLATILE ORGANIC ANALYSIS
 QLast Update : Sat Feb 22 01:06:36 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) Bromochloromethane	4.891	128	20767	30.000	ug/l	0.00
28) 1,4-Difluorobenzene	6.757	114	109318	30.000	ug/l	0.00
57) Chlorobenzene-d5	10.049	117	97239	30.000	ug/l	0.00
System Monitoring Compounds						
27) 1,2-Dichloroethane-d4	5.946	65	59135	29.318	ug/l	0.00
Spiked Amount	30.000	Range	91 - 110	Recovery	=	97.733%
60) 4-Bromofluorobenzene	11.079	95	50697	27.893	ug/l	0.00
Spiked Amount	30.000	Range	63 - 112	Recovery	=	92.967%
63) Toluene-d8	8.647	98	161874	30.091	ug/l	0.00
Spiked Amount	30.000	Range	91 - 112	Recovery	=	100.300%
Target Compounds						
					Qvalue	
15) Acetone	2.386	58	82	0.334	ug/l #	1
51) Ethyl methacrylate	8.647	69	472	0.205	ug/l	78
56) Bromoform	11.079	173	430	0.423	ug/l #	1
77) t-1,4-Dichloro-2-butene	11.079	75	26749	44.185	ug/l #	10


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX022625\
Data File : VX045048.D
Acq On : 26 Feb 2025 11:56
Operator : JC/MD
Sample : Q1417-02
Misc : 5.0mL/MSVOA_X/WATER
ALS Vial : 6 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
LRSA-MOD-2

Quant Time: Feb 27 05:13:05 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\624X022125W.M
Quant Title : METHOD 624 VOLATILE ORGANIC ANALYSIS
QLast Update : Sat Feb 22 01:06:36 2025
Response via : Initial Calibration









#1
 Bromochloromethane
 Concen: 30.000 ug/l
 RT: 4.891 min Scan# 61
 Delta R.T. 0.006 min
 Lab File: VX045048.D
 Acq: 26 Feb 2025 11:56




Instrument :
 MSVOA_X
 ClientSampleId :
 LRSA-MOD-2


Tgt Ion:	128	Resp:	20767
Ion	Ratio	Lower	Upper
128	100		
49	179.5	0.0	449.7
130	125.8	0.0	312.7



#15
 Acetone
 Concen: 0.334 ug/l
 RT: 2.386 min Scan# 213
 Delta R.T. 0.006 min
 Lab File: VX045048.D
 Acq: 26 Feb 2025 11:56

Tgt Ion:	58	Resp:	82
Ion	Ratio	Lower	Upper
58	100		
43	70.4	258.6	388.0#





#27

1,2-Dichloroethane-d4

Concen: 29.318 ug/l

RT: 5.946 min Scan# 797

Delta R.T. -0.000 min

Lab File: VX045048.D

Acq: 26 Feb 2025 11:56

Instrument :

MSVOA_X

ClientSampleId :





LRSA-MOD-2

Tgt Ion: 65 Resp: 59135

Ion Ratio Lower Upper

65 100

67 52.6 42.6 64.0



#28

1,4-Difluorobenzene

Concen: 30.000 ug/l

RT: 6.757 min Scan# 930

Delta R.T. -0.000 min

Lab File: VX045048.D

Acq: 26 Feb 2025 11:56




Tgt Ion: 114 Resp: 109318


Ion Ratio Lower Upper

114 100

63 21.6 16.8 25.2

88 16.3 12.7 19.1









#51
Ethyl methacrylate
Concen: 0.205 ug/l
RT: 8.647 min Scan# 11
Delta R.T. -0.463 min
Lab File: VX045048.D
Acq: 26 Feb 2025 11:56




Instrument :
MSVOA_X
ClientSampleId :
LRSA-MOD-2


Tgt Ion: 69 Resp: 472
Ion Ratio Lower Upper
69 100
41 92.3 35.1 105.3
39 33.3 20.5 61.6



#56
Bromoform
Concen: 0.423 ug/l
RT: 11.079 min Scan# 1639
Delta R.T. 0.280 min
Lab File: VX045048.D
Acq: 26 Feb 2025 11:56

Tgt Ion:173 Resp: 430
Ion Ratio Lower Upper
173 100
175 654.0 39.6 59.4#
254 0.0 6.3 9.5#





#57

Chlorobenzene-d5

Concen: 30.000 ug/l

RT: 10.049 min Scan# 1470

Delta R.T. -0.000 min

Lab File: VX045048.D

Acq: 26 Feb 2025 11:56

Instrument :

MSVOA_X

ClientSampleId :

LRSA-MOD-2





Tgt Ion:117 Resp: 97239

Ion Ratio Lower Upper

117 100

82 56.5 45.8 68.8

119 31.8 25.5 38.3



#60

4-Bromofluorobenzene

Concen: 27.893 ug/l

RT: 11.079 min Scan# 1639

Delta R.T. -0.000 min

Lab File: VX045048.D

Acq: 26 Feb 2025 11:56




Tgt Ion: 95 Resp: 50697


Ion Ratio Lower Upper

95 100

174 74.5 59.5 89.3

176 72.3 55.5 83.3









#63
Toluene-d8
Concen: 30.091 ug/l
RT: 8.647 min Scan# 11
Delta R.T. 0.006 min
Lab File: VX045048.D
Acq: 26 Feb 2025 11:56

Instrument :
MSVOA_X
ClientSampleId :
LRSA-MOD-2

Tgt Ion: 98 Resp: 161874
Ion Ratio Lower Upper
98 100
100 65.5 51.7 77.5



#77
t-1,4-Dichloro-2-butene
Concen: 44.185 ug/l
RT: 11.079 min Scan# 1639
Delta R.T. 0.061 min
Lab File: VX045048.D
Acq: 26 Feb 2025 11:56

Tgt Ion: 75 Resp: 26749
Ion Ratio Lower Upper
75 100
53 0.0 49.8 149.4#
89 0.0 21.4 64.2#

