

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX022924\
 Data File : VX040537.D
 Acq On : 29 Feb 2024 15:13
 Operator : JC/MD
 Sample : P1641-04
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 OF-2

Quant Time: Mar 01 03:48:32 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X022624W.M
 Quant Title : SW846 8260
 QLast Update : Tue Feb 27 05:01:33 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) Pentafluorobenzene	5.549	168	74820	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	6.763	114	130496	50.000	ug/l	0.00
63) Chlorobenzene-d5	10.055	117	117990	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	12.024	152	65803	50.000	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	5.952	65	60690	48.497	ug/l	0.00
Spiked Amount	50.000	Range	78 - 117	Recovery	=	97.000%
35) Dibromofluoromethane	5.391	113	44109	48.607	ug/l	0.00
Spiked Amount	50.000	Range	75 - 124	Recovery	=	97.220%
50) Toluene-d8	8.646	98	160885	48.842	ug/l	0.00
Spiked Amount	50.000	Range	92 - 112	Recovery	=	97.680%
62) 4-Bromofluorobenzene	11.079	95	60489	48.174	ug/l	0.00
Spiked Amount	50.000	Range	83 - 123	Recovery	=	96.340%
Target Compounds						
					Qvalue	
13) Acrolein	2.239	56	946	7.014	ug/l #	81
16) Acetone	2.379	43	15656	38.363	ug/l	96
25) 2-Butanone	4.568	43	4251	5.979	ug/l	93
51) 4-Methyl-2-Pentanone	8.573	43	18645	11.746	ug/l	96


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX022924\
Data File : VX040537.D
Acq On : 29 Feb 2024 15:13
Operator : JC/MD
Sample : P1641-04
Misc : 5.0mL/MSVOA_X/WATER
ALS Vial : 12 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
OF-2

Quant Time: Mar 01 03:48:32 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X022624W.M
Quant Title : SW846 8260
QLast Update : Tue Feb 27 05:01:33 2024
Response via : Initial Calibration









#1
Pentafluorobenzene
Concen: 50.000 ug/l
RT: 5.549 min Scan# 71
Delta R.T. -0.001 min
Lab File: VX040537.D
Acq: 29 Feb 2024 15:13




Instrument :
MSVOA_X
ClientSampleId :
OF-2


Tgt Ion:168 Resp: 74820
Ion Ratio Lower Upper
168 100
99 67.1 56.6 85.0



#13
Acrolein
Concen: 7.014 ug/l
RT: 2.239 min Scan# 189
Delta R.T. 0.006 min
Lab File: VX040537.D
Acq: 29 Feb 2024 15:13

Tgt Ion: 56 Resp: 946
Ion Ratio Lower Upper
56 100
55 87.1 57.1 85.7#









#16
Acetone
Concen: 38.363 ug/l
RT: 2.379 min Scan# 211
Delta R.T. 0.006 min
Lab File: VX040537.D
Acq: 29 Feb 2024 15:13




Instrument :
MSVOA_X
ClientSampleId :
OF-2


Tgt Ion: 43 Resp: 15656
Ion Ratio Lower Upper
43 100
58 25.2 21.9 32.9



#25
2-Butanone
Concen: 5.979 ug/l
RT: 4.568 min Scan# 571
Delta R.T. 0.018 min
Lab File: VX040537.D
Acq: 29 Feb 2024 15:13

Tgt Ion: 43 Resp: 4251
Ion Ratio Lower Upper
43 100
72 27.6 19.4 29.2





#33

1,2-Dichloroethane-d4

Concen: 48.497 ug/l

RT: 5.952 min Scan# 799

Delta R.T. -0.007 min

Lab File: VX040537.D

Acq: 29 Feb 2024 15:13

Instrument :

MSVOA_X

ClientSampleId :





OF-2

Tgt Ion: 65 Resp: 60690

Ion Ratio Lower Upper

65 100

67 50.3 0.0 100.2



#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 6.763 min Scan# 931

Delta R.T. 0.006 min

Lab File: VX040537.D

Acq: 29 Feb 2024 15:13




Tgt Ion: 114 Resp: 130496


Ion Ratio Lower Upper

114 100

63 22.8 0.0 45.0

88 16.2 0.0 36.6





#35

Dibromofluoromethane

Concen: 48.607 ug/l

RT: 5.391 min Scan# 705

Delta R.T. 0.006 min

Lab File: VX040537.D

Acq: 29 Feb 2024 15:13

Instrument :

MSVOA_X

ClientSampleId :

OF-2





Tgt Ion:113 Resp: 44109

Ion Ratio Lower Upper

113 100

111 102.7 82.9 124.3

192 17.7 13.3 19.9



#50

Toluene-d8

Concen: 48.842 ug/l

RT: 8.646 min Scan# 1240

Delta R.T. -0.000 min

Lab File: VX040537.D




Acq: 29 Feb 2024 15:13


Tgt Ion: 98 Resp: 160885

Ion Ratio Lower Upper

98 100

100 64.0 53.1 79.7





#51

4-Methyl-2-Pentanone

Concen: 11.746 ug/l

RT: 8.573 min Scan# 11

Delta R.T. 0.006 min

Lab File: VX040537.D

Acq: 29 Feb 2024 15:13

Instrument :

MSVOA_X

ClientSampleId :





OF-2

Tgt Ion: 43 Resp: 18645

Ion Ratio Lower Upper

43 100

58 35.8 30.4 45.6



#62

4-Bromofluorobenzene

Concen: 48.174 ug/l

RT: 11.079 min Scan# 1639

Delta R.T. -0.000 min

Lab File: VX040537.D

Acq: 29 Feb 2024 15:13




Tgt Ion: 95 Resp: 60489


Ion Ratio Lower Upper

95 100

174 74.4 0.0 135.6

176 72.2 0.0 131.0









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 10.055 min Scan# 1471
Delta R.T. -0.000 min
Lab File: VX040537.D
Acq: 29 Feb 2024 15:13

Instrument :
MSVOA_X
ClientSampleId :
OF-2

Tgt Ion:117 Resp: 117990
Ion Ratio Lower Upper
117 100
82 59.4 46.2 69.4
119 33.3 25.5 38.3



#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 12.024 min Scan# 1794
Delta R.T. 0.006 min
Lab File: VX040537.D
Acq: 29 Feb 2024 15:13

Tgt Ion:152 Resp: 65803
Ion Ratio Lower Upper
152 100
115 61.2 43.3 129.9
150 153.4 0.0 345.0

