

Data Path : Z:\VOASRV\HPCHEM1\MSVOA X\DATA\VX030119\
 Data File : VX007798.D
 Acq On : 01 Mar 2019 19:00
 Operator : JC/SP
 Sample : K1708-01
 Misc : 5.0mL/MSVOA X/WATER
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 STORAGE-BLANK-SOIL-REF-6

Quant Time: Mar 01 23:19:50 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X022519W.M
 Quant Title : SW846 8260
 QLast Update : Tue Feb 26 01:53:13 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	5.67	168	327614	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	6.86	114	511061	50.00	ug/l	0.00
63) Chlorobenzene-d5	10.11	117	478676	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	12.08	152	227338	50.00	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	6.07	65	186928	46.06	ug/l	0.00
Spiked Amount	50.000		Recovery	=	92.12%	
35) Dibromofluoromethane	5.51	113	169325	49.56	ug/l	0.00
Spiked Amount	50.000		Recovery	=	99.12%	
50) Toluene-d8	8.71	98	621750	47.54	ug/l	0.00
Spiked Amount	50.000		Recovery	=	95.08%	
62) 4-Bromofluorobenzene	11.13	95	222429	46.34	ug/l	0.00
Spiked Amount	50.000		Recovery	=	92.68%	


Target Compounds	Qvalue
------------------	--------


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA X\DATA\VX030119\
Data File : VX007798.D
Acq On : 01 Mar 2019 19:00
Operator : JC/SP
Sample : K1708-01
Misc : 5.0mL/MSVOA X/WATER
ALS Vial : 20 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
STORAGE-BLANK-SOIL-REF-6

Quant Time: Mar 01 23:19:50 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_X\METHOD\82X022519W.M
Quant Title : SW846 8260
QLast Update : Tue Feb 26 01:53:13 2019
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 5.67 min Scan# 740

Delta R.T. 0.00 min

Lab File: VX007798.D

Acq: 01 Mar 2019 19:00

Instrument :

MSVOA_X

ClientSampleId :


STORAGE-BLANK-SOIL-REF-6

Tot Ion:168 Resp: 327614

Ion Ratio Lower Upper

168 100

99 48.7 37.9 56.9



Abundance Ion 167.90 (167.60 to 168.60): V

Ion 98.90 (98.60 to 99.60): VX0



5.67

100000

50000

0

Time--> 5.50 5.60 5.70 5.80



#33

1,2-Dichloroethane-d4

Concen: 46.063 ug/l

RT: 6.07 min Scan# 806

Delta R.T. 0.00 min

Lab File: VX007798.D


Acq: 01 Mar 2019 19:00

Tgt Ion: 65 Resp: 186928

Ion Ratio Lower Upper

65 100

67 53.7 0.0 108.8



Abundance Ion 64.90 (64.60 to 65.60): VX0

Ion 66.90 (66.60 to 67.60): VX0

6.07

80000


60000


40000

20000

0

Time--> 5.90 6.00 6.10 6.20









#34
 1,4-Difluorobenzene
 Concen: 50.000 ug/l
 RT: 6.86 min Scan# 936
 Delta R.T. 0.00 min
 Lab File: VX007798.D
 Acq: 01 Mar 2019 19:00




Instrument :
 MSVOA_X
 ClientSampleId :
 STORAGE-BLANK-SOIL-REF-6


Tot Ion:	114	Resp:	511061
Ion	Ratio	Lower	Upper
114	100		
63	20.1	0.0	35.6
88	15.8	0.0	29.6



#35
 Dibromofluoromethane
 Concen: 49.564 ug/l
 RT: 5.51 min Scan# 714
 Delta R.T. 0.01 min
 Lab File: VX007798.D
 Acq: 01 Mar 2019 19:00

Tgt Ion:	113	Resp:	169325
Ion	Ratio	Lower	Upper
113	100		
111	102.5	81.8	122.8
192	24.6	18.5	27.7





#50

Toluene-d8

Concen: 47.539 ug/l

RT: 8.71 min Scan# 1240

Delta R.T. 0.00 min

Lab File: VX007798.D

Acq: 01 Mar 2019 19:00

Instrument :

MSVOA_X

ClientSampleId :





STORAGE-BLANK-SOIL-REF-6

Tot Ion: 98 Resp: 621750

Ion Ratio Lower Upper

98 100

100 64.5 51.6 77.4



#62

4-Bromofluorobenzene

Concen: 46.336 ug/l

RT: 11.13 min Scan# 1637

Delta R.T. 0.00 min

Lab File: VX007798.D

Acq: 01 Mar 2019 19:00




Tgt Ion: 95 Resp: 222429


Ion Ratio Lower Upper

95 100

174 92.8 0.0 189.2

176 89.1 0.0 186.2





#63

Chlorobenzene-d5

Concen: 50.000 ug/l

RT: 10.11 min Scan# 1469

Delta R.T. 0.00 min

Lab File: VX007798.D

Acq: 01 Mar 2019 19:00

Instrument :

MSVOA_X

ClientSampleId :

STORAGE-BLANK-SOIL-REF-6


Tot Ion:117 Resp: 478676

Ion Ratio Lower Upper

117 100

82 55.5 42.1 63.1




119 32.1 26.5 39.7



Abundance Ion 116.90 (116.60 to 117.60): V

Ion 82.00 (81.70 to 82.70): V

Ion 118.90 (118.60 to 119.60): V



#72

1,4-Dichlorobenzene-d4

Concen: 50.000 ug/l

RT: 12.08 min Scan# 1792

Delta R.T. 0.00 min

Lab File: VX007798.D

Acq: 01 Mar 2019 19:00


Tgt Ion:152 Resp: 227338

Ion Ratio Lower Upper

152 100

115 54.5 38.0 114.0

150 156.4 0.0 346.4



Abundance Ion 151.90 (151.60 to 152.60): V

Ion 114.90 (114.60 to 115.60): V

Ion 149.90 (149.60 to 150.60): V

