

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX030124\
 Data File : VX040548.D
 Acq On : 01 Mar 2024 13:16
 Operator : JC/MD
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Mar 01 23:17:14 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X022624W.M
 Quant Title : SW846 8260
 QLast Update : Tue Feb 27 05:01:33 2024
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	50.000	50.000	0.0	95	0.00
2 T	Dichlorodifluoromethane	50.000	48.685	2.6	96	0.00
3 P	Chloromethane	50.000	45.678	8.6	92	0.00
4 C	Vinyl Chloride	50.000	46.057	7.9#	93	0.00
5 T	Bromomethane	50.000	59.801	-19.6	106	0.00
6 T	Chloroethane	50.000	44.908	10.2	92	0.00
7 T	Trichlorofluoromethane	50.000	45.616	8.8	91	0.00
8 T	Diethyl Ether	50.000	45.185	9.6	89	0.00
9 T	1,1,2-Trichlorotrifluoroeth	50.000	50.455	-0.9	101	0.00
10 T	Methyl Iodide	50.000	54.119	-8.2	108	0.00
11 T	Tert butyl alcohol	250.000	256.567	-2.6	99	0.00
12 CM	1,1-Dichloroethene	50.000	45.759	8.5#	94	0.00
13 T	Acrolein	250.000	243.571	2.6	98	0.00
14 T	Allyl chloride	50.000	48.063	3.9	96	0.00
15 T	Acrylonitrile	250.000	231.078	7.6	92	0.00
16 T	Acetone	250.000	309.904	-24.0	120	0.00
17 T	Carbon Disulfide	50.000	41.045	17.9	85	0.00
18 T	Methyl Acetate	50.000	49.698	0.6	94	0.00
19 T	Methyl tert-butyl Ether	50.000	50.164	-0.3	99	0.00
20 T	Methylene Chloride	50.000	47.296	5.4	97	0.00
21 T	trans-1,2-Dichloroethene	50.000	45.711	8.6	91	0.00
22 T	Diisopropyl ether	50.000	49.248	1.5	97	0.00
23 T	Vinyl Acetate	250.000	251.696	-0.7	98	0.00
24 P	1,1-Dichloroethane	50.000	48.212	3.6	97	0.00
25 T	2-Butanone	250.000	260.521	-4.2	101	0.00
26 T	2,2-Dichloropropane	50.000	53.940	-7.9	109	0.00
27 T	cis-1,2-Dichloroethene	50.000	48.118	3.8	99	0.00
28 T	Bromochloromethane	50.000	48.889	2.2	89	0.00
29 T	Tetrahydrofuran	250.000	234.377	6.2	93	0.00
30 C	Chloroform	50.000	50.087	-0.2#	99	0.00
31 T	Cyclohexane	50.000	47.119	5.8	94	0.00
32 T	1,1,1-Trichloroethane	50.000	52.745	-5.5	105	0.00
33 S	1,2-Dichloroethane-d4	50.000	49.141	1.7	101	0.00
34 I	1,4-Difluorobenzene	50.000	50.000	0.0	90	0.00
35 S	Dibromofluoromethane	50.000	52.823	-5.6	99	0.00
36 T	1,1-Dichloropropene	50.000	51.046	-2.1	99	0.00
37 T	Ethyl Acetate	50.000	48.954	2.1	92	0.00
38 T	Carbon Tetrachloride	50.000	56.164	-12.3	103	0.00
39 T	Methylcyclohexane	50.000	52.356	-4.7	96	0.00
40 TM	Benzene	50.000	50.213	-0.4	94	0.00
41 T	Methacrylonitrile	50.000	50.418	-0.8	96	0.00
42 TM	1,2-Dichloroethane	50.000	56.529	-13.1	105	0.00
43 T	Isopropyl Acetate	50.000	52.939	-5.9	99	0.00
44 TM	Trichloroethene	50.000	48.976	2.0	94	0.00
45 C	1,2-Dichloropropane	50.000	51.456	-2.9#	97	0.00
46 T	Dibromomethane	50.000	53.469	-6.9	99	0.00
47 T	Bromodichloromethane	50.000	53.970	-7.9	99	0.00
48 T	Methyl methacrylate	50.000	55.231	-10.5	99	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX030124\
 Data File : VX040548.D
 Acq On : 01 Mar 2024 13:16
 Operator : JC/MD
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Mar 01 23:17:14 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X022624W.M
 Quant Title : SW846 8260
 QLast Update : Tue Feb 27 05:01:33 2024
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
49 T	1,4-Dioxane	1000.000	1034.687	-3.5	92	0.00
50 S	Toluene-d8	50.000	48.774	2.5	91	0.00
51 T	4-Methyl-2-Pentanone	250.000	267.161	-6.9	97	0.00
52 CM	Toluene	50.000	48.777	2.4#	90	0.00
53 T	t-1,3-Dichloropropene	50.000	51.953	-3.9	92	0.00
54 T	cis-1,3-Dichloropropene	50.000	53.582	-7.2	99	0.00
55 T	1,1,2-Trichloroethane	50.000	49.587	0.8	87	0.00
56 T	Ethyl methacrylate	50.000	51.373	-2.7	89	0.00
57 T	1,3-Dichloropropane	50.000	47.357	5.3	87	0.00
58 T	2-Chloroethyl Vinyl ether	250.000	257.022	-2.8	89	0.00
59 T	2-Hexanone	250.000	249.080	0.4	88	0.00
60 T	Dibromochloromethane	50.000	50.854	-1.7	93	0.00
61 T	1,2-Dibromoethane	50.000	50.600	-1.2	91	0.00
62 S	4-Bromofluorobenzene	50.000	55.252	-10.5	101	0.00
63 I	Chlorobenzene-d5	50.000	50.000	0.0	92	0.00
64 T	Tetrachloroethene	50.000	47.791	4.4	93	0.00
65 PM	Chlorobenzene	50.000	51.194	-2.4	100	0.00
66 T	1,1,1,2-Tetrachloroethane	50.000	55.553	-11.1	104	0.00
67 C	Ethyl Benzene	50.000	52.867	-5.7#	100	0.00
68 T	m/p-Xylenes	100.000	103.828	-3.8	99	0.00
69 T	o-Xylene	50.000	53.814	-7.6	101	0.00
70 T	Styrene	50.000	53.911	-7.8	100	0.00
71 P	Bromoform	50.000	56.095	-12.2	103	0.00
72 I	1,4-Dichlorobenzene-d4	50.000	50.000	0.0	98	0.00
73 T	Isopropylbenzene	50.000	51.438	-2.9	102	0.00
74 T	N-ethyl acetate	50.000	52.552	-5.1	101	0.00
75 P	1,1,2,2-Tetrachloroethane	50.000	48.931	2.1	99	0.00
76 T	1,2,3-Trichloropropane	50.000	51.451	-2.9	100	0.00
77 T	Bromobenzene	50.000	51.036	-2.1	101	0.00
78 T	n-propylbenzene	50.000	51.140	-2.3	102	0.00
79 T	2-Chlorotoluene	50.000	50.416	-0.8	103	0.00
80 T	1,3,5-Trimethylbenzene	50.000	52.569	-5.1	104	0.00
81 T	trans-1,4-Dichloro-2-butene	50.000	50.054	-0.1	104	0.00
82 T	4-Chlorotoluene	50.000	51.990	-4.0	104	0.00
83 T	tert-Butylbenzene	50.000	53.408	-6.8	105	0.00
84 T	1,2,4-Trimethylbenzene	50.000	53.001	-6.0	103	0.00
85 T	sec-Butylbenzene	50.000	52.969	-5.9	104	0.00
86 T	p-Isopropyltoluene	50.000	52.629	-5.3	105	0.00
87 T	1,3-Dichlorobenzene	50.000	49.461	1.1	101	0.00
88 T	1,4-Dichlorobenzene	50.000	49.056	1.9	102	0.00
89 T	n-Butylbenzene	50.000	53.242	-6.5	105	0.00
90 T	Hexachloroethane	50.000	54.706	-9.4	107	0.00
91 T	1,2-Dichlorobenzene	50.000	51.102	-2.2	105	0.00
92 T	1,2-Dibromo-3-Chloropropane	50.000	48.820	2.4	94	0.00
93 T	1,2,4-Trichlorobenzene	50.000	50.479	-1.0	100	0.00
94 T	Hexachlorobutadiene	50.000	51.212	-2.4	105	0.00
95 T	Naphthalene	50.000	48.899	2.2	94	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX030124\
Data File : VX040548.D
Acq On : 01 Mar 2024 13:16
Operator : JC/MD
Sample : VSTDCCC050
Misc : 5.0mL/MSVOA_X/WATER
ALS Vial : 2 Sample Multiplier: 1

Instrument :
MSVOA_X
LabSampleId :
VSTDCCC050

Quant Time: Mar 01 23:17:14 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X022624W.M
Quant Title : SW846 8260
QLast Update : Tue Feb 27 05:01:33 2024
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
96 T	1,2,3-Trichlorobenzene	50.000	49.536	0.9	98	0.00

(#) = Out of Range SPCC's out = 0 CCC's out = 6