

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX030323\
 Data File : VX034325.D
 Acq On : 03 Mar 2023 16:11
 Operator : JC/MD
 Sample : 01813-01
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :

Quant Time: Mar 03 22:14:27 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X021723W.M
 Quant Title : SW846 8260
 QLast Update : Fri Feb 17 12:33:35 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	5.550	168	268661	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	6.763	114	451400	50.000	ug/l	0.00
63) Chlorobenzene-d5	10.055	117	396261	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	12.024	152	172225	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	5.958	65	164132	45.363	ug/l	0.00
Spiked Amount	50.000	Range	78 - 117	Recovery	=	90.720%
35) Dibromofluoromethane	5.385	113	141275	48.068	ug/l	0.00
Spiked Amount	50.000	Range	75 - 124	Recovery	=	96.140%
50) Toluene-d8	8.647	98	540812	51.251	ug/l	0.00
Spiked Amount	50.000	Range	92 - 112	Recovery	=	102.500%
62) 4-Bromofluorobenzene	11.079	95	182044	45.102	ug/l	0.00
Spiked Amount	50.000	Range	83 - 123	Recovery	=	90.200%


Target Compounds	R.T.	QIon	Response	Conc	Units	Qvalue
5) Bromomethane	1.557	94	75	Below Cal	#	3
11) Tert butyl alcohol	2.953	59	595	0.735	ug/l #	86
16) Acetone	2.380	43	1752	0.939	ug/l	99
18) Methyl Acetate	2.703	43	2055	0.356	ug/l #	85
20) Methylene Chloride	2.794	84	847	0.252	ug/l #	87
31) Cyclohexane	5.544	56	5532	1.024	ug/l #	1
36) 1,1-Dichloropropene	5.556	75	20012	4.604	ug/l #	48
38) Carbon Tetrachloride	5.556	117	25269	5.650	ug/l #	14
76) 1,2,3-Trichloropropane	11.079	75	90880	20.971	ug/l #	34
81) trans-1,4-Dichloro-2-b...	11.079	75	90880	53.872	ug/l #	8


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX030323\
Data File : VX034325.D
Acq On : 03 Mar 2023 16:11
Operator : JC/MD
Sample : 01813-01
Misc : 5.0mL/MSVOA_X/WATER
ALS Vial : 20 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :

Quant Time: Mar 03 22:14:27 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X021723W.M
Quant Title : SW846 8260
QLast Update : Fri Feb 17 12:33:35 2023
Response via : Initial Calibration









#1
Pentafluorobenzene
Concen: 50.000 ug/l
RT: 5.550 min Scan# 71
Delta R.T. -0.000 min
Lab File: VX034325.D
Acq: 03 Mar 2023 16:11




Instrument :
MSVOA_X
ClientSampleId :


Tgt Ion:168 Resp: 268661
Ion Ratio Lower Upper
168 100
99 53.2 39.6 59.4



#5
Bromomethane
Concen: Below Cal
RT: 1.557 min Scan# 77
Delta R.T. -0.042 min
Lab File: VX034325.D
Acq: 03 Mar 2023 16:11

Tgt Ion: 94 Resp: 75
Ion Ratio Lower Upper
94 100
96 0.0 74.3 111.5#





#11

Tert butyl alcohol

Concen: 0.735 ug/l

RT: 2.953 min Scan# 307

Delta R.T. 0.000 min

Lab File: VX034325.D

Acq: 03 Mar 2023 16:11

Instrument :

MSVOA_X





ClientSampleId :

Tgt Ion: 59 Resp: 595

Ion Ratio Lower Upper

59 100

57 0.0 3.7 5.5#



#16

Acetone

Concen: 0.939 ug/l

RT: 2.380 min Scan# 212

Delta R.T. 0.006 min

Lab File: VX034325.D




Acq: 03 Mar 2023 16:11


Tgt Ion: 43 Resp: 1752

Ion Ratio Lower Upper

43 100

58 27.6 22.6 33.8





#18

Methyl Acetate

Concen: 0.356 ug/l

RT: 2.703 min Scan# 2055

Delta R.T. 0.006 min

Lab File: VX034325.D

Acq: 03 Mar 2023 16:11

Instrument :

MSVOA_X





ClientSampleId :

Tgt Ion: 43 Resp: 2055

Ion Ratio Lower Upper

43 100

74 15.7 18.2 27.4#



#20

Methylene Chloride

Concen: 0.252 ug/l

RT: 2.794 min Scan# 280

Delta R.T. 0.006 min

Lab File: VX034325.D

Acq: 03 Mar 2023 16:11

Tgt Ion: 84 Resp: 847




Ion Ratio Lower Upper


84 100

49 140.8 101.1 151.7

51 47.9 31.0 46.6#


86 54.7 52.6 79.0








#31
Cyclohexane
Concen: 1.024 ug/l
RT: 5.544 min Scan# 719
Delta R.T. 0.073 min
Lab File: VX034325.D
Acq: 03 Mar 2023 16:11

Instrument :
MSVOA_X
ClientSampleId :







Tgt Ion: 56 Resp: 5532
Ion Ratio Lower Upper
56 100
69 161.5 24.6 37.0#
84 144.9 71.0 106.6#



#33
1,2-Dichloroethane-d4
Concen: 45.363 ug/l
RT: 5.958 min Scan# 799
Delta R.T. 0.006 min
Lab File: VX034325.D
Acq: 03 Mar 2023 16:11

Tgt Ion: 65 Resp: 164132
Ion Ratio Lower Upper
65 100
67 53.5 0.0 104.8





#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 6.763 min Scan# 91

Delta R.T. 0.006 min

Lab File: VX034325.D

Acq: 03 Mar 2023 16:11

Instrument :

MSVOA_X

ClientSampleId :





Tgt Ion:114 Resp: 451400

Ion Ratio Lower Upper

114 100

63 20.3 0.0 37.4

88 16.5 0.0 30.6



#35

Dibromofluoromethane

Concen: 48.068 ug/l

RT: 5.385 min Scan# 705

Delta R.T. 0.000 min

Lab File: VX034325.D

Acq: 03 Mar 2023 16:11




Tgt Ion:113 Resp: 141275


Ion Ratio Lower Upper

113 100

111 101.6 83.0 124.6


192 20.2 19.0 28.4








#36
 1,1-Dichloropropene
 Concen: 4.604 ug/l
 RT: 5.556 min Scan# 713
 Delta R.T. -0.134 min
 Lab File: VX034325.D
 Acq: 03 Mar 2023 16:11

Instrument :
 MSVOA_X
 ClientSampleId :







Tgt Ion: 75 Resp: 20012
 Ion Ratio Lower Upper
 75 100
 110 8.8 18.8 56.4#
 77 0.0 25.1 37.7#



#38
 Carbon Tetrachloride
 Concen: 5.650 ug/l
 RT: 5.556 min Scan# 733
 Delta R.T. -0.116 min
 Lab File: VX034325.D
 Acq: 03 Mar 2023 16:11

Tgt Ion: 117 Resp: 25269
 Ion Ratio Lower Upper
 117 100
 119 4.1 78.0 117.0#
 121 0.0 24.4 36.6#









#50
Toluene-d8
Concen: 51.251 ug/l
RT: 8.647 min Scan# 11
Delta R.T. 0.000 min
Lab File: VX034325.D
Acq: 03 Mar 2023 16:11




Instrument :
MSVOA_X
ClientSampleId :


Tgt Ion: 98 Resp: 540812
Ion Ratio Lower Upper
98 100
100 66.4 53.6 80.4



#62
4-Bromofluorobenzene
Concen: 45.102 ug/l
RT: 11.079 min Scan# 1639
Delta R.T. 0.000 min
Lab File: VX034325.D
Acq: 03 Mar 2023 16:11


Tgt Ion: 95 Resp: 182044
Ion Ratio Lower Upper
95 100
174 80.8 0.0 184.4
176 78.1 0.0 178.8








#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 10.055 min Scan# 1471
Delta R.T. 0.000 min
Lab File: VX034325.D
Acq: 03 Mar 2023 16:11


Instrument :
MSVOA_X
ClientSampleId :





Tgt Ion:117 Resp: 396261
Ion Ratio Lower Upper
117 100
82 53.8 40.6 60.8
119 32.8 25.6 38.4




#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 12.024 min Scan# 1794
Delta R.T. 0.000 min
Lab File: VX034325.D
Acq: 03 Mar 2023 16:11



Tgt Ion:152 Resp: 172225
Ion Ratio Lower Upper
152 100
115 58.6 38.7 116.1
150 157.8 0.0 348.2









#76
1,2,3-Trichloropropane
Concen: 20.971 ug/l
RT: 11.079 min Scan# 1639
Delta R.T. -0.158 min
Lab File: VX034325.D
Acq: 03 Mar 2023 16:11

Instrument :
MSVOA_X
ClientSampleId :

Tgt Ion: 75 Resp: 90880
Ion Ratio Lower Upper
75 100
77 1.2 21.8 65.4#



#81
trans-1,4-Dichloro-2-butene
Concen: 53.872 ug/l
RT: 11.079 min Scan# 1639
Delta R.T. 0.061 min
Lab File: VX034325.D
Acq: 03 Mar 2023 16:11

Tgt Ion: 75 Resp: 90880
Ion Ratio Lower Upper
75 100
53 0.0 83.0 124.6#
89 0.0 37.7 56.5#

