

Data Path : Z:\VOASRV\HPCHEM1\MSVOA X\DATA\VX030819\  
 Data File : VX007936.D  
 Acq On : 08 Mar 2019 17:41  
 Operator : JC/SP  
 Sample : VX0308WBL02  
 Misc : 5.0mL/MSVOA X/WATER  
 ALS Vial : 18 Sample Multiplier: 1

Instrument :  
 MSVOA\_X  
 ClientSampleId :  
 VX0308WBL02

Quant Time: Mar 09 05:16:37 2019  
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA\_X\METHOD\82X030619W.M  
 Quant Title : SW846 8260  
 QLast Update : Thu Mar 07 07:33:26 2019  
 Response via : Initial Calibration

| Internal Standards         | R.T.  | QIon | Response | Conc  | Units | Dev(Min) |
|----------------------------|-------|------|----------|-------|-------|----------|
| 1) Pentafluorobenzene      | 5.67  | 168  | 265226   | 50.00 | ug/l  | 0.00     |
| 34) 1,4-Difluorobenzene    | 6.86  | 114  | 417639   | 50.00 | ug/l  | 0.00     |
| 63) Chlorobenzene-d5       | 10.11 | 117  | 390178   | 50.00 | ug/l  | 0.00     |
| 72) 1,4-Dichlorobenzene-d4 | 12.08 | 152  | 189178   | 50.00 | ug/l  | 0.00     |

| System Monitoring Compounds | R.T.  | QIon | Response | Conc  | Units   | Dev(Min) |
|-----------------------------|-------|------|----------|-------|---------|----------|
| 33) 1,2-Dichloroethane-d4   | 6.07  | 65   | 146456   | 52.35 | ug/l    | 0.00     |
| Spiked Amount               |       |      | Recovery | =     | 104.70% |          |
| 35) Dibromofluoromethane    | 5.50  | 113  | 134354   | 50.29 | ug/l    | 0.00     |
| Spiked Amount               |       |      | Recovery | =     | 100.58% |          |
| 50) Toluene-d8              | 8.71  | 98   | 503250   | 51.29 | ug/l    | 0.00     |
| Spiked Amount               |       |      | Recovery | =     | 102.58% |          |
| 62) 4-Bromofluorobenzene    | 11.13 | 95   | 183785   | 53.43 | ug/l    | 0.00     |
| Spiked Amount               |       |      | Recovery | =     | 106.86% |          |

| Target Compounds | Qvalue |
|------------------|--------|
|------------------|--------|

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA X\DATA\VX030819\  
Data File : VX007936.D  
Acq On : 08 Mar 2019 17:41  
Operator : JC/SP  
Sample : VX0308WBL02  
Misc : 5.0mL/MSVOA X/WATER  
ALS Vial : 18 Sample Multiplier: 1

Instrument :  
MSVOA\_X  
ClientSampleId :  
VX0308WBL02

Quant Time: Mar 09 05:16:37 2019  
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA\_X\METHOD\82X030619W.M  
Quant Title : SW846 8260  
QLast Update : Thu Mar 07 07:33:26 2019  
Response via : Initial Calibration

