

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\WX031022\
 Data File : VX027388.D
 Acq On : 10 Mar 2022 19:49
 Operator : JC/MD
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 24 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Mar 11 00:49:42 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X030822W.M
 Quant Title : SW846 8260
 QLast Update : Tue Mar 08 15:54:34 2022
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	50.000	50.000	0.0	87	0.00
2 T	Dichlorodifluoromethane	50.000	48.280	3.4	86	0.00
3 P	Chloromethane	50.000	44.675	10.7	85	0.00
4 C	Vinyl Chloride	50.000	45.269	9.5#	83	0.00
5 T	Bromomethane	50.000	48.767	2.5	85	0.00
6 T	Chloroethane	50.000	45.849	8.3	86	0.00
7 T	Trichlorofluoromethane	50.000	46.475	7.0	86	0.00
8 T	Diethyl Ether	50.000	45.700	8.6	84	0.00
9 T	1,1,2-Trichlorotrifluoroeth	50.000	47.661	4.7	89	0.00
10 T	Methyl Iodide	50.000	51.965	-3.9	90	0.00
11 T	Tert butyl alcohol	250.000	241.717	3.3	88	0.00
12 CM	1,1-Dichloroethene	50.000	48.934	2.1#	88	0.00
13 T	Acrolein	250.000	264.430	-5.8	103	0.00
14 T	Allyl chloride	50.000	46.235	7.5	84	0.00
15 T	Acrylonitrile	250.000	237.486	5.0	86	0.00
16 T	Acetone	250.000	238.512	4.6	83	0.00
17 T	Carbon Disulfide	50.000	44.471	11.1	84	0.00
18 T	Methyl Acetate	50.000	46.223	7.6	85	0.00
19 T	Methyl tert-butyl Ether	50.000	48.420	3.2	88	0.00
20 T	Methylene Chloride	50.000	46.987	6.0	88	0.00
21 T	trans-1,2-Dichloroethene	50.000	46.864	6.3	88	0.00
22 T	Diisopropyl ether	50.000	47.036	5.9	84	0.00
23 T	Vinyl Acetate	250.000	240.735	3.7	85	0.00
24 P	1,1-Dichloroethane	50.000	47.790	4.4	87	0.00
25 T	2-Butanone	250.000	229.899	8.0	84	0.00
26 T	2,2-Dichloropropane	50.000	45.010	10.0	81	0.00
27 T	cis-1,2-Dichloroethene	50.000	48.204	3.6	89	0.00
28 T	Bromochloromethane	50.000	41.303	17.4	76	0.00
29 T	Tetrahydrofuran	250.000	231.248	7.5	84	0.00
30 C	Chloroform	50.000	47.879	4.2#	87	0.00
31 T	Cyclohexane	50.000	47.059	5.9	84	0.00
32 T	1,1,1-Trichloroethane	50.000	49.292	1.4	88	0.00
33 S	1,2-Dichloroethane-d4	50.000	46.949	6.1	85	0.00
34 I	1,4-Difluorobenzene	50.000	50.000	0.0	85	0.00
35 S	Dibromofluoromethane	50.000	52.339	-4.7	91	0.00
36 T	1,1-Dichloropropene	50.000	49.020	2.0	86	0.00
37 T	Ethyl Acetate	50.000	47.550	4.9	84	0.00
38 T	Carbon Tetrachloride	50.000	51.633	-3.3	90	0.00
39 T	Methylcyclohexane	50.000	49.137	1.7	86	0.00
40 TM	Benzene	50.000	49.327	1.3	88	0.00
41 T	Methacrylonitrile	50.000	48.630	2.7	83	0.00
42 TM	1,2-Dichloroethane	50.000	48.771	2.5	84	0.00
43 T	Isopropyl Acetate	50.000	48.470	3.1	84	0.00
44 TM	Trichloroethene	50.000	51.961	-3.9	92	0.00
45 C	1,2-Dichloropropane	50.000	50.019	-0.0#	87	0.00
46 T	Dibromomethane	50.000	51.011	-2.0	89	0.00
47 T	Bromodichloromethane	50.000	51.297	-2.6	89	0.00
48 T	Methyl methacrylate	50.000	49.250	1.5	85	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX031022\
 Data File : VX027388.D
 Acq On : 10 Mar 2022 19:49
 Operator : JC/MD
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 24 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Mar 11 00:49:42 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X030822W.M
 Quant Title : SW846 8260
 QLast Update : Tue Mar 08 15:54:34 2022
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
49 T	1,4-Dioxane	1000.000	1011.702	-1.2	91	0.00
50 S	Toluene-d8	50.000	51.782	-3.6	90	0.00
51 T	4-Methyl-2-Pentanone	250.000	244.411	2.2	83	0.00
52 CM	Toluene	50.000	51.398	-2.8#	89	0.00
53 T	t-1,3-Dichloropropene	50.000	52.480	-5.0	87	0.00
54 T	cis-1,3-Dichloropropene	50.000	52.185	-4.4	87	0.00
55 T	1,1,2-Trichloroethane	50.000	51.944	-3.9	91	0.00
56 T	Ethyl methacrylate	50.000	51.863	-3.7	88	0.00
57 T	1,3-Dichloropropane	50.000	50.373	-0.7	88	0.00
58 T	2-Chloroethyl Vinyl ether	250.000	250.275	-0.1	85	0.00
59 T	2-Hexanone	250.000	243.872	2.5	82	0.00
60 T	Dibromochloromethane	50.000	54.464	-8.9	93	0.00
61 T	1,2-Dibromoethane	50.000	53.541	-7.1	92	0.00
62 S	4-Bromofluorobenzene	50.000	50.609	-1.2	88	0.00
63 I	Chlorobenzene-d5	50.000	50.000	0.0	86	0.00
64 T	Tetrachloroethene	50.000	51.255	-2.5	94	0.00
65 PM	Chlorobenzene	50.000	51.436	-2.9	92	0.00
66 T	1,1,1,2-Tetrachloroethane	50.000	54.224	-8.4	95	0.00
67 C	Ethyl Benzene	50.000	50.776	-1.6#	89	0.00
68 T	m/p-Xylenes	100.000	103.476	-3.5	91	0.00
69 T	o-Xylene	50.000	51.785	-3.6	90	0.00
70 T	Styrene	50.000	52.405	-4.8	90	0.00
71 P	Bromoform	50.000	54.819	-9.6	93	0.00
72 I	1,4-Dichlorobenzene-d4	50.000	50.000	0.0	85	0.00
73 T	Isopropylbenzene	50.000	51.334	-2.7	90	0.00
74 T	N-amyl acetate	50.000	48.404	3.2	81	0.00
75 P	1,1,2,2-Tetrachloroethane	50.000	48.766	2.5	87	0.00
76 T	1,2,3-Trichloropropane	50.000	49.369	1.3	86	0.00
77 T	Bromobenzene	50.000	52.877	-5.8	93	0.00
78 T	n-propylbenzene	50.000	50.936	-1.9	87	0.00
79 T	2-Chlorotoluene	50.000	49.247	1.5	87	0.00
80 T	1,3,5-Trimethylbenzene	50.000	50.961	-1.9	89	0.00
81 T	trans-1,4-Dichloro-2-butene	50.000	50.668	-1.3	85	0.00
82 T	4-Chlorotoluene	50.000	49.722	0.6	86	0.00
83 T	tert-Butylbenzene	50.000	51.542	-3.1	89	0.00
84 T	1,2,4-Trimethylbenzene	50.000	51.378	-2.8	88	0.00
85 T	sec-Butylbenzene	50.000	51.218	-2.4	88	0.00
86 T	p-Isopropyltoluene	50.000	51.678	-3.4	88	0.00
87 T	1,3-Dichlorobenzene	50.000	52.035	-4.1	92	0.00
88 T	1,4-Dichlorobenzene	50.000	50.220	-0.4	91	0.00
89 T	n-Butylbenzene	50.000	50.268	-0.5	85	0.00
90 T	Hexachloroethane	50.000	52.328	-4.7	90	0.00
91 T	1,2-Dichlorobenzene	50.000	51.321	-2.6	92	0.00
92 T	1,2-Dibromo-3-Chloropropane	50.000	50.144	-0.3	87	0.00
93 T	1,2,4-Trichlorobenzene	50.000	52.643	-5.3	92	0.00
94 T	Hexachlorobutadiene	50.000	50.973	-1.9	90	0.00
95 T	Naphthalene	50.000	54.437	-8.9	92	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX031022\
Data File : VX027388.D
Acq On : 10 Mar 2022 19:49
Operator : JC/MD
Sample : VSTDCCC050
Misc : 5.0mL/MSVOA_X/WATER
ALS Vial : 24 Sample Multiplier: 1

Instrument :
MSVOA_X
LabSampleId :
VSTDCCC050

Quant Time: Mar 11 00:49:42 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X030822W.M
Quant Title : SW846 8260
QLast Update : Tue Mar 08 15:54:34 2022
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
96 T	1,2,3-Trichlorobenzene	50.000	53.189	-6.4	92	0.00

(#) = Out of Range SPCC's out = 0 CCC's out = 6