

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX031119\
 Data File : VX007992.D
 Acq On : 12 Mar 2019 03:11
 Operator : JC/SP
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 38 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Mar 12 09:30:07 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X030619W.M
 Quant Title : SW846 8260
 QLast Update : Thu Mar 07 07:33:26 2019
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	70	0.00
2 T	Dichlorodifluoromethane	0.427	0.367	14.1	61	0.00
3 P	Chloromethane	0.551	0.506	8.2	69	0.00
4 C	Vinyl Chloride	0.547	0.490	10.4#	64	0.00
5 T	Bromomethane	0.333	0.284	14.7	79	0.00
6 T	Chloroethane	0.363	0.343	5.5	69	0.00
7 T	Trichlorofluoromethane	0.712	0.652	8.4	66	0.00
8 T	Diethyl Ether	0.308	0.340	-10.4	80	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.441	0.412	6.6	68	0.00
10 T	Methyl Iodide	0.626	0.677	-8.1	74	0.00
11 T	Tert butyl alcohol	0.118	0.133	-12.7	83	-0.01
12 CM	1,1-Dichloroethene	0.425	0.400	5.9#	68	0.00
13 T	Acrolein	0.071	0.082	-15.5	89	0.00
14 T	Allyl chloride	0.894	0.840	6.0	68	0.00
15 T	Acrylonitrile	0.298	0.318	-6.7	78	0.00
16 T	Acetone	0.305	0.260	14.8	59	0.00
17 T	Carbon Disulfide	1.428	1.192	16.5	65	0.00
18 T	Methyl Acetate	0.649	0.737	-13.6	82	0.00
19 T	Methyl tert-butyl Ether	1.463	1.665	-13.8	81	0.00
20 T	Methylene Chloride	0.486	0.516	-6.2	79	0.00
21 T	trans-1,2-Dichloroethene	0.468	0.454	3.0	72	0.00
22 T	Diisopropyl ether	1.639	1.706	-4.1	74	0.00
23 T	Vinyl Acetate	1.437	1.500	-4.4	74	0.00
24 P	1,1-Dichloroethane	0.882	0.901	-2.2	73	0.00
25 T	2-Butanone	0.432	0.427	1.2	70	0.00
26 T	2,2-Dichloropropane	0.584	0.440	24.7#	53	0.00
27 T	cis-1,2-Dichloroethene	0.536	0.544	-1.5	74	0.00
28 T	Bromochloromethane	0.411	0.429	-4.4	73	0.00
29 T	Tetrahydrofuran	0.270	0.286	-5.9	75	0.00
30 C	Chloroform	0.834	0.864	-3.6#	74	0.00
31 T	Cyclohexane	0.810	0.733	9.5	64	0.00
32 T	1,1,1-Trichloroethane	0.692	0.671	3.0	69	0.00
33 S	1,2-Dichloroethane-d4	0.527	0.581	-10.2	77	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	72	0.00
35 S	Dibromofluoromethane	0.320	0.342	-6.9	76	0.00
36 T	1,1-Dichloropropene	0.453	0.405	10.6	66	0.00
37 T	Ethyl Acetate	0.537	0.545	-1.5	74	0.00
38 T	Carbon Tetrachloride	0.430	0.393	8.6	65	0.00
39 T	Methylcyclohexane	0.549	0.501	8.7	65	0.00
40 TM	Benzene	1.348	1.339	0.7	72	0.00
41 T	Methacrylonitrile	0.293	0.309	-5.5	76	-0.01
42 TM	1,2-Dichloroethane	0.441	0.457	-3.6	76	0.00
43 T	Isopropyl Acetate	0.795	0.851	-7.0	76	0.00
44 TM	Trichloroethene	0.371	0.367	1.1	73	0.00
45 C	1,2-Dichloropropane	0.356	0.372	-4.5#	75	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX031119\
 Data File : VX007992.D
 Acq On : 12 Mar 2019 03:11
 Operator : JC/SP
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 38 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Mar 12 09:30:07 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X030619W.M
 Quant Title : SW846 8260
 QLast Update : Thu Mar 07 07:33:26 2019
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
46 T	Dibromomethane	0.225	0.240	-6.7	78	0.00
47 T	Bromodichloromethane	0.427	0.448	-4.9	74	0.00
48 T	Methyl methacrylate	0.418	0.449	-7.4	77	0.00
49 T	1,4-Dioxane	0.009	0.009	0.0	79	0.00
50 S	Toluene-d8	1.175	1.244	-5.9	74	0.00
51 T	4-Methyl-2-Pentanone	0.511	0.546	-6.8	77	0.00
52 CM	Toluene	0.823	0.841	-2.2#	73	0.00
53 T	t-1,3-Dichloropropene	0.446	0.489	-9.6	75	0.00
54 T	cis-1,3-Dichloropropene	0.503	0.540	-7.4	73	0.00
55 T	1,1,2-Trichloroethane	0.333	0.371	-11.4	80	0.00
56 T	Ethyl methacrylate	0.500	0.574	-14.8	80	0.00
57 T	1,3-Dichloropropane	0.559	0.610	-9.1	78	0.00
58 T	2-Chloroethyl Vinyl ether	0.259	0.298	-15.1	80	0.00
59 T	2-Hexanone	0.397	0.406	-2.3	74	0.00
60 T	Dibromochloromethane	0.348	0.389	-11.8	77	0.00
61 T	1,2-Dibromoethane	0.354	0.394	-11.3	81	0.00
62 S	4-Bromofluorobenzene	0.412	0.465	-12.9	79	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	78	0.00
64 T	Tetrachloroethene	0.414	0.408	1.4	80	0.00
65 PM	Chlorobenzene	1.046	1.031	1.4	78	0.00
66 T	1,1,1,2-Tetrachloroethane	0.375	0.384	-2.4	78	0.00
67 C	Ethyl Benzene	1.722	1.674	2.8#	74	0.00
68 T	m/p-Xylenes	0.664	0.655	1.4	75	0.00
69 T	o-Xylene	0.641	0.641	0.0	76	0.00
70 T	Styrene	1.049	1.090	-3.9	78	0.00
71 P	Bromoform	0.322	0.332	-3.1	77	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	80	0.00
73 T	Isopropylbenzene	3.382	3.203	5.3	74	0.00
74 T	N-amyl acetate	1.544	1.483	4.0	75	0.00
75 P	1,1,2,2-Tetrachloroethane	1.166	1.104	5.3	79	0.00
76 T	1,2,3-Trichloropropane	1.049	1.072	-2.2	93	0.00
77 T	Bromobenzene	0.927	0.912	1.6	80	0.00
78 T	n-propylbenzene	3.751	3.577	4.6	74	0.00
79 T	2-Chlorotoluene	2.294	2.200	4.1	77	0.00
80 T	1,3,5-Trimethylbenzene	2.783	2.714	2.5	76	0.00
81 T	trans-1,4-Dichloro-2-butene	0.328	0.309	5.8	71	0.00
82 T	4-Chlorotoluene	2.629	2.535	3.6	77	0.00
83 T	tert-Butylbenzene	2.804	2.620	6.6	72	0.00
84 T	1,2,4-Trimethylbenzene	2.853	2.813	1.4	77	0.00
85 T	sec-Butylbenzene	3.302	3.162	4.2	74	0.00
86 T	p-Isopropyltoluene	2.957	2.860	3.3	74	0.00
87 T	1,3-Dichlorobenzene	1.640	1.606	2.1	79	0.00
88 T	1,4-Dichlorobenzene	1.680	1.616	3.8	80	0.00
89 T	n-Butylbenzene	2.505	2.394	4.4	73	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX031119\
Data File : VX007992.D
Acq On : 12 Mar 2019 03:11
Operator : JC/SP
Sample : VSTDCCC050
Misc : 5.0mL/MSVOA_X/WATER
ALS Vial : 38 Sample Multiplier: 1

Instrument :
MSVOA_X
LabSampleId :
VSTDCCC050

Quant Time: Mar 12 09:30:07 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X030619W.M
Quant Title : SW846 8260
QLast Update : Thu Mar 07 07:33:26 2019
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
90 T	Hexachloroethane	0.494	0.472	4.5	73	0.00
91 T	1,2-Dichlorobenzene	1.629	1.618	0.7	81	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.244	0.234	4.1	76	0.00
93 T	1,2,4-Trichlorobenzene	1.145	1.177	-2.8	82	0.00
94 T	Hexachlorobutadiene	0.598	0.568	5.0	76	0.00
95 T	Naphthalene	3.298	3.518	-6.7	82	0.00
96 T	1,2,3-Trichlorobenzene	1.140	1.183	-3.8	82	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6