

Data Path : Z:\VOASRV\HPCHEM1\MSVOA X\DATA\VX032219\
 Data File : VX008336.D
 Acq On : 22 Mar 2019 13:59
 Operator : JC/SP
 Sample : VX0322WBL01
 Misc : 5.0mL/MSVOA X/WATER
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 VX0322WBL01

Quant Time: Mar 22 15:45:23 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA X\METHOD\624X032219W.M
 Quant Title : METHOD 624 VOLATILE ORGANIC ANALYSIS
 QLast Update : Fri Mar 22 15:33:35 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Bromochloromethane	5.02	128	32551	30.00	ug/l	0.00
28) 1,4-Difluorobenzene	6.86	114	174260	30.00	ug/l	0.00
57) Chlorobenzene-d5	10.11	117	146316	30.00	ug/l	0.00

System Monitoring Compounds						
27) 1,2-Dichloroethane-d4	6.06	65	67670	30.42	ug/l	0.00
Spiked Amount	30.000	Range	50 - 169	Recovery	=	101.40%
60) 4-Bromofluorobenzene	11.13	95	66435	27.89	ug/l	0.00
Spiked Amount	30.000	Range	56 - 143	Recovery	=	92.97%
63) Toluene-d8	8.71	98	198435	30.10	ug/l	0.00
Spiked Amount	30.000	Range	66 - 137	Recovery	=	100.33%

Target Compounds	Ovalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA X\DATA\VX032219\
Data File : VX008336.D
Acq On : 22 Mar 2019 13:59
Operator : JC/SP
Sample : VX0322WBL01
Misc : 5.0mL/MSVOA X/WATER
ALS Vial : 8 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
VX0322WBL01

Quant Time: Mar 22 15:45:23 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA X\METHOD\624X032219W.M
Quant Title : METHOD 624 VOLATILE ORGANIC ANALYSIS
QLast Update : Fri Mar 22 15:33:35 2019
Response via : Initial Calibration

