

Data Path : Z:\voasrv\HPCHEM1\MSVOA X\Data\VX032319\
 Data File : VX008352.D
 Acq On : 23 Mar 2019 15:31
 Operator : JC/SP
 Sample : VSTDICV050
 Misc : 5.0mL/MSVOA X/WATER
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 ICSVVX032319

Quant Time: Mar 25 08:20:28 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X032319W.M
 Quant Title : SW846 8260
 QLast Update : Sat Mar 23 15:27:34 2019
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	108	0.00
2 T	Dichlorodifluoromethane	0.566	0.526	7.1	102	0.00
3 P	Chloromethane	0.839	0.757	9.8	102	0.00
4 C	Vinyl Chloride	0.819	0.748	8.7#	101	0.00
5 T	Bromomethane	0.516	0.480	7.0	102	0.00
6 T	Chloroethane	0.480	0.424	11.7	100	0.00
7 T	Trichlorofluoromethane	0.931	0.847	9.0	99	0.00
8 T	Diethyl Ether	0.446	0.396	11.2	99	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.552	0.518	6.2	103	0.00
10 T	Methyl Iodide	0.700	0.678	3.1	102	0.00
11 T	Tert butyl alcohol	0.170	0.156	8.2	100	0.00
12 CM	1,1-Dichloroethene	0.569	0.528	7.2#	102	0.00
13 T	Acrolein	0.145	0.128	11.7	94	0.00
14 T	Allyl chloride	1.260	1.162	7.8	99	0.00
15 T	Acrylonitrile	0.435	0.394	9.4	98	0.00
16 T	Acetone	0.381	0.336	11.8	96	0.00
17 T	Carbon Disulfide	1.821	1.650	9.4	105	0.00
18 T	Methyl Acetate	0.954	0.844	11.5	98	0.00
19 T	Methyl tert-butyl Ether	2.051	1.906	7.1	100	0.00
20 T	Methylene Chloride	0.686	0.612	10.8	102	0.00
21 T	trans-1,2-Dichloroethene	0.617	0.563	8.8	102	0.00
22 T	Diisopropyl ether	2.453	2.281	7.0	100	0.00
23 T	Vinyl Acetate	2.166	2.052	5.3	99	0.00
24 P	1,1-Dichloroethane	1.251	1.156	7.6	100	0.00
25 T	2-Butanone	0.628	0.568	9.6	97	0.00
26 T	2,2-Dichloropropane	0.806	0.761	5.6	100	0.00
27 T	cis-1,2-Dichloroethene	0.706	0.646	8.5	100	0.00
28 T	Bromochloromethane	0.624	0.593	5.0	98	0.00
29 T	Tetrahydrofuran	0.417	0.376	9.8	96	0.00
30 C	Chloroform	1.128	1.038	8.0#	100	0.00
31 T	Cyclohexane	1.199	1.124	6.3	102	0.00
32 T	1,1,1-Trichloroethane	0.892	0.841	5.7	101	0.00
33 S	1,2-Dichloroethane-d4	0.763	0.711	6.8	100	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	106	0.00
35 S	Dibromofluoromethane	0.324	0.311	4.0	101	0.00
36 T	1,1-Dichloropropene	0.511	0.499	2.3	104	0.00
37 T	Ethyl Acetate	0.691	0.643	6.9	97	0.00
38 T	Carbon Tetrachloride	0.438	0.417	4.8	100	0.00
39 T	Methylcyclohexane	0.626	0.618	1.3	105	0.00
40 TM	Benzene	1.556	1.462	6.0	100	0.00
41 T	Methacrylonitrile	0.377	0.367	2.7	99	0.00
42 TM	1,2-Dichloroethane	0.565	0.519	8.1	100	0.00
43 T	Isopropyl Acetate	1.077	1.033	4.1	99	0.00
44 TM	Trichloroethene	0.361	0.337	6.6	102	0.00
45 C	1,2-Dichloropropane	0.440	0.417	5.2#	100	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA X\Data\VX032319\
 Data File : VX008352.D
 Acq On : 23 Mar 2019 15:31
 Operator : JC/SP
 Sample : VSTDICV050
 Misc : 5.0mL/MSVOA X/WATER
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 ICVVX032319

Quant Time: Mar 25 08:20:28 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X032319W.M
 Quant Title : SW846 8260
 QLast Update : Sat Mar 23 15:27:34 2019
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
46 T	Dibromomethane	0.261	0.240	8.0	99	0.00
47 T	Bromodichloromethane	0.499	0.476	4.6	100	0.00
48 T	Methyl methacrylate	0.543	0.521	4.1	100	0.00
49 T	1,4-Dioxane	0.011	0.010	9.1	98	0.00
50 S	Toluene-d8	1.281	1.258	1.8	104	0.00
51 T	4-Methyl-2-Pentanone	0.706	0.666	5.7	99	0.00
52 CM	Toluene	0.912	0.880	3.5#	102	0.00
53 T	t-1,3-Dichloropropene	0.536	0.545	-1.7	102	0.00
54 T	cis-1,3-Dichloropropene	0.608	0.606	0.3	99	0.00
55 T	1,1,2-Trichloroethane	0.379	0.354	6.6	100	0.00
56 T	Ethyl methacrylate	0.671	0.660	1.6	101	0.00
57 T	1,3-Dichloropropane	0.675	0.632	6.4	100	0.00
58 T	2-Chloroethyl Vinyl ether	0.362	0.359	0.8	100	0.00
59 T	2-Hexanone	0.542	0.519	4.2	100	0.00
60 T	Dibromochloromethane	0.352	0.350	0.6	101	0.00
61 T	1,2-Dibromoethane	0.385	0.369	4.2	101	0.00
62 S	4-Bromofluorobenzene	0.470	0.463	1.5	106	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	105	0.00
64 T	Tetrachloroethene	0.327	0.317	3.1	105	0.00
65 PM	Chlorobenzene	1.049	1.005	4.2	103	0.00
66 T	1,1,1,2-Tetrachloroethane	0.364	0.357	1.9	103	0.00
67 C	Ethyl Benzene	1.963	1.924	2.0#	105	0.00
68 T	m/p-Xylenes	0.705	0.697	1.1	104	0.00
69 T	o-Xylene	0.690	0.672	2.6	103	0.00
70 T	Styrene	1.196	1.190	0.5	104	0.00
71 P	Bromoform	0.280	0.282	-0.7	103	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	110	0.00
73 T	Isopropylbenzene	3.946	3.676	6.8	104	0.00
74 T	N-amyl acetate	2.310	2.219	3.9	102	0.00
75 P	1,1,2,2-Tetrachloroethane	1.572	1.400	10.9	101	0.00
76 T	1,2,3-Trichloropropane	1.309	1.177	10.1	103	0.00
77 T	Bromobenzene	0.934	0.860	7.9	104	0.00
78 T	n-propylbenzene	4.625	4.443	3.9	106	0.00
79 T	2-Chlorotoluene	2.817	2.598	7.8	105	0.00
80 T	1,3,5-Trimethylbenzene	3.357	3.187	5.1	106	0.00
81 T	trans-1,4-Dichloro-2-butene	0.459	0.458	0.2	102	0.00
82 T	4-Chlorotoluene	3.246	3.060	5.7	106	0.00
83 T	tert-Butylbenzene	3.196	3.018	5.6	103	0.00
84 T	1,2,4-Trimethylbenzene	3.350	3.212	4.1	107	0.00
85 T	sec-Butylbenzene	3.831	3.697	3.5	108	0.00
86 T	p-Isopropyltoluene	3.377	3.303	2.2	107	0.00
87 T	1,3-Dichlorobenzene	1.677	1.588	5.3	108	0.00
88 T	1,4-Dichlorobenzene	1.706	1.591	6.7	108	0.00
89 T	n-Butylbenzene	3.224	3.224	0.0	109	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA X\Data\VX032319\
Data File : VX008352.D
Acq On : 23 Mar 2019 15:31
Operator : JC/SP
Sample : VSTDICV050
Misc : 5.0mL/MSVOA X/WATER
ALS Vial : 9 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
ICVVX032319

Quant Time: Mar 25 08:20:28 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X032319W.M
Quant Title : SW846 8260
QLast Update : Sat Mar 23 15:27:34 2019
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
90 T	Hexachloroethane	0.558	0.539	3.4	105	0.00
91 T	1,2-Dichlorobenzene	1.698	1.596	6.0	107	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.335	0.317	5.4	102	0.00
93 T	1,2,4-Trichlorobenzene	1.145	1.134	1.0	113	0.00
94 T	Hexachlorobutadiene	0.541	0.545	-0.7	113	0.00
95 T	Naphthalene	4.022	3.894	3.2	107	0.00
96 T	1,2,3-Trichlorobenzene	1.156	1.140	1.4	111	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6