

Data Path : Z:\VOASRV\HPCHEM1\MSVOA X\DATA\VX032319\
 Data File : VX008363.D
 Acq On : 23 Mar 2019 20:29
 Operator : JC/SP
 Sample : K1937-11
 Misc : 5.0mL/MSVOA X/WATER
 ALS Vial : 21 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 BP-MH-SW4001-SOUTH-20190314

Quant Time: Mar 25 09:01:16 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X032319W.M
 Quant Title : SW846 8260
 QLast Update : Sat Mar 23 15:27:34 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	5.67	168	227052	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	6.86	114	396847	50.00	ug/l	0.00
63) Chlorobenzene-d5	10.11	117	337973	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	12.08	152	138005	50.00	ug/l	0.00

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
33) 1,2-Dichloroethane-d4	6.06	65	170656	49.28	ug/l	0.00
Spiked Amount			Recovery	=	98.56%	
35) Dibromofluoromethane	5.50	113	123141	47.89	ug/l	0.00
Spiked Amount			Recovery	=	95.78%	
50) Toluene-d8	8.71	98	497921	48.96	ug/l	0.00
Spiked Amount			Recovery	=	97.92%	
62) 4-Bromofluorobenzene	11.13	95	165978	44.45	ug/l	0.00
Spiked Amount			Recovery	=	88.90%	


Target Compounds	Qvalue
------------------	--------


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA X\DATA\VX032319\
Data File : VX008363.D
Acq On : 23 Mar 2019 20:29
Operator : JC/SP
Sample : K1937-11
Misc : 5.0mL/MSVOA X/WATER
ALS Vial : 21 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
BP-MH-SW4001-SOUTH-20190314

Quant Time: Mar 25 09:01:16 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_X\METHOD\82X032319W.M
Quant Title : SW846 8260
QLast Update : Sat Mar 23 15:27:34 2019
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 5.67 min Scan# 740

Delta R.T. -0.00 min

Lab File: VX008363.D

Acq: 23 Mar 2019 20:29

Instrument :

MSVOA_X

ClientSampleId :


BP-MH-SW4001-SOUTH-20190314

Tot Ion:168 Resp: 227052

Ion Ratio Lower Upper




168 100

99 59.3 37.6 56.4#



Abundance Ion 167.90 (167.60 to 168.60): V

Ion 98.90 (98.60 to 99.60): VX0



#33

1,2-Dichloroethane-d4

Concen: 49.280 ug/l

RT: 6.06 min Scan# 805

Delta R.T. -0.00 min

Lab File: VX008363.D


Acq: 23 Mar 2019 20:29

Tgt Ion: 65 Resp: 170656

Ion Ratio Lower Upper



65 100


67 53.8 0.0 110.0



Abundance Ion 64.90 (64.60 to 65.60): VX0

Ion 66.90 (66.60 to 67.60): VX0









#34
 1,4-Difluorobenzene
 Concen: 50.000 ug/l
 RT: 6.86 min Scan# 936
 Delta R.T. -0.00 min
 Lab File: VX008363.D
 Acq: 23 Mar 2019 20:29

Instrument :
 MSVOA_X
 ClientSampleId :
 BP-MH-SW4001-SOUTH-20190314

Tot Ion:114 Resp: 396847
 Ion Ratio Lower Upper
 114 100
 63 24.0 0.0 39.8
 88 16.6 0.0 31.4




Abundance Ion 113.90 (113.60 to 114.60): V
 Ion 63.00 (62.70 to 63.70): VX
 Ion 87.90 (87.60 to 88.60): VX






#35
 Dibromofluoromethane
 Concen: 47.893 ug/l
 RT: 5.50 min Scan# 713
 Delta R.T. 0.01 min
 Lab File: VX008363.D
 Acq: 23 Mar 2019 20:29

Tgt Ion:113 Resp: 123141
 Ion Ratio Lower Upper
 113 100
 111 102.8 81.4 122.0
 192 19.1 19.4 29.0#



Abundance Ion 112.80 (112.50 to 113.50): V
 Ion 110.80 (110.50 to 111.50): V
 Ion 191.70 (191.40 to 192.40): V









#50
Toluene-d8
Concen: 48.962 ug/l
RT: 8.71 min Scan# 1240
Delta R.T. -0.00 min
Lab File: VX008363.D
Acq: 23 Mar 2019 20:29




Instrument :
MSVOA_X
ClientSampleId :
BP-MH-SW4001-SOUTH-20190314


Tot Ion: 98 Resp: 497921
Ion Ratio Lower Upper
98 100
100 63.4 51.7 77.5



#62
4-Bromofluorobenzene
Concen: 44.452 ug/l
RT: 11.13 min Scan# 1637
Delta R.T. -0.00 min
Lab File: VX008363.D
Acq: 23 Mar 2019 20:29

Tgt Ion: 95 Resp: 165978
Ion Ratio Lower Upper
95 100
174 72.4 0.0 182.8
176 70.9 0.0 178.0









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 10.11 min Scan# 1469
Delta R.T. -0.00 min
Lab File: VX008363.D
Acq: 23 Mar 2019 20:29

Instrument :
MSVOA_X
ClientSampleId :
BP-MH-SW4001-SOUTH-20190314

Tot Ion:117 Resp: 337973
Ion Ratio Lower Upper
117 100
82 64.1 44.3 66.5
119 32.0 25.3 37.9




Abundance Ion 116.90 (116.60 to 117.60): V
Ion 82.00 (81.70 to 82.70): VX0
Ion 118.90 (118.60 to 119.60): V



#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 12.08 min Scan# 1792
Delta R.T. -0.00 min
Lab File: VX008363.D
Acq: 23 Mar 2019 20:29

Tgt Ion:152 Resp: 138005
Ion Ratio Lower Upper
152 100
115 62.7 38.6 115.7
150 159.0 0.0 348.4



Abundance Ion 151.90 (151.60 to 152.60): V
Ion 114.90 (114.60 to 115.60): V
Ion 149.90 (149.60 to 150.60): V

