

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX032621\
 Data File : VX021539.D
 Acq On : 26 Mar 2021 19:00
 Operator : JC/MD
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 18 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Mar 27 04:30:51 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X032421W.M
 Quant Title : SW846 8260
 QLast Update : Wed Mar 24 12:25:26 2021
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	50.000	50.000	0.0	94	0.00
2 T	Dichlorodifluoromethane	50.000	48.809	2.4	91	0.00
3 P	Chloromethane	50.000	48.242	3.5	93	0.00
4 C	Vinyl Chloride	50.000	50.400	-0.8#	93	0.00
5 T	Bromomethane	50.000	51.751	-3.5	100	0.00
6 T	Chloroethane	50.000	50.121	-0.2	93	0.00
7 T	Trichlorofluoromethane	50.000	50.638	-1.3	92	0.00
8 T	Diethyl Ether	50.000	49.084	1.8	93	0.00
9 T	1,1,2-Trichlorotrifluoroeth	50.000	50.896	-1.8	96	0.00
10 T	Methyl Iodide	50.000	49.984	0.0	104	0.00
11 T	Tert butyl alcohol	250.000	249.118	0.4	96	0.00
12 CM	1,1-Dichloroethene	50.000	48.539	2.9#	95	0.00
13 T	Acrolein	250.000	213.130	14.7	83	0.00
14 T	Allyl chloride	50.000	48.481	3.0	91	0.00
15 T	Acrylonitrile	250.000	257.272	-2.9	95	0.00
16 T	Acetone	250.000	250.884	-0.4	96	0.00
17 T	Carbon Disulfide	50.000	44.865	10.3	88	0.00
18 T	Methyl Acetate	50.000	54.907	-9.8	99	0.00
19 T	Methyl tert-butyl Ether	50.000	50.951	-1.9	94	0.00
20 T	Methylene Chloride	50.000	48.998	2.0	94	0.00
21 T	trans-1,2-Dichloroethene	50.000	48.564	2.9	91	0.00
22 T	Diisopropyl ether	50.000	51.116	-2.2	94	0.00
23 T	Vinyl Acetate	250.000	253.751	-1.5	92	0.00
24 P	1,1-Dichloroethane	50.000	50.514	-1.0	94	0.00
25 T	2-Butanone	250.000	253.900	-1.6	95	0.00
26 T	2,2-Dichloropropane	50.000	47.539	4.9	87	0.00
27 T	cis-1,2-Dichloroethene	50.000	49.612	0.8	93	0.00
28 T	Bromochloromethane	50.000	47.702	4.6	95	0.00
29 T	Tetrahydrofuran	250.000	253.275	-1.3	95	0.00
30 C	Chloroform	50.000	51.250	-2.5#	94	0.00
31 T	Cyclohexane	50.000	49.584	0.8	91	0.00
32 T	1,1,1-Trichloroethane	50.000	50.769	-1.5	93	0.00
33 S	1,2-Dichloroethane-d4	50.000	47.434	5.1	95	0.00
34 I	1,4-Difluorobenzene	50.000	50.000	0.0	93	0.00
35 S	Dibromofluoromethane	50.000	48.413	3.2	95	0.00
36 T	1,1-Dichloropropene	50.000	50.690	-1.4	93	0.00
37 T	Ethyl Acetate	50.000	50.130	-0.3	95	0.00
38 T	Carbon Tetrachloride	50.000	52.331	-4.7	94	0.00
39 T	Methylcyclohexane	50.000	51.105	-2.2	90	0.00
40 TM	Benzene	50.000	51.815	-3.6	93	0.00
41 T	Methacrylonitrile	50.000	50.239	-0.5	93	0.00
42 TM	1,2-Dichloroethane	50.000	52.084	-4.2	94	0.00
43 T	Isopropyl Acetate	50.000	51.221	-2.4	92	0.00
44 TM	Trichloroethene	50.000	50.569	-1.1	93	0.00
45 C	1,2-Dichloropropane	50.000	52.136	-4.3#	93	0.00
46 T	Dibromomethane	50.000	52.050	-4.1	94	0.00
47 T	Bromodichloromethane	50.000	52.458	-4.9	94	0.00
48 T	Methyl methacrylate	50.000	51.929	-3.9	92	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX032621\
 Data File : VX021539.D
 Acq On : 26 Mar 2021 19:00
 Operator : JC/MD
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 18 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Mar 27 04:30:51 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X032421W.M
 Quant Title : SW846 8260
 QLast Update : Wed Mar 24 12:25:26 2021
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
49 T	1,4-Dioxane	1000.000	1088.874	-8.9	98	0.00
50 S	Toluene-d8	50.000	49.004	2.0	93	0.00
51 T	4-Methyl-2-Pentanone	250.000	272.957	-9.2	96	0.00
52 CM	Toluene	50.000	52.633	-5.3#	93	0.00
53 T	t-1,3-Dichloropropene	50.000	52.376	-4.8	92	0.00
54 T	cis-1,3-Dichloropropene	50.000	53.006	-6.0	93	0.00
55 T	1,1,2-Trichloroethane	50.000	53.566	-7.1	95	0.00
56 T	Ethyl methacrylate	50.000	48.435	3.1	92	0.00
57 T	1,3-Dichloropropane	50.000	52.300	-4.6	93	0.00
58 T	2-Chloroethyl Vinyl ether	250.000	260.409	-4.2	91	0.00
59 T	2-Hexanone	250.000	277.155	-10.9	97	0.00
60 T	Dibromochloromethane	50.000	55.187	-10.4	96	0.00
61 T	1,2-Dibromoethane	50.000	52.652	-5.3	92	0.00
62 S	4-Bromofluorobenzene	50.000	51.320	-2.6	99	0.00
63 I	Chlorobenzene-d5	50.000	50.000	0.0	94	0.00
64 T	Tetrachloroethene	50.000	52.447	-4.9	95	0.00
65 PM	Chlorobenzene	50.000	52.129	-4.3	95	0.00
66 T	1,1,1,2-Tetrachloroethane	50.000	52.028	-4.1	94	0.00
67 C	Ethyl Benzene	50.000	52.436	-4.9#	95	0.00
68 T	m/p-Xylenes	100.000	106.313	-6.3	95	0.00
69 T	o-Xylene	50.000	53.038	-6.1	95	0.00
70 T	Styrene	50.000	53.775	-7.5	96	0.00
71 P	Bromoform	50.000	53.567	-7.1	96	0.00
72 I	1,4-Dichlorobenzene-d4	50.000	50.000	0.0	98	0.00
73 T	Isopropylbenzene	50.000	52.527	-5.1	96	0.00
74 T	N-amyl acetate	50.000	50.528	-1.1	96	0.00
75 P	1,1,2,2-Tetrachloroethane	50.000	51.814	-3.6	100	0.00
76 T	1,2,3-Trichloropropane	50.000	53.023	-6.0	97	0.00
77 T	Bromobenzene	50.000	52.936	-5.9	100	0.00
78 T	n-propylbenzene	50.000	52.212	-4.4	97	0.00
79 T	2-Chlorotoluene	50.000	52.409	-4.8	98	0.00
80 T	1,3,5-Trimethylbenzene	50.000	53.395	-6.8	98	0.00
81 T	trans-1,4-Dichloro-2-butene	50.000	50.247	-0.5	95	0.00
82 T	4-Chlorotoluene	50.000	52.833	-5.7	99	0.00
83 T	tert-Butylbenzene	50.000	52.141	-4.3	97	0.00
84 T	1,2,4-Trimethylbenzene	50.000	53.951	-7.9	99	0.00
85 T	sec-Butylbenzene	50.000	53.150	-6.3	97	0.00
86 T	p-Isopropyltoluene	50.000	53.780	-7.6	96	0.00
87 T	1,3-Dichlorobenzene	50.000	52.100	-4.2	100	0.00
88 T	1,4-Dichlorobenzene	50.000	49.184	1.6	97	0.00
89 T	n-Butylbenzene	50.000	52.859	-5.7	96	0.00
90 T	Hexachloroethane	50.000	51.755	-3.5	98	0.00
91 T	1,2-Dichlorobenzene	50.000	51.884	-3.8	101	0.00
92 T	1,2-Dibromo-3-Chloropropane	50.000	47.912	4.2	97	0.00
93 T	1,2,4-Trichlorobenzene	50.000	53.536	-7.1	102	0.00
94 T	Hexachlorobutadiene	50.000	47.376	5.2	92	0.00
95 T	Naphthalene	50.000	53.841	-7.7	99	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX032621\
Data File : VX021539.D
Acq On : 26 Mar 2021 19:00
Operator : JC/MD
Sample : VSTDCCC050
Misc : 5.0mL/MSVOA_X/WATER
ALS Vial : 18 Sample Multiplier: 1

Instrument :
MSVOA_X
LabSampleId :
VSTDCCC050

Quant Time: Mar 27 04:30:51 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X032421W.M
Quant Title : SW846 8260
QLast Update : Wed Mar 24 12:25:26 2021
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
96 T	1,2,3-Trichlorobenzene	50.000	51.191	-2.4	97	0.00

(#) = Out of Range SPCC's out = 0 CCC's out = 6