

Data Path : Z:\VOASRV\HPCHEM1\MSVOA X\DATA\VX032720\
 Data File : VX015373.D
 Acq On : 27 Mar 2020 11:16
 Operator : JC/SP
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA X/WATER
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Mar 30 01:44:22 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X032720W.M
 Quant Title : SW846 8260
 QLast Update : Fri Mar 27 09:35:51 2020
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	125	0.00
2 T	Dichlorodifluoromethane	0.441	0.449	-1.8	157#	0.00
3 P	Chloromethane	0.561	0.528	5.9	109	0.00
4 C	Vinyl Chloride	0.515	0.484	6.0#	124	0.00
5 T	Bromomethane	0.259	0.222	14.3	104	0.00
6 T	Chloroethane	0.319	0.296	7.2	116	0.00
7 T	Trichlorofluoromethane	0.691	0.690	0.1	148	0.00
8 T	Diethyl Ether	0.291	0.274	5.8	107	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.450	0.456	-1.3	157#	0.00
10 T	Methyl Iodide	0.607	0.637	-4.9	110	0.00
11 T	Tert butyl alcohol	0.169	0.152	10.1	101	0.00
12 CM	1,1-Dichloroethene	0.472	0.443	6.1#	123	0.00
13 T	Acrolein	0.096	0.089	7.3	105	0.00
14 T	Allyl chloride	1.103	1.035	6.2	108	0.00
15 T	Acrylonitrile	0.322	0.305	5.3	101	0.00
16 T	Acetone	0.303	0.289	4.6	104	0.00
17 T	Carbon Disulfide	1.440	1.347	6.5	121	0.00
18 T	Methyl Acetate	0.773	0.721	6.7	100	0.00
19 T	Methyl tert-butyl Ether	1.831	1.758	4.0	104	0.00
20 T	Methylene Chloride	0.566	0.517	8.7	105	0.00
21 T	trans-1,2-Dichloroethene	0.524	0.486	7.3	112	0.00
22 T	Diisopropyl ether	1.954	1.882	3.7	105	0.00
23 T	Vinyl Acetate	1.770	1.732	2.1	104	0.00
24 P	1,1-Dichloroethane	1.029	0.955	7.2	109	0.00
25 T	2-Butanone	0.487	0.459	5.7	101	0.00
26 T	2,2-Dichloropropane	0.845	0.858	-1.5	127	0.00
27 T	cis-1,2-Dichloroethene	0.606	0.571	5.8	107	0.00
28 T	Bromochloromethane	0.491	0.463	5.7	103	0.00
29 T	Tetrahydrofuran	0.313	0.295	5.8	101	0.00
30 C	Chloroform	0.990	0.932	5.9#	107	-0.01
31 T	Cyclohexane	0.893	0.882	1.2	149	0.00
32 T	1,1,1-Trichloroethane	0.896	0.842	6.0	118	0.00
33 S	1,2-Dichloroethane-d4	0.705	0.649	7.9	105	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	109	0.00
35 S	Dibromofluoromethane	0.320	0.314	1.9	108	-0.01
36 T	1,1-Dichloropropene	0.461	0.459	0.4	124	0.00
37 T	Ethyl Acetate	0.600	0.593	1.2	101	-0.01
38 T	Carbon Tetrachloride	0.499	0.494	1.0	126	0.00
39 T	Methylcyclohexane	0.531	0.568	-7.0	164#	0.00
40 TM	Benzene	1.350	1.340	0.7	109	0.00
41 T	Methacrylonitrile	0.333	0.340	-2.1	102	0.00
42 TM	1,2-Dichloroethane	0.542	0.541	0.2	103	0.00
43 T	Isopropyl Acetate	1.013	1.018	-0.5	102	0.00
44 TM	Trichloroethene	0.368	0.367	0.3	115	0.00
45 C	1,2-Dichloropropane	0.369	0.363	1.6#	105	0.00

Data Path : Z:\VOASRV\HPCHEM1\MSVOA X\DATA\VX032720\
 Data File : VX015373.D
 Acq On : 27 Mar 2020 11:16
 Operator : JC/SP
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA X/WATER
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Mar 30 01:44:22 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X032720W.M
 Quant Title : SW846 8260
 QLast Update : Fri Mar 27 09:35:51 2020
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
46 T	Dibromomethane	0.242	0.244	-0.8	105	0.00
47 T	Bromodichloromethane	0.516	0.521	-1.0	105	0.00
48 T	Methyl methacrylate	0.506	0.511	-1.0	103	0.00
49 T	1,4-Dioxane	0.009	0.010	-11.1	104	0.00
50 S	Toluene-d8	1.177	1.126	4.3	109	0.00
51 T	4-Methyl-2-Pentanone	0.574	0.577	-0.5	101	0.00
52 CM	Toluene	0.832	0.835	-0.4#	110	0.00
53 T	t-1,3-Dichloropropene	0.605	0.610	-0.8	106	0.00
54 T	cis-1,3-Dichloropropene	0.616	0.634	-2.9	107	0.00
55 T	1,1,2-Trichloroethane	0.341	0.346	-1.5	105	0.00
56 T	Ethyl methacrylate	0.601	0.609	-1.3	104	0.00
57 T	1,3-Dichloropropane	0.614	0.601	2.1	103	0.00
58 T	2-Chloroethyl Vinyl ether	0.292	0.303	-3.8	105	0.00
59 T	2-Hexanone	0.433	0.440	-1.6	101	0.00
60 T	Dibromochloromethane	0.410	0.419	-2.2	104	0.00
61 T	1,2-Dibromoethane	0.371	0.374	-0.8	103	0.00
62 S	4-Bromofluorobenzene	0.478	0.465	2.7	109	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	106	0.00
64 T	Tetrachloroethene	0.377	0.371	1.6	119	0.00
65 PM	Chlorobenzene	0.997	0.988	0.9	107	0.00
66 T	1,1,1,2-Tetrachloroethane	0.398	0.402	-1.0	106	0.00
67 C	Ethyl Benzene	1.769	1.802	-1.9#	113	0.00
68 T	m/p-Xylenes	0.659	0.674	-2.3	114	0.00
69 T	o-Xylene	0.651	0.656	-0.8	108	0.00
70 T	Styrene	1.145	1.145	0.0	107	0.00
71 P	Bromoform	0.363	0.359	1.1	101	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	104	0.00
73 T	Isopropylbenzene	3.276	3.430	-4.7	119	0.00
74 T	N-amyl acetate	1.822	1.861	-2.1	103	0.00
75 P	1,1,2,2-Tetrachloroethane	1.124	1.138	-1.2	104	0.00
76 T	1,2,3-Trichloropropane	1.028	1.107	-7.7	106	0.00
77 T	Bromobenzene	0.874	0.880	-0.7	104	0.00
78 T	n-propylbenzene	3.746	3.967	-5.9	119	0.00
79 T	2-Chlorotoluene	2.296	2.369	-3.2	110	0.00
80 T	1,3,5-Trimethylbenzene	2.798	2.940	-5.1	115	0.00
81 T	trans-1,4-Dichloro-2-butene	0.429	0.455	-6.1	105	0.00
82 T	4-Chlorotoluene	2.692	2.812	-4.5	112	0.00
83 T	tert-Butylbenzene	2.733	2.872	-5.1	119	0.00
84 T	1,2,4-Trimethylbenzene	2.851	2.991	-4.9	113	0.00
85 T	sec-Butylbenzene	3.161	3.364	-6.4	127	0.00
86 T	p-Isopropyltoluene	2.934	3.196	-8.9	125	0.00
87 T	1,3-Dichlorobenzene	1.564	1.632	-4.3	111	0.00
88 T	1,4-Dichlorobenzene	1.593	1.666	-4.6	111	0.00
89 T	n-Butylbenzene	2.652	2.874	-8.4	128	0.00

Data Path : Z:\VOASRV\HPCHEM1\MSVOA X\DATA\VX032720\
Data File : VX015373.D
Acq On : 27 Mar 2020 11:16
Operator : JC/SP
Sample : VSTDCCC050
Misc : 5.0mL/MSVOA X/WATER
ALS Vial : 2 Sample Multiplier: 1

Instrument :
MSVOA_X
LabSampleId :
VSTDCCC050

Quant Time: Mar 30 01:44:22 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X032720W.M
Quant Title : SW846 8260
QLast Update : Fri Mar 27 09:35:51 2020
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
90 T	Hexachloroethane	0.571	0.605	-6.0	119	0.00
91 T	1,2-Dichlorobenzene	1.531	1.575	-2.9	107	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.317	0.305	3.8	102	0.00
93 T	1,2,4-Trichlorobenzene	1.211	1.208	0.2	107	0.00
94 T	Hexachlorobutadiene	0.577	0.595	-3.1	133	0.00
95 T	Naphthalene	3.694	3.871	-4.8	105	0.00
96 T	1,2,3-Trichlorobenzene	1.166	1.246	-6.9	109	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6