

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_X\Data\VX032822\  
 Data File : VX027749.D  
 Acq On : 28 Mar 2022 13:39  
 Operator : JC/MD  
 Sample : N2084-01DL 20X  
 Misc : 5.06g/10mL/100uL/5.00mL/MSVOA\_X/MEOH  
 ALS Vial : 7 Sample Multiplier: 1

Instrument :  
 MSVOA\_X  
 ClientSampleId :  
 BLDG-3DL

Quant Time: Mar 28 17:01:11 2022  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_X\Method\82X032522W.M  
 Quant Title : SW846 8260  
 QLast Update : Fri Mar 25 16:26:59 2022  
 Response via : Initial Calibration

| Compound                    | R.T.   | QIon  | Response | Conc     | Units  | Dev(Min) |
|-----------------------------|--------|-------|----------|----------|--------|----------|
| -----                       |        |       |          |          |        |          |
| Internal Standards          |        |       |          |          |        |          |
| 1) Pentafluorobenzene       | 5.556  | 168   | 69463    | 50.000   | ug/l   | # 0.00   |
| 34) 1,4-Difluorobenzene     | 6.763  | 114   | 122279   | 50.000   | ug/l   | 0.00     |
| 63) Chlorobenzene-d5        | 10.055 | 117   | 114233   | 50.000   | ug/l   | 0.00     |
| 72) 1,4-Dichlorobenzene-d4  | 12.024 | 152   | 53074    | 50.000   | ug/l   | 0.00     |
| System Monitoring Compounds |        |       |          |          |        |          |
| 33) 1,2-Dichloroethane-d4   | 5.958  | 65    | 49204    | 43.188   | ug/l   | 0.00     |
| Spiked Amount               | 50.000 | Range | 61 - 141 | Recovery | =      | 86.380%  |
| 35) Dibromofluoromethane    | 5.391  | 113   | 39000    | 48.568   | ug/l   | 0.00     |
| Spiked Amount               | 50.000 | Range | 69 - 133 | Recovery | =      | 97.140%  |
| 50) Toluene-d8              | 8.653  | 98    | 149000   | 48.001   | ug/l   | 0.00     |
| Spiked Amount               | 50.000 | Range | 65 - 126 | Recovery | =      | 96.000%  |
| 62) 4-Bromofluorobenzene    | 11.079 | 95    | 62426    | 49.562   | ug/l   | 0.00     |
| Spiked Amount               | 50.000 | Range | 58 - 135 | Recovery | =      | 99.120%  |
| Target Compounds            |        |       |          |          |        |          |
|                             |        |       |          |          | Qvalue |          |
| 52) Toluene                 | 8.720  | 92    | 14297    | 6.527    | ug/l   | 96       |
| 67) Ethyl Benzene           | 10.195 | 91    | 63086    | 14.074   | ug/l   | 99       |
| 68) m/p-Xylenes             | 10.299 | 106   | 56893    | 35.017   | ug/l   | 92       |
| 69) o-Xylene                | 10.640 | 106   | 26222    | 16.061   | ug/l   | 97       |
| 70) Styrene                 | 10.653 | 104   | 11866    | 4.572    | ug/l   | # 64     |
| 73) Isopropylbenzene        | 10.963 | 105   | 29415    | 6.748    | ug/l   | 95       |
| 78) n-propylbenzene         | 11.305 | 91    | 98351    | 19.016   | ug/l   | 98       |
| 80) 1,3,5-Trimethylbenzene  | 11.451 | 105   | 165594   | 44.196   | ug/l   | 95       |
| 84) 1,2,4-Trimethylbenzene  | 11.756 | 105   | 435127   | 114.418  | ug/l   | 96       |
| 86) p-Isopropyltoluene      | 12.012 | 119   | 5375     | 1.515    | ug/l   | 89       |
| -----                       |        |       |          |          |        |          |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_X\Data\VX032822\  
Data File : VX027749.D  
Acq On : 28 Mar 2022 13:39  
Operator : JC/MD  
Sample : N2084-01DL 20X  
Misc : 5.06g/10mL/100uL/5.00mL/MSVOA\_X/MEOH  
ALS Vial : 7 Sample Multiplier: 1

Instrument :  
MSVOA\_X  
ClientSampleId :  
BLDG-3DL

Quant Time: Mar 28 17:01:11 2022  
Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_X\Method\82X032522W.M  
Quant Title : SW846 8260  
QLast Update : Fri Mar 25 16:26:59 2022  
Response via : Initial Calibration

