

Data Path : Z:\VOASRV\HPCHEM1\MSVOA X\DATA\VX040219\  
 Data File : VX008596.D  
 Acq On : 02 Apr 2019 17:22  
 Operator : JC/SP  
 Sample : VX0402WBL02  
 Misc : 5.0mL/MSVOA X/WATER  
 ALS Vial : 13 Sample Multiplier: 1

Instrument :  
 MSVOA\_X  
 ClientSampleId :  
 VX0402WBL02

Quant Time: Apr 03 04:17:23 2019  
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA\_X\METHOD\82X032519W.M  
 Quant Title : SW846 8260  
 QLast Update : Tue Mar 26 07:57:20 2019  
 Response via : Initial Calibration

| Internal Standards         | R.T.  | QIon | Response | Conc  | Units | Dev(Min) |
|----------------------------|-------|------|----------|-------|-------|----------|
| 1) Pentafluorobenzene      | 5.66  | 168  | 197210   | 50.00 | ug/l  | 0.00     |
| 34) 1,4-Difluorobenzene    | 6.85  | 114  | 326160   | 50.00 | ug/l  | 0.00     |
| 63) Chlorobenzene-d5       | 10.11 | 117  | 276527   | 50.00 | ug/l  | 0.00     |
| 72) 1,4-Dichlorobenzene-d4 | 12.08 | 152  | 112327   | 50.00 | ug/l  | 0.00     |

| System Monitoring Compounds | R.T.  | QIon | Response | Conc  | Units  | Dev(Min) |
|-----------------------------|-------|------|----------|-------|--------|----------|
| 33) 1,2-Dichloroethane-d4   | 6.06  | 65   | 135334   | 45.27 | ug/l   | 0.00     |
| Spiked Amount               |       |      | Recovery | =     | 90.54% |          |
| 35) Dibromofluoromethane    | 5.49  | 113  | 99661    | 46.86 | ug/l   | 0.00     |
| Spiked Amount               |       |      | Recovery | =     | 93.72% |          |
| 50) Toluene-d8              | 8.71  | 98   | 405153   | 47.64 | ug/l   | 0.00     |
| Spiked Amount               |       |      | Recovery | =     | 95.28% |          |
| 62) 4-Bromofluorobenzene    | 11.13 | 95   | 134492   | 42.68 | ug/l   | 0.00     |
| Spiked Amount               |       |      | Recovery | =     | 85.36% |          |

| Target Compounds | Qvalue |
|------------------|--------|
|------------------|--------|

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA X\DATA\VX040219\  
Data File : VX008596.D  
Acq On : 02 Apr 2019 17:22  
Operator : JC/SP  
Sample : VX0402WBL02  
Misc : 5.0mL/MSVOA X/WATER  
ALS Vial : 13 Sample Multiplier: 1

Instrument :  
MSVOA\_X  
ClientSampleId :  
VX0402WBL02

Quant Time: Apr 03 04:17:23 2019  
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA\_X\METHOD\82X032519W.M  
Quant Title : SW846 8260  
QLast Update : Tue Mar 26 07:57:20 2019  
Response via : Initial Calibration

