

Data Path : Z:\VOASRV\HPCHEM1\MSVOA X\DATA\VX040319\  
 Data File : VX008618.D  
 Acq On : 03 Apr 2019 17:20  
 Operator : JC/SP  
 Sample : K2247-01  
 Misc : 5.0mL/MSVOA X/WATER  
 ALS Vial : 15 Sample Multiplier: 1

Instrument :  
 MSVOA\_X  
 ClientSampleId :  
 TB-01-190402

Quant Time: Apr 04 06:06:31 2019  
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA\_X\METHOD\82X040319W.M  
 Quant Title : SW846 8260  
 QLast Update : Thu Apr 04 04:47:41 2019  
 Response via : Initial Calibration

| Internal Standards          | R.T.  | QIon | Response | Conc  | Units  | Dev(Min) |
|-----------------------------|-------|------|----------|-------|--------|----------|
| 1) Pentafluorobenzene       | 5.67  | 168  | 217082   | 50.00 | ug/l   | 0.00     |
| 34) 1,4-Difluorobenzene     | 6.86  | 114  | 364547   | 50.00 | ug/l   | 0.00     |
| 63) Chlorobenzene-d5        | 10.11 | 117  | 312900   | 50.00 | ug/l   | 0.00     |
| 72) 1,4-Dichlorobenzene-d4  | 12.08 | 152  | 128101   | 50.00 | ug/l   | 0.00     |
| System Monitoring Compounds |       |      |          |       |        |          |
| 33) 1,2-Dichloroethane-d4   | 6.06  | 65   | 150404   | 47.50 | ug/l   | 0.00     |
| Spiked Amount 50.000        |       |      | Recovery | =     | 95.00% |          |
| 35) Dibromofluoromethane    | 5.49  | 113  | 110181   | 47.27 | ug/l   | 0.00     |
| Spiked Amount 50.000        |       |      | Recovery | =     | 94.54% |          |
| 50) Toluene-d8              | 8.71  | 98   | 458281   | 49.38 | ug/l   | 0.00     |
| Spiked Amount 50.000        |       |      | Recovery | =     | 98.76% |          |
| 62) 4-Bromofluorobenzene    | 11.13 | 95   | 153466   | 46.63 | ug/l   | 0.00     |
| Spiked Amount 50.000        |       |      | Recovery | =     | 93.26% |          |
| Target Compounds            |       |      |          |       |        |          |
| 16) Acetone                 | 2.44  | 43   | 8042     | 4.410 | ug/l   | 99       |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA X\DATA\VX040319\  
Data File : VX008618.D  
Acq On : 03 Apr 2019 17:20  
Operator : JC/SP  
Sample : K2247-01  
Misc : 5.0mL/MSVOA X/WATER  
ALS Vial : 15 Sample Multiplier: 1

Instrument :  
MSVOA\_X  
ClientSampleId :  
TB-01-190402

Quant Time: Apr 04 06:06:31 2019  
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA\_X\METHOD\82X040319W.M  
Quant Title : SW846 8260  
QLast Update : Thu Apr 04 04:47:41 2019  
Response via : Initial Calibration

