

Data Path : Z:\voasrv\HPCHEM1\MSVOA X\Data\WX040820\
 Data File : VX015582.D
 Acq On : 08 Apr 2020 20:11
 Operator : JC/SP
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA X/WATER
 ALS Vial : 27 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Apr 09 08:20:15 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X032720W.M
 Quant Title : SW846 8260
 QLast Update : Fri Mar 27 09:35:51 2020
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	112	0.00
2 T	Dichlorodifluoromethane	0.441	0.424	3.9	133	0.00
3 P	Chloromethane	0.561	0.499	11.1	92	0.00
4 C	Vinyl Chloride	0.515	0.505	1.9#	116	0.00
5 T	Bromomethane	0.259	0.211	18.5	88	0.00
6 T	Chloroethane	0.319	0.318	0.3	111	0.00
7 T	Trichlorofluoromethane	0.691	0.708	-2.5	135	0.00
8 T	Diethyl Ether	0.291	0.285	2.1	100	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.450	0.451	-0.2	139	0.00
10 T	Methyl Iodide	0.607	0.474	21.9#	73	0.00
11 T	Tert butyl alcohol	0.169	0.149	11.8	88	0.00
12 CM	1,1-Dichloroethene	0.472	0.450	4.7#	111	0.00
13 T	Acrolein	0.096	0.126	-31.3#	133	0.00
14 T	Allyl chloride	1.103	0.988	10.4	92	0.00
15 T	Acrylonitrile	0.322	0.298	7.5	88	0.00
16 T	Acetone	0.303	0.275	9.2	88	0.00
17 T	Carbon Disulfide	1.440	1.244	13.6	100	0.00
18 T	Methyl Acetate	0.773	0.734	5.0	91	0.00
19 T	Methyl tert-butyl Ether	1.831	1.718	6.2	91	0.00
20 T	Methylene Chloride	0.566	0.517	8.7	94	0.00
21 T	trans-1,2-Dichloroethene	0.524	0.491	6.3	101	0.00
22 T	Diisopropyl ether	1.954	1.865	4.6	93	0.00
23 T	Vinyl Acetate	1.770	1.649	6.8	88	0.00
24 P	1,1-Dichloroethane	1.029	0.957	7.0	98	0.00
25 T	2-Butanone	0.487	0.438	10.1	86	0.00
26 T	2,2-Dichloropropane	0.845	0.731	13.5	96	0.00
27 T	cis-1,2-Dichloroethene	0.606	0.582	4.0	98	0.00
28 T	Bromochloromethane	0.491	0.465	5.3	92	0.00
29 T	Tetrahydrofuran	0.313	0.285	8.9	87	0.00
30 C	Chloroform	0.990	0.951	3.9#	97	0.00
31 T	Cyclohexane	0.893	0.854	4.4	129	0.00
32 T	1,1,1-Trichloroethane	0.896	0.878	2.0	109	0.00
33 S	1,2-Dichloroethane-d4	0.705	0.683	3.1	99	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	98	0.00
35 S	Dibromofluoromethane	0.320	0.326	-1.9	101	0.00
36 T	1,1-Dichloropropene	0.461	0.457	0.9	111	0.00
37 T	Ethyl Acetate	0.600	0.565	5.8	87	0.00
38 T	Carbon Tetrachloride	0.499	0.498	0.2	114	0.00
39 T	Methylcyclohexane	0.531	0.537	-1.1	139	0.00
40 TM	Benzene	1.350	1.335	1.1	98	0.00
41 T	Methacrylonitrile	0.333	0.325	2.4	88	0.00
42 TM	1,2-Dichloroethane	0.542	0.543	-0.2	93	0.00
43 T	Isopropyl Acetate	1.013	0.957	5.5	86	0.00
44 TM	Trichloroethene	0.368	0.368	0.0	104	0.00
45 C	1,2-Dichloropropane	0.369	0.361	2.2#	94	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA X\Data\WX040820\
 Data File : VX015582.D
 Acq On : 08 Apr 2020 20:11
 Operator : JC/SP
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA X/WATER
 ALS Vial : 27 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Apr 09 08:20:15 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X032720W.M
 Quant Title : SW846 8260
 QLast Update : Fri Mar 27 09:35:51 2020
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
46 T	Dibromomethane	0.242	0.236	2.5	92	0.00
47 T	Bromodichloromethane	0.516	0.505	2.1	91	0.00
48 T	Methyl methacrylate	0.506	0.488	3.6	88	0.00
49 T	1,4-Dioxane	0.009	0.009	0.0	88	0.00
50 S	Toluene-d8	1.177	1.194	-1.4	104	0.00
51 T	4-Methyl-2-Pentanone	0.574	0.566	1.4	89	0.00
52 CM	Toluene	0.832	0.848	-1.9#	100	0.00
53 T	t-1,3-Dichloropropene	0.605	0.561	7.3	88	0.00
54 T	cis-1,3-Dichloropropene	0.616	0.590	4.2	90	0.00
55 T	1,1,2-Trichloroethane	0.341	0.347	-1.8	95	0.00
56 T	Ethyl methacrylate	0.601	0.586	2.5	90	0.00
57 T	1,3-Dichloropropane	0.614	0.595	3.1	92	0.00
58 T	2-Chloroethyl Vinyl ether	0.292	0.291	0.3	91	0.00
59 T	2-Hexanone	0.433	0.432	0.2	89	0.00
60 T	Dibromochloromethane	0.410	0.399	2.7	89	0.00
61 T	1,2-Dibromoethane	0.371	0.367	1.1	92	0.00
62 S	4-Bromofluorobenzene	0.478	0.494	-3.3	105	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	98	0.00
64 T	Tetrachloroethene	0.377	0.380	-0.8	113	0.00
65 PM	Chlorobenzene	0.997	0.986	1.1	99	0.00
66 T	1,1,1,2-Tetrachloroethane	0.398	0.394	1.0	96	0.00
67 C	Ethyl Benzene	1.769	1.748	1.2#	102	0.00
68 T	m/p-Xylenes	0.659	0.673	-2.1	105	0.00
69 T	o-Xylene	0.651	0.652	-0.2	100	0.00
70 T	Styrene	1.145	1.119	2.3	97	0.00
71 P	Bromoform	0.363	0.344	5.2	89	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	104	0.00
73 T	Isopropylbenzene	3.276	3.169	3.3	110	0.00
74 T	N-amyl acetate	1.822	1.602	12.1	89	0.00
75 P	1,1,2,2-Tetrachloroethane	1.124	1.024	8.9	94	0.00
76 T	1,2,3-Trichloropropane	1.028	0.941	8.5	90	0.00
77 T	Bromobenzene	0.874	0.851	2.6	101	0.00
78 T	n-propylbenzene	3.746	3.585	4.3	108	0.00
79 T	2-Chlorotoluene	2.296	2.159	6.0	101	0.00
80 T	1,3,5-Trimethylbenzene	2.798	2.672	4.5	105	0.00
81 T	trans-1,4-Dichloro-2-butene	0.429	0.350	18.4	80	0.00
82 T	4-Chlorotoluene	2.692	2.539	5.7	101	0.00
83 T	tert-Butylbenzene	2.733	2.660	2.7	110	0.00
84 T	1,2,4-Trimethylbenzene	2.851	2.728	4.3	103	0.00
85 T	sec-Butylbenzene	3.161	3.010	4.8	114	0.00
86 T	p-Isopropyltoluene	2.934	2.884	1.7	113	0.00
87 T	1,3-Dichlorobenzene	1.564	1.515	3.1	103	0.00
88 T	1,4-Dichlorobenzene	1.593	1.517	4.8	101	0.00
89 T	n-Butylbenzene	2.652	2.532	4.5	113	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA X\Data\VX040820\
Data File : VX015582.D
Acq On : 08 Apr 2020 20:11
Operator : JC/SP
Sample : VSTDCCC050
Misc : 5.0mL/MSVOA X/WATER
ALS Vial : 27 Sample Multiplier: 1

Instrument :
MSVOA_X
LabSampleId :
VSTDCCC050

Quant Time: Apr 09 08:20:15 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X032720W.M
Quant Title : SW846 8260
QLast Update : Fri Mar 27 09:35:51 2020
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
90 T	Hexachloroethane	0.571	0.514	10.0	101	0.00
91 T	1,2-Dichlorobenzene	1.531	1.518	0.8	103	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.317	0.269	15.1	91	0.00
93 T	1,2,4-Trichlorobenzene	1.211	1.136	6.2	101	0.00
94 T	Hexachlorobutadiene	0.577	0.527	8.7	118	0.00
95 T	Naphthalene	3.694	3.511	5.0	95	0.00
96 T	1,2,3-Trichlorobenzene	1.166	1.177	-0.9	103	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6