

Data Path : Z:\voasrv\HPCHEM1\MSVOA X\Data\WX041019\
 Data File : VX008818.D
 Acq On : 10 Apr 2019 20:12
 Operator : JC/SP
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA X/WATER
 ALS Vial : 25 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Apr 11 08:05:38 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X040319W.M
 Quant Title : SW846 8260
 QLast Update : Thu Apr 04 04:47:41 2019
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	88	0.00
2 T	Dichlorodifluoromethane	0.576	0.447	22.4#	69	0.00
3 P	Chloromethane	0.795	0.635	20.1#	77	0.00
4 C	Vinyl Chloride	0.778	0.622	20.1#	72	0.00
5 T	Bromomethane	0.415	0.315	24.1#	81	0.00
6 T	Chloroethane	0.516	0.389	24.6#	76	0.00
7 T	Trichlorofluoromethane	0.860	0.720	16.3	74	0.00
8 T	Diethyl Ether	0.408	0.347	15.0	76	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.554	0.478	13.7	76	0.00
10 T	Methyl Iodide	0.456	0.463	-1.5	78	0.00
11 T	Tert butyl alcohol	0.171	0.146	14.6	75	0.00
12 CM	1,1-Dichloroethene	0.578	0.487	15.7#	76	0.00
13 T	Acrolein	0.085	0.145	-70.6#	155#	0.00
14 T	Allyl chloride	1.323	1.157	12.5	77	0.00
15 T	Acrylonitrile	0.452	0.399	11.7	78	0.00
16 T	Acetone	0.420	0.354	15.7	71	0.00
17 T	Carbon Disulfide	1.857	1.363	26.6#	70	0.00
18 T	Methyl Acetate	1.019	0.923	9.4	83	0.00
19 T	Methyl tert-butyl Ether	2.064	1.880	8.9	79	0.00
20 T	Methylene Chloride	0.703	0.590	16.1	78	0.00
21 T	trans-1,2-Dichloroethene	0.625	0.522	16.5	77	0.00
22 T	Diisopropyl ether	2.551	2.310	9.4	80	0.00
23 T	Vinyl Acetate	2.219	2.042	8.0	79	0.00
24 P	1,1-Dichloroethane	1.263	1.114	11.8	78	0.00
25 T	2-Butanone	0.664	0.596	10.2	76	0.00
26 T	2,2-Dichloropropane	0.889	0.777	12.6	76	0.00
27 T	cis-1,2-Dichloroethene	0.719	0.621	13.6	78	0.00
28 T	Bromochloromethane	0.599	0.575	4.0	87	0.00
29 T	Tetrahydrofuran	0.441	0.392	11.1	78	0.00
30 C	Chloroform	1.128	1.006	10.8#	79	0.00
31 T	Cyclohexane	1.260	1.046	17.0	75	0.00
32 T	1,1,1-Trichloroethane	0.911	0.821	9.9	78	0.00
33 S	1,2-Dichloroethane-d4	0.729	0.678	7.0	81	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	87	0.00
35 S	Dibromofluoromethane	0.320	0.305	4.7	82	0.00
36 T	1,1-Dichloropropene	0.547	0.466	14.8	76	0.00
37 T	Ethyl Acetate	0.730	0.678	7.1	78	0.00
38 T	Carbon Tetrachloride	0.452	0.412	8.8	77	0.00
39 T	Methylcyclohexane	0.675	0.569	15.7	74	0.00
40 TM	Benzene	1.628	1.451	10.9	78	0.00
41 T	Methacrylonitrile	0.419	0.389	7.2	81	0.00
42 TM	1,2-Dichloroethane	0.584	0.524	10.3	80	0.00
43 T	Isopropyl Acetate	1.143	1.068	6.6	79	0.00
44 TM	Trichloroethene	0.379	0.340	10.3	78	0.00
45 C	1,2-Dichloropropane	0.465	0.420	9.7#	78	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA X\Data\WX041019\
 Data File : VX008818.D
 Acq On : 10 Apr 2019 20:12
 Operator : JC/SP
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA X/WATER
 ALS Vial : 25 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Apr 11 08:05:38 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X040319W.M
 Quant Title : SW846 8260
 QLast Update : Thu Apr 04 04:47:41 2019
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
46 T	Dibromomethane	0.270	0.234	13.3	78	0.00
47 T	Bromodichloromethane	0.508	0.472	7.1	78	0.00
48 T	Methyl methacrylate	0.578	0.540	6.6	79	0.00
49 T	1,4-Dioxane	0.011	0.009	18.2	74	0.00
50 S	Toluene-d8	1.273	1.227	3.6	82	0.00
51 T	4-Methyl-2-Pentanone	0.736	0.692	6.0	79	0.00
52 CM	Toluene	0.960	0.869	9.5#	78	0.00
53 T	t-1,3-Dichloropropene	0.569	0.546	4.0	78	0.00
54 T	cis-1,3-Dichloropropene	0.650	0.604	7.1	77	0.00
55 T	1,1,2-Trichloroethane	0.385	0.357	7.3	80	0.00
56 T	Ethyl methacrylate	0.697	0.660	5.3	79	0.00
57 T	1,3-Dichloropropane	0.692	0.643	7.1	80	0.00
58 T	2-Chloroethyl Vinyl ether	0.356	0.339	4.8	80	0.00
59 T	2-Hexanone	0.572	0.515	10.0	76	0.00
60 T	Dibromochloromethane	0.363	0.351	3.3	80	0.00
61 T	1,2-Dibromoethane	0.401	0.365	9.0	78	0.00
62 S	4-Bromofluorobenzene	0.451	0.427	5.3	80	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	88	0.00
64 T	Tetrachloroethene	0.370	0.333	10.0	80	0.00
65 PM	Chlorobenzene	1.108	0.995	10.2	79	0.00
66 T	1,1,1,2-Tetrachloroethane	0.389	0.361	7.2	79	0.00
67 C	Ethyl Benzene	2.067	1.851	10.4#	78	0.00
68 T	m/p-Xylenes	0.743	0.663	10.8	78	0.00
69 T	o-Xylene	0.720	0.651	9.6	79	0.00
70 T	Styrene	1.241	1.139	8.2	79	0.00
71 P	Bromoform	0.297	0.283	4.7	78	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	88	0.00
73 T	Isopropylbenzene	4.144	3.840	7.3	79	0.00
74 T	N-amyl acetate	2.438	2.227	8.7	79	0.00
75 P	1,1,2,2-Tetrachloroethane	1.576	1.381	12.4	78	0.00
76 T	1,2,3-Trichloropropane	1.374	1.203	12.4	79	0.00
77 T	Bromobenzene	0.996	0.915	8.1	80	0.00
78 T	n-propylbenzene	4.825	4.404	8.7	78	0.00
79 T	2-Chlorotoluene	2.920	2.617	10.4	79	0.00
80 T	1,3,5-Trimethylbenzene	3.478	3.208	7.8	78	0.00
81 T	trans-1,4-Dichloro-2-butene	0.498	0.467	6.2	76	0.00
82 T	4-Chlorotoluene	3.380	2.997	11.3	78	0.00
83 T	tert-Butylbenzene	3.346	3.056	8.7	79	0.00
84 T	1,2,4-Trimethylbenzene	3.522	3.217	8.7	78	0.00
85 T	sec-Butylbenzene	3.975	3.675	7.5	79	0.00
86 T	p-Isopropyltoluene	3.568	3.328	6.7	79	0.00
87 T	1,3-Dichlorobenzene	1.783	1.592	10.7	79	0.00
88 T	1,4-Dichlorobenzene	1.806	1.594	11.7	80	0.00
89 T	n-Butylbenzene	3.346	3.079	8.0	77	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA X\Data\VX041019\
Data File : VX008818.D
Acq On : 10 Apr 2019 20:12
Operator : JC/SP
Sample : VSTDCCC050
Misc : 5.0mL/MSVOA X/WATER
ALS Vial : 25 Sample Multiplier: 1

Instrument :
MSVOA_X
LabSampleId :
VSTDCCC050

Quant Time: Apr 11 08:05:38 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X040319W.M
Quant Title : SW846 8260
QLast Update : Thu Apr 04 04:47:41 2019
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
90 T	Hexachloroethane	0.592	0.551	6.9	78	0.00
91 T	1,2-Dichlorobenzene	1.771	1.592	10.1	80	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.347	0.303	12.7	77	0.00
93 T	1,2,4-Trichlorobenzene	1.231	1.123	8.8	81	0.00
94 T	Hexachlorobutadiene	0.590	0.556	5.8	81	0.00
95 T	Naphthalene	4.115	3.704	10.0	79	0.00
96 T	1,2,3-Trichlorobenzene	1.230	1.121	8.9	82	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6