

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX041124\
 Data File : VX041006.D
 Acq On : 12 Apr 2024 03:23
 Operator : JC/MD
 Sample : P2049-13 100X
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 44 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 CORJ0

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\SFAMXML041024WMA.M

Title : VOC Analysis

Signal : TIC: VX041006.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.264	26	29	33	rBV2	1299	2134	0.24%	0.030%
2	1.368	43	46	57	rVB	95400	109575	12.23%	1.546%
3	1.672	91	96	116	rVB	76778	116534	13.01%	1.644%
4	2.306	194	200	209	rBV	167844	262192	29.27%	3.698%
5	2.532	230	237	244	rVB5	1310	2973	0.33%	0.042%
6	2.611	246	250	251	rBV2	197	136	0.02%	0.002%
7	2.630	251	253	258	rVB	282	357	0.04%	0.005%
8	2.697	262	264	265	rBV	214	106	0.01%	0.001%
9	2.715	265	267	270	rBV	233	230	0.03%	0.003%
10	2.794	275	280	284	rVV3	985	1588	0.18%	0.022%
11	2.861	288	291	293	rBV2	170	211	0.02%	0.003%
12	2.940	298	304	313	rVB	4103	9183	1.03%	0.130%
13	3.190	343	345	348	rVB2	234	196	0.02%	0.003%
14	3.227	348	351	355	rBV2	186	308	0.03%	0.004%
15	3.343	368	370	372	rVB	154	117	0.01%	0.002%
16	3.453	386	388	390	rBV2	139	133	0.01%	0.002%
17	3.483	390	393	395	rBV2	114	114	0.01%	0.002%
18	3.568	406	407	411	rVB	153	109	0.01%	0.002%
19	3.611	411	414	417	rBV2	136	168	0.02%	0.002%
20	3.660	420	422	425	rBV	118	125	0.01%	0.002%
21	3.800	442	445	446	rBV2	105	112	0.01%	0.002%
22	3.989	471	476	479	rVB2	182	263	0.03%	0.004%
23	4.306	527	528	530	rBV2	156	125	0.01%	0.002%
24	4.452	544	552	566	rBV2	73007	225757	25.20%	3.184%
25	4.818	610	612	613	rBV2	154	113	0.01%	0.002%
26	4.836	613	615	617	rVV2	283	189	0.02%	0.003%
27	5.056	640	651	671	rBV	118080	365675	40.82%	5.158%
28	5.239	679	681	686	rVB2	221	199	0.02%	0.003%
29	5.330	695	696	700	rVB	269	141	0.02%	0.002%
30	5.367	700	702	703	rBV	252	221	0.02%	0.003%
31	5.556	728	733	738	rBV4	799	1997	0.22%	0.028%
32	5.781	768	770	772	rVB2	152	140	0.02%	0.002%
33	5.806	772	774	776	rBV	168	197	0.02%	0.003%
34	5.855	780	782	785	rBV	215	168	0.02%	0.002%
35	5.970	789	801	821	rBV2	294482	895809	100.00%	12.636%
36	6.190	835	837	838	rBV2	390	197	0.02%	0.003%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX041124\
 Data File : VX041006.D
 Acq On : 12 Apr 2024 03:23
 Operator : JC/MD
 Sample : P2049-13 100X
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 44 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 CORJ0

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\SFAMXML041024WMA.M
 Title : VOC Analysis

37	6.440	876	878	882	rVB2	175	180	0.02%	0.003%
38	6.507	885	889	890	rBV2	131	142	0.02%	0.002%
39	6.531	890	893	895	rBV2	163	225	0.03%	0.003%
40	6.763	922	931	948	rBV	231981	566043	63.19%	7.984%
41	7.123	983	990	999	rVB5	1850	5072	0.57%	0.072%
42	7.306	1011	1020	1036	rBV	178360	405572	45.27%	5.721%
43	7.793	1098	1100	1103	rBV	120	137	0.02%	0.002%
44	7.830	1103	1106	1107	rBV	139	121	0.01%	0.002%
45	7.946	1123	1125	1126	rBV	400	278	0.03%	0.004%
46	8.001	1132	1134	1138	rVB2	254	307	0.03%	0.004%
47	8.037	1138	1140	1144	rBV2	186	239	0.03%	0.003%
48	8.324	1181	1187	1201	rBV	110713	188084	21.00%	2.653%
49	8.494	1213	1215	1216	rBV2	268	180	0.02%	0.003%
50	8.574	1227	1228	1230	rBV2	401	315	0.04%	0.004%
51	8.647	1234	1240	1258	rBV	430587	685431	76.52%	9.668%
52	8.872	1275	1277	1279	rVB3	229	178	0.02%	0.003%
53	8.952	1284	1290	1307	rBV	79653	124375	13.88%	1.754%
54	9.061	1307	1308	1310	rVB2	193	126	0.01%	0.002%
55	9.134	1318	1320	1322	rVV2	175	112	0.01%	0.002%
56	9.159	1322	1324	1327	rVB	185	125	0.01%	0.002%
57	9.262	1339	1341	1342	rBV	357	280	0.03%	0.004%
58	9.323	1349	1351	1354	rBV	98	143	0.02%	0.002%
59	9.384	1356	1361	1375	rBV	316583	477146	53.26%	6.730%
60	9.701	1410	1413	1419	rVB3	954	1430	0.16%	0.020%
61	9.768	1422	1424	1426	rBV2	184	139	0.02%	0.002%
62	9.842	1432	1436	1439	rBV3	124	222	0.02%	0.003%
63	10.055	1465	1471	1488	rBV	471949	697205	77.83%	9.834%
64	10.299	1509	1511	1512	rBV	267	140	0.02%	0.002%
65	10.592	1557	1559	1563	rBV2	90	109	0.01%	0.002%
66	10.646	1563	1568	1570	rBV3	354	430	0.05%	0.006%
67	10.689	1573	1575	1576	rBV	145	132	0.01%	0.002%
68	10.750	1583	1585	1588	rVB2	180	175	0.02%	0.002%
69	10.817	1593	1596	1601	rBV2	144	210	0.02%	0.003%
70	10.976	1618	1622	1624	rBV2	301	341	0.04%	0.005%
71	11.043	1629	1633	1634	rBV2	176	219	0.02%	0.003%
72	11.098	1637	1642	1646	rBV2	676	929	0.10%	0.013%
73	11.189	1652	1657	1668	rBV	390728	495840	55.35%	6.994%
74	11.317	1674	1678	1681	rVB	1249	1601	0.18%	0.023%
75	11.451	1697	1700	1709	rVB	339	582	0.06%	0.008%
76	11.512	1709	1710	1712	rBV	161	108	0.01%	0.002%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX041124\
 Data File : VX041006.D
 Acq On : 12 Apr 2024 03:23
 Operator : JC/MD
 Sample : P2049-13 100X
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 44 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 C0RJ0

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\SFAMXML041024WMA.M
 Title : VOC Analysis

77	11.585	1718	1722	1724	rBV	161	159	0.02%	0.002%
78	11.610	1724	1726	1728	rBV	120	122	0.01%	0.002%
79	11.762	1747	1751	1753	rBV3	383	477	0.05%	0.007%
80	11.896	1771	1773	1775	rVB	129	106	0.01%	0.001%
81	11.969	1781	1785	1788	rBV	3534	4775	0.53%	0.067%
82	12.018	1788	1793	1804	rVV	514008	697044	77.81%	9.832%
83	12.317	1837	1842	1854	rBV	533285	706079	78.82%	9.959%
84	12.506	1871	1873	1874	rBV	147	138	0.02%	0.002%
85	12.768	1911	1916	1919	rVB2	2449	3507	0.39%	0.049%
86	12.823	1923	1925	1928	rVB2	208	128	0.01%	0.002%
87	12.926	1939	1942	1944	rBV2	242	283	0.03%	0.004%
88	13.115	1971	1973	1975	rVB	264	215	0.02%	0.003%
89	13.243	1993	1994	1997	rBV2	156	108	0.01%	0.002%
90	13.402	2018	2020	2022	rBV2	202	168	0.02%	0.002%
91	13.591	2046	2051	2057	rBV2	9062	11884	1.33%	0.168%
92	13.701	2067	2069	2071	rVB	185	112	0.01%	0.002%
93	13.737	2073	2075	2079	rBV	165	164	0.02%	0.002%
94	13.774	2079	2081	2083	rBV	352	363	0.04%	0.005%
95	13.908	2102	2103	2108	rBV2	245	285	0.03%	0.004%
96	13.963	2108	2112	2119	rVV3	3332	4625	0.52%	0.065%
97	14.127	2135	2139	2145	rVB	2910	3800	0.42%	0.054%
98	14.274	2161	2163	2165	rBV	281	215	0.02%	0.003%
99	15.389	2343	2346	2353	rVB3	1125	1761	0.20%	0.025%
100	16.249	2483	2487	2489	rBV2	475	575	0.06%	0.008%


Sum of corrected areas: 7089508

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX041124\
Data File : VX041006.D
Acq On : 12 Apr 2024 03:23
Operator : JC/MD
Sample : P2049-13 100X
Misc : 5.0mL/MSVOA_X/WATER
ALS Vial : 44 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
CORJ0

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\SFAMXML041024WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX041124\
Data File : VX041006.D
Acq On : 12 Apr 2024 03:23
Operator : JC/MD
Sample : P2049-13 100X
Misc : 5.0mL/MSVOA_X/WATER
ALS Vial : 44 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
C0RJ0

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\SFAMXML041024WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX041124\
Data File : VX041006.D
Acq On : 12 Apr 2024 03:23
Operator : JC/MD
Sample : P2049-13 100X
Misc : 5.0mL/MSVOA_X/WATER
ALS Vial : 44 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
C0RJ0

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\SFAMXML041024WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	--Internal Standard--			
					#	RT	Resp	Conc