

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_X\DATA\VX041219\
 Data File : VX008902.D
 Acq On : 12 Apr 2019 21:44
 Operator : JC/SP
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 31 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Apr 13 06:18:36 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X040319W.M
 Quant Title : SW846 8260
 QLast Update : Thu Apr 04 04:47:41 2019
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	75	0.00
2 T	Dichlorodifluoromethane	0.576	0.685	-18.9	90	0.00
3 P	Chloromethane	0.795	0.805	-1.3	84	0.00
4 C	Vinyl Chloride	0.778	0.770	1.0#	76	0.00
5 T	Bromomethane	0.415	0.440	-6.0	96	0.00
6 T	Chloroethane	0.516	0.459	11.0	76	0.00
7 T	Trichlorofluoromethane	0.860	0.857	0.3	75	0.00
8 T	Diethyl Ether	0.408	0.396	2.9	74	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.554	0.539	2.7	73	0.00
10 T	Methyl Iodide	0.456	0.544	-19.3	78	0.00
11 T	Tert butyl alcohol	0.171	0.188	-9.9	83	0.00
12 CM	1,1-Dichloroethene	0.578	0.567	1.9#	75	0.00
13 T	Acrolein	0.085	0.098	-15.3	89	0.00
14 T	Allyl chloride	1.323	1.331	-0.6	75	0.00
15 T	Acrylonitrile	0.452	0.470	-4.0	78	0.00
16 T	Acetone	0.420	0.408	2.9	69	0.00
17 T	Carbon Disulfide	1.857	1.669	10.1	73	0.00
18 T	Methyl Acetate	1.019	1.051	-3.1	81	0.00
19 T	Methyl tert-butyl Ether	2.064	2.138	-3.6	76	0.00
20 T	Methylene Chloride	0.703	0.680	3.3	76	0.00
21 T	trans-1,2-Dichloroethene	0.625	0.603	3.5	75	0.00
22 T	Diisopropyl ether	2.551	2.601	-2.0	77	0.00
23 T	Vinyl Acetate	2.219	2.357	-6.2	77	0.00
24 P	1,1-Dichloroethane	1.263	1.271	-0.6	76	0.00
25 T	2-Butanone	0.664	0.709	-6.8	77	0.00
26 T	2,2-Dichloropropane	0.889	0.783	11.9	65	0.00
27 T	cis-1,2-Dichloroethene	0.719	0.698	2.9	75	0.00
28 T	Bromochloromethane	0.599	0.587	2.0	76	0.00
29 T	Tetrahydrofuran	0.441	0.467	-5.9	79	0.00
30 C	Chloroform	1.128	1.143	-1.3#	76	0.00
31 T	Cyclohexane	1.260	1.234	2.1	76	0.00
32 T	1,1,1-Trichloroethane	0.911	0.934	-2.5	75	0.00
33 S	1,2-Dichloroethane-d4	0.729	0.736	-1.0	75	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	75	0.00
35 S	Dibromofluoromethane	0.320	0.321	-0.3	74	0.00
36 T	1,1-Dichloropropene	0.547	0.528	3.5	74	0.00
37 T	Ethyl Acetate	0.730	0.794	-8.8	78	0.00
38 T	Carbon Tetrachloride	0.452	0.464	-2.7	74	0.00
39 T	Methylcyclohexane	0.675	0.642	4.9	72	0.00
40 TM	Benzene	1.628	1.640	-0.7	75	0.00
41 T	Methacrylonitrile	0.419	0.440	-5.0	78	0.00
42 TM	1,2-Dichloroethane	0.584	0.583	0.2	76	0.00
43 T	Isopropyl Acetate	1.143	1.228	-7.4	78	0.00
44 TM	Trichloroethene	0.379	0.382	-0.8	76	0.00
45 C	1,2-Dichloropropane	0.465	0.468	-0.6#	75	0.00

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_X\DATA\WX041219\
 Data File : VX008902.D
 Acq On : 12 Apr 2019 21:44
 Operator : JC/SP
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 31 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Apr 13 06:18:36 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X040319W.M
 Quant Title : SW846 8260
 QLast Update : Thu Apr 04 04:47:41 2019
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
46 T	Dibromomethane	0.270	0.263	2.6	75	0.00
47 T	Bromodichloromethane	0.508	0.523	-3.0	75	0.00
48 T	Methyl methacrylate	0.578	0.620	-7.3	77	0.00
49 T	1,4-Dioxane	0.011	0.011	0.0	79	0.00
50 S	Toluene-d8	1.273	1.301	-2.2	74	0.00
51 T	4-Methyl-2-Pentanone	0.736	0.811	-10.2	80	0.00
52 CM	Toluene	0.960	0.979	-2.0#	75	0.00
53 T	t-1,3-Dichloropropene	0.569	0.597	-4.9	73	0.00
54 T	cis-1,3-Dichloropropene	0.650	0.660	-1.5	73	0.00
55 T	1,1,2-Trichloroethane	0.385	0.395	-2.6	76	0.00
56 T	Ethyl methacrylate	0.697	0.750	-7.6	77	0.00
57 T	1,3-Dichloropropane	0.692	0.709	-2.5	76	0.00
58 T	2-Chloroethyl Vinyl ether	0.356	0.358	-0.6	73	0.00
59 T	2-Hexanone	0.572	0.614	-7.3	78	0.00
60 T	Dibromochloromethane	0.363	0.394	-8.5	77	0.00
61 T	1,2-Dibromoethane	0.401	0.407	-1.5	75	0.00
62 S	4-Bromofluorobenzene	0.451	0.470	-4.2	76	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	76	0.00
64 T	Tetrachloroethene	0.370	0.386	-4.3	80	0.00
65 PM	Chlorobenzene	1.108	1.117	-0.8	77	0.00
66 T	1,1,1,2-Tetrachloroethane	0.389	0.403	-3.6	76	0.00
67 C	Ethyl Benzene	2.067	2.076	-0.4#	75	0.00
68 T	m/p-Xylenes	0.743	0.752	-1.2	76	0.00
69 T	o-Xylene	0.720	0.736	-2.2	77	0.00
70 T	Styrene	1.241	1.289	-3.9	77	0.00
71 P	Bromoform	0.297	0.318	-7.1	76	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	77	0.00
73 T	Isopropylbenzene	4.144	4.208	-1.5	76	0.00
74 T	N-amyl acetate	2.438	2.537	-4.1	79	0.00
75 P	1,1,2,2-Tetrachloroethane	1.576	1.525	3.2	75	0.00
76 T	1,2,3-Trichloropropane	1.374	1.324	3.6	76	0.00
77 T	Bromobenzene	0.996	1.023	-2.7	78	0.00
78 T	n-propylbenzene	4.825	4.843	-0.4	75	0.00
79 T	2-Chlorotoluene	2.920	2.893	0.9	76	0.00
80 T	1,3,5-Trimethylbenzene	3.478	3.508	-0.9	75	0.00
81 T	trans-1,4-Dichloro-2-butene	0.498	0.515	-3.4	73	0.00
82 T	4-Chlorotoluene	3.380	3.293	2.6	75	0.00
83 T	tert-Butylbenzene	3.346	3.324	0.7	75	0.00
84 T	1,2,4-Trimethylbenzene	3.522	3.537	-0.4	75	0.00
85 T	sec-Butylbenzene	3.975	4.011	-0.9	75	0.00
86 T	p-Isopropyltoluene	3.568	3.600	-0.9	75	0.00
87 T	1,3-Dichlorobenzene	1.783	1.768	0.8	77	0.00
88 T	1,4-Dichlorobenzene	1.806	1.755	2.8	77	0.00
89 T	n-Butylbenzene	3.346	3.313	1.0	72	0.00

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_X\DATA\VX041219\
Data File : VX008902.D
Acq On : 12 Apr 2019 21:44
Operator : JC/SP
Sample : VSTDCCC050
Misc : 5.0mL/MSVOA_X/WATER
ALS Vial : 31 Sample Multiplier: 1

Instrument :
MSVOA_X
LabSampleId :
VSTDCCC050

Quant Time: Apr 13 06:18:36 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X040319W.M
Quant Title : SW846 8260
QLast Update : Thu Apr 04 04:47:41 2019
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
90 T	Hexachloroethane	0.592	0.606	-2.4	75	0.00
91 T	1,2-Dichlorobenzene	1.771	1.763	0.5	78	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.347	0.347	0.0	77	0.00
93 T	1,2,4-Trichlorobenzene	1.231	1.229	0.2	78	0.00
94 T	Hexachlorobutadiene	0.590	0.612	-3.7	78	0.00
95 T	Naphthalene	4.115	4.172	-1.4	78	0.00
96 T	1,2,3-Trichlorobenzene	1.230	1.252	-1.8	81	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6