

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_X\Data\VX041222\  
 Data File : VX028070.D  
 Acq On : 12 Apr 2022 20:40  
 Operator : JC/MD  
 Sample : N2334-03  
 Misc : 5.0mL/MSVOA\_X/WATER  
 ALS Vial : 27 Sample Multiplier: 1

Instrument :  
 MSVOA\_X  
 ClientSampleId :  
 MW-20

Quant Time: Apr 13 01:15:02 2022  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_X\Method\82X041222W.M  
 Quant Title : SW846 8260  
 QLast Update : Tue Apr 12 22:07:23 2022  
 Response via : Initial Calibration

| Compound                    | R.T.   | QIon  | Response | Conc     | Units  | Dev(Min) |
|-----------------------------|--------|-------|----------|----------|--------|----------|
| -----                       |        |       |          |          |        |          |
| Internal Standards          |        |       |          |          |        |          |
| 1) Pentafluorobenzene       | 5.556  | 168   | 218400   | 50.000   | ug/l   | 0.00     |
| 34) 1,4-Difluorobenzene     | 6.763  | 114   | 375241   | 50.000   | ug/l   | 0.00     |
| 63) Chlorobenzene-d5        | 10.055 | 117   | 349537   | 50.000   | ug/l   | 0.00     |
| 72) 1,4-Dichlorobenzene-d4  | 12.024 | 152   | 163118   | 50.000   | ug/l   | 0.00     |
| System Monitoring Compounds |        |       |          |          |        |          |
| 33) 1,2-Dichloroethane-d4   | 5.958  | 65    | 143145   | 48.311   | ug/l   | 0.00     |
| Spiked Amount               | 50.000 | Range | 61 - 141 | Recovery | =      | 96.620%  |
| 35) Dibromofluoromethane    | 5.391  | 113   | 123641   | 50.284   | ug/l   | 0.00     |
| Spiked Amount               | 50.000 | Range | 69 - 133 | Recovery | =      | 100.560% |
| 50) Toluene-d8              | 8.653  | 98    | 452474   | 49.341   | ug/l   | 0.00     |
| Spiked Amount               | 50.000 | Range | 65 - 126 | Recovery | =      | 98.680%  |
| 62) 4-Bromofluorobenzene    | 11.079 | 95    | 150257   | 43.883   | ug/l   | 0.00     |
| Spiked Amount               | 50.000 | Range | 58 - 135 | Recovery | =      | 87.760%  |
| Target Compounds            |        |       |          |          |        |          |
|                             |        |       |          |          | Qvalue |          |
| 16) Acetone                 | 2.373  | 43    | 2793     | 2.262    | ug/l # | 87       |
| -----                       |        |       |          |          |        |          |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_X\Data\VX041222\  
Data File : VX028070.D  
Acq On : 12 Apr 2022 20:40  
Operator : JC/MD  
Sample : N2334-03  
Misc : 5.0mL/MSVOA\_X/WATER  
ALS Vial : 27 Sample Multiplier: 1

Instrument :  
MSVOA\_X  
ClientSampleId :  
MW-20

Quant Time: Apr 13 01:15:02 2022  
Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_X\Method\82X041222W.M  
Quant Title : SW846 8260  
QLast Update : Tue Apr 12 22:07:23 2022  
Response via : Initial Calibration

