

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX041224\
 Data File : VX041024.D
 Acq On : 12 Apr 2024 12:54
 Operator : JC/MD
 Sample : P2048-19
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :

Quant Time: Apr 13 01:38:55 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\SFAMXML041024WMA.M
 Quant Title : VOC Analysis
 QLast Update : Sat Apr 13 01:36:25 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	6.763	114	261026	50.000	ug/L	0.00
28) Chlorobenzene-d5	10.055	117	246868	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	12.024	152	129671	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.368	65	86716	46.707	ug/L	0.00
Spiked Amount 50.000	Range 60 - 135		Recovery =	93.420%		
7) Chloroethane-d5	1.672	69	73861	48.780	ug/L	0.00
Spiked Amount 50.000	Range 70 - 130		Recovery =	97.560%		
11) 1,1-Dichloroethene-d2	2.306	65	37497	47.306	ug/L	0.00
Spiked Amount 50.000	Range 60 - 125		Recovery =	94.620%		
21) 2-Butanone-d5	4.452	46	118731	117.401	ug/L	0.00
Spiked Amount 100.000	Range 40 - 130		Recovery =	117.400%		
24) Chloroform-d	5.056	84	168649	48.684	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	97.360%		
26) 1,2-Dichloroethane-d4	5.958	65	111268	49.379	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	98.760%		
32) Benzene-d6	5.977	84	337694	50.387	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	100.780%		
36) 1,2-Dichloropropane-d6	7.306	67	99944	51.131	ug/L	0.00
Spiked Amount 50.000	Range 70 - 120		Recovery =	102.260%		
41) Toluene-d8	8.647	98	315729	48.221	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery =	96.440%		
43) trans-1,3-Dichloroprop...	8.952	79	44377	45.115	ug/L	0.00
Spiked Amount 50.000	Range 60 - 125		Recovery =	90.220%		
47) 2-Hexanone-d5	9.384	63	81061	98.362	ug/L	0.00
Spiked Amount 100.000	Range 45 - 130		Recovery =	98.360%		
56) 1,1,2,2-Tetrachloroeth...	11.189	84	145635	50.298	ug/L	0.00
Spiked Amount 50.000	Range 65 - 120		Recovery =	100.600%		
66) 1,2-Dichlorobenzene-d4	12.317	152	139905	53.785	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery =	107.580%		
Target Compounds						Qvalue
39) cis-1,3-Dichloropropene	8.330	75	3265	1.205	ug/L	92


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX041224\
Data File : VX041024.D
Acq On : 12 Apr 2024 12:54
Operator : JC/MD
Sample : P2048-19
Misc : 5.0mL/MSVOA_X/WATER
ALS Vial : 12 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :

Quant Time: Apr 13 01:38:55 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\SFAMXML041024WMA.M
Quant Title : VOC Analysis
QLast Update : Sat Apr 13 01:36:25 2024
Response via : Initial Calibration





#39
 cis-1,3-Dichloropropene
 Concen: 1.205 ug/L
 RT: 8.330 min Scan# 11
 Delta R.T. -0.030 min
 Lab File: VX041024.D
 Acq: 12 Apr 2024 12:54

Instrument :
 MSVOA_X
 ClientSampleId :

Tgt Ion: 75 Resp: 3265
 Ion Ratio Lower Upper
 75 100
 77 37.0 22.7 42.1

