

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX041224\
 Data File : VX041017.D
 Acq On : 12 Apr 2024 10:13
 Operator : JC/MD
 Sample : P2048-08
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 MC0R58

Quant Time: Apr 13 01:37:35 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\SFAMXML041024WMA.M
 Quant Title : VOC Analysis
 QLast Update : Sat Apr 13 01:36:25 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.763	114	252993	50.000	ug/L	0.00
28) Chlorobenzene-d5	10.055	117	238239	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	12.024	152	124928	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.367	65	90039	50.037	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	= 100.080%	
7) Chloroethane-d5	1.672	69	78436	53.446	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	= 106.900%	
11) 1,1-Dichloroethene-d2	2.306	65	38307	49.862	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	= 99.720%	
21) 2-Butanone-d5	4.452	46	123814	126.314	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	= 126.310%	
24) Chloroform-d	5.056	84	171656	51.125	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	= 102.260%	
26) 1,2-Dichloroethane-d4	5.952	65	113967	52.182	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	= 104.360%	
32) Benzene-d6	5.976	84	346544	53.580	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	= 107.160%	
36) 1,2-Dichloropropane-d6	7.305	67	101535	53.827	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	= 107.660%	
41) Toluene-d8	8.647	98	324303	51.324	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	= 102.640%	
43) trans-1,3-Dichloroprop...	8.951	79	47186	49.708	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	= 99.420%	
47) 2-Hexanone-d5	9.384	63	83926	105.527	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	= 105.530%	
56) 1,1,2,2-Tetrachloroeth...	11.189	84	151013	54.044	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	= 108.080%	
66) 1,2-Dichlorobenzene-d4	12.317	152	142285	56.777	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	= 113.560%	

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX041224\
Data File : VX041017.D
Acq On : 12 Apr 2024 10:13
Operator : JC/MD
Sample : P2048-08
Misc : 5.0mL/MSVOA_X/WATER
ALS Vial : 5 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
MC0R58

Quant Time: Apr 13 01:37:35 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\SFAMXML041024WMA.M
Quant Title : VOC Analysis
QLast Update : Sat Apr 13 01:36:25 2024
Response via : Initial Calibration

