

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX041224\
 Data File : VX041041.D
 Acq On : 12 Apr 2024 19:24
 Operator : JC/MD
 Sample : P2049-15
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 29 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 MC0R49

Quant Time: Apr 13 01:47:59 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\SFAMXML041024WMA.M
 Quant Title : VOC Analysis
 QLast Update : Sat Apr 13 01:36:25 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.763	114	251012	50.000	ug/L	0.00
28) Chlorobenzene-d5	10.055	117	241530	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	12.024	152	130344	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.368	65	96746	54.188	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	108.380%
7) Chloroethane-d5	1.672	69	78567	53.958	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	107.920%
11) 1,1-Dichloroethene-d2	2.307	65	40208	52.749	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	105.500%
21) 2-Butanone-d5	4.452	46	125635	129.184	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	129.180%
24) Chloroform-d	5.056	84	169975	51.024	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	102.040%
26) 1,2-Dichloroethane-d4	5.958	65	112115	51.740	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	103.480%
32) Benzene-d6	5.977	84	344727	52.573	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	105.140%
36) 1,2-Dichloropropane-d6	7.306	67	100648	52.630	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	105.260%
41) Toluene-d8	8.647	98	324511	50.657	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	101.320%
43) trans-1,3-Dichloroprop...	8.952	79	45505	47.284	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	94.560%
47) 2-Hexanone-d5	9.384	63	87945	109.074	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	109.070%
56) 1,1,2,2-Tetrachloroeth...	11.189	84	147862	52.195	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	104.400%
66) 1,2-Dichlorobenzene-d4	12.317	152	145375	55.599	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	111.200%

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX041224\
Data File : VX041041.D
Acq On : 12 Apr 2024 19:24
Operator : JC/MD
Sample : P2049-15
Misc : 5.0mL/MSVOA_X/WATER
ALS Vial : 29 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
MC0R49

Quant Time: Apr 13 01:47:59 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\SFAMXML041024WMA.M
Quant Title : VOC Analysis
QLast Update : Sat Apr 13 01:36:25 2024
Response via : Initial Calibration

