

Data Path : Z:\VOASRV\HPCHEM1\MSVOA X\DATA\VX041319\  
 Data File : VX008926.D  
 Acq On : 13 Apr 2019 12:51  
 Operator : JC/SP  
 Sample : VX0413WBL01  
 Misc : 5.0mL/MSVOA X/WATER  
 ALS Vial : 3 Sample Multiplier: 1

Instrument :  
 MSVOA\_X  
 ClientSampleId :  
 VX0413WBL01

Quant Time: Apr 15 02:07:48 2019  
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA\_X\METHOD\82X040319W.M  
 Quant Title : SW846 8260  
 QLast Update : Thu Apr 04 04:47:41 2019  
 Response via : Initial Calibration

| Internal Standards         | R.T.  | QIon | Response | Conc  | Units | Dev(Min) |
|----------------------------|-------|------|----------|-------|-------|----------|
| 1) Pentafluorobenzene      | 5.66  | 168  | 183696   | 50.00 | ug/l  | 0.00     |
| 34) 1,4-Difluorobenzene    | 6.85  | 114  | 292763   | 50.00 | ug/l  | 0.00     |
| 63) Chlorobenzene-d5       | 10.11 | 117  | 252064   | 50.00 | ug/l  | 0.00     |
| 72) 1,4-Dichlorobenzene-d4 | 12.08 | 152  | 108946   | 50.00 | ug/l  | 0.00     |

| System Monitoring Compounds |        |     |          |       |        |      |
|-----------------------------|--------|-----|----------|-------|--------|------|
| 33) 1,2-Dichloroethane-d4   | 6.06   | 65  | 116940   | 43.65 | ug/l   | 0.00 |
| Spiked Amount               | 50.000 |     | Recovery | =     | 87.30% |      |
| 35) Dibromofluoromethane    | 5.49   | 113 | 86474    | 46.20 | ug/l   | 0.00 |
| Spiked Amount               | 50.000 |     | Recovery | =     | 92.40% |      |
| 50) Toluene-d8              | 8.71   | 98  | 361576   | 48.51 | ug/l   | 0.00 |
| Spiked Amount               | 50.000 |     | Recovery | =     | 97.02% |      |
| 62) 4-Bromofluorobenzene    | 11.13  | 95  | 121687   | 46.04 | ug/l   | 0.00 |
| Spiked Amount               | 50.000 |     | Recovery | =     | 92.08% |      |

| Target Compounds | Qvalue |
|------------------|--------|
| -----            |        |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA X\DATA\VX041319\  
Data File : VX008926.D  
Acq On : 13 Apr 2019 12:51  
Operator : JC/SP  
Sample : VX0413WBL01  
Misc : 5.0mL/MSVOA X/WATER  
ALS Vial : 3 Sample Multiplier: 1

Instrument :  
MSVOA\_X  
ClientSampleId :  
VX0413WBL01

Quant Time: Apr 15 02:07:48 2019  
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA\_X\METHOD\82X040319W.M  
Quant Title : SW846 8260  
QLast Update : Thu Apr 04 04:47:41 2019  
Response via : Initial Calibration

