

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX041524\
 Data File : VX041071.D
 Acq On : 15 Apr 2024 12:27
 Operator : JC/MD
 Sample : P2048-21
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :

Quant Time: Apr 16 02:49:50 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\SFAMXML041024WMA.M
 Quant Title : VOC Analysis
 QLast Update : Tue Apr 16 02:47:54 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	6.763	114	283463	50.000	ug/L	0.00
28) Chlorobenzene-d5	10.055	117	270445	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	12.024	152	143622	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.367	65	85637	42.475	ug/L	0.00
Spiked Amount	50.000	Range 60 - 135	Recovery	=	84.940%	
7) Chloroethane-d5	1.672	69	75222	45.746	ug/L	0.00
Spiked Amount	50.000	Range 70 - 130	Recovery	=	91.500%	
11) 1,1-Dichloroethene-d2	2.306	65	37254	43.279	ug/L	0.00
Spiked Amount	50.000	Range 60 - 125	Recovery	=	86.560%	
21) 2-Butanone-d5	4.452	46	134025	122.034	ug/L	0.00
Spiked Amount	100.000	Range 40 - 130	Recovery	=	122.030%	
24) Chloroform-d	5.056	84	173269	46.059	ug/L	0.00
Spiked Amount	50.000	Range 70 - 125	Recovery	=	92.120%	
26) 1,2-Dichloroethane-d4	5.958	65	115224	47.087	ug/L	0.00
Spiked Amount	50.000	Range 70 - 125	Recovery	=	94.180%	
32) Benzene-d6	5.976	84	338684	46.129	ug/L	0.00
Spiked Amount	50.000	Range 70 - 125	Recovery	=	92.260%	
36) 1,2-Dichloropropane-d6	7.305	67	102316	47.782	ug/L	0.00
Spiked Amount	50.000	Range 70 - 120	Recovery	=	95.560%	
41) Toluene-d8	8.647	98	313095	43.650	ug/L	0.00
Spiked Amount	50.000	Range 80 - 120	Recovery	=	87.300%	
43) trans-1,3-Dichloroprop...	8.951	79	48509	45.016	ug/L	0.00
Spiked Amount	50.000	Range 60 - 125	Recovery	=	90.040%	
47) 2-Hexanone-d5	9.384	63	91519	101.371	ug/L	0.00
Spiked Amount	100.000	Range 45 - 130	Recovery	=	101.370%	
56) 1,1,2,2-Tetrachloroeth...	11.189	84	156786	49.428	ug/L	0.00
Spiked Amount	50.000	Range 65 - 120	Recovery	=	98.860%	
66) 1,2-Dichlorobenzene-d4	12.317	152	146494	50.848	ug/L	0.00
Spiked Amount	50.000	Range 80 - 120	Recovery	=	101.700%	
Target Compounds						
37) 1,2-Dichloropropane	7.312	63	11571	6.371	ug/L	Qvalue # 84


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX041524\
Data File : VX041071.D
Acq On : 15 Apr 2024 12:27
Operator : JC/MD
Sample : P2048-21
Misc : 5.0mL/MSVOA_X/WATER
ALS Vial : 7 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :

Quant Time: Apr 16 02:49:50 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\SFAMXML041024WMA.M
Quant Title : VOC Analysis
QLast Update : Tue Apr 16 02:47:54 2024
Response via : Initial Calibration





#37
 1,2-Dichloropropane
 Concen: 6.371 ug/L
 RT: 7.312 min Scan# 10
 Delta R.T. -0.116 min
 Lab File: VX041071.D
 Acq: 15 Apr 2024 12:27

Instrument :
 MSVOA_X
 ClientSampleId :

Tgt Ion: 63 Resp: 11571
 Ion Ratio Lower Upper
 63 100
 112 0.0 4.2 6.2#

