

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX041524\
 Data File : VX041069.D
 Acq On : 15 Apr 2024 11:41
 Operator : JC/MD
 Sample : P2060-06
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 VHBLK001

Quant Time: Apr 16 02:49:28 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\SFAMXML041024WMA.M
 Quant Title : VOC Analysis
 QLast Update : Tue Apr 16 02:47:54 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.757	114	275589	50.000	ug/L	0.00
28) Chlorobenzene-d5	10.055	117	263656	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	12.024	152	139930	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.367	65	82269	41.970	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	83.940%
7) Chloroethane-d5	1.672	69	72885	45.591	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	91.180%
11) 1,1-Dichloroethene-d2	2.306	65	35105	41.948	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	83.900%
21) 2-Butanone-d5	4.452	46	134068	125.561	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	125.560%
24) Chloroform-d	5.056	84	165327	45.203	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	90.400%
26) 1,2-Dichloroethane-d4	5.952	65	112449	47.266	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	94.540%
32) Benzene-d6	5.970	84	323059	45.134	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	90.260%
36) 1,2-Dichloropropane-d6	7.305	67	98224	47.052	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	94.100%
41) Toluene-d8	8.646	98	299196	42.786	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	85.580%
43) trans-1,3-Dichloroprop...	8.951	79	45739	43.539	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	87.080%
47) 2-Hexanone-d5	9.384	63	90831	103.199	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	103.200%
56) 1,1,2,2-Tetrachloroeth...	11.189	84	151127	48.871	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	97.740%
66) 1,2-Dichlorobenzene-d4	12.317	152	137918	49.134	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	98.260%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX041524\
Data File : VX041069.D
Acq On : 15 Apr 2024 11:41
Operator : JC/MD
Sample : P2060-06
Misc : 5.0mL/MSVOA_X/WATER
ALS Vial : 5 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
VHBLK001

Quant Time: Apr 16 02:49:28 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\SFAMXML041024WMA.M
Quant Title : VOC Analysis
QLast Update : Tue Apr 16 02:47:54 2024
Response via : Initial Calibration

