

Data Path : Z:\VOASRV\HPCHEM1\MSVOA X\DATA\VX041619\
 Data File : VX008975.D
 Acq On : 16 Apr 2019 09:58
 Operator : JC/SP
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA X/WATER
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Apr 17 04:54:09 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X041519W.M
 Quant Title : SW846 8260
 QLast Update : Tue Apr 16 09:35:21 2019
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	92	-0.01
2 T	Dichlorodifluoromethane	0.576	0.642	-11.5	102	0.00
3 P	Chloromethane	0.707	0.744	-5.2	105	0.00
4 C	Vinyl Chloride	0.688	0.706	-2.6#	98	0.00
5 T	Bromomethane	0.447	0.395	11.6	97	0.00
6 T	Chloroethane	0.405	0.410	-1.2	97	0.00
7 T	Trichlorofluoromethane	0.803	0.796	0.9	96	0.00
8 T	Diethyl Ether	0.367	0.355	3.3	96	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.514	0.497	3.3	96	0.00
10 T	Methyl Iodide	0.511	0.563	-10.2	97	0.00
11 T	Tert butyl alcohol	0.156	0.147	5.8	91	0.00
12 CM	1,1-Dichloroethene	0.536	0.491	8.4#	91	0.00
13 T	Acrolein	0.135	0.110	18.5	75	0.00
14 T	Allyl chloride	1.170	1.201	-2.6	97	0.00
15 T	Acrylonitrile	0.397	0.384	3.3	94	0.00
16 T	Acetone	0.365	0.357	2.2	93	0.00
17 T	Carbon Disulfide	1.664	1.578	5.2	97	0.00
18 T	Methyl Acetate	0.912	0.838	8.1	94	0.00
19 T	Methyl tert-butyl Ether	1.911	1.902	0.5	97	0.00
20 T	Methylene Chloride	0.625	0.603	3.5	99	0.00
21 T	trans-1,2-Dichloroethene	0.572	0.556	2.8	97	0.00
22 T	Diisopropyl ether	2.273	2.299	-1.1	98	0.00
23 T	Vinyl Acetate	1.998	2.057	-3.0	96	0.00
24 P	1,1-Dichloroethane	1.141	1.122	1.7	97	0.00
25 T	2-Butanone	0.584	0.582	0.3	94	0.00
26 T	2,2-Dichloropropane	0.855	0.865	-1.2	99	0.00
27 T	cis-1,2-Dichloroethene	0.649	0.638	1.7	97	0.00
28 T	Bromochloromethane	0.529	0.508	4.0	102	0.00
29 T	Tetrahydrofuran	0.391	0.374	4.3	93	0.00
30 C	Chloroform	1.021	1.020	0.1#	98	0.00
31 T	Cyclohexane	1.122	1.149	-2.4	100	0.00
32 T	1,1,1-Trichloroethane	0.846	0.853	-0.8	97	-0.01
33 S	1,2-Dichloroethane-d4	0.705	0.739	-4.8	102	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	90	0.00
35 S	Dibromofluoromethane	0.321	0.348	-8.4	101	0.00
36 T	1,1-Dichloropropene	0.517	0.522	-1.0	98	0.00
37 T	Ethyl Acetate	0.665	0.686	-3.2	92	-0.01
38 T	Carbon Tetrachloride	0.438	0.461	-5.3	98	0.00
39 T	Methylcyclohexane	0.630	0.681	-8.1	101	0.00
40 TM	Benzene	1.526	1.562	-2.4	96	0.00
41 T	Methacrylonitrile	0.382	0.391	-2.4	94	0.00
42 TM	1,2-Dichloroethane	0.540	0.542	-0.4	95	0.00
43 T	Isopropyl Acetate	1.072	1.108	-3.4	95	0.00
44 TM	Trichloroethene	0.374	0.376	-0.5	97	0.00
45 C	1,2-Dichloropropane	0.423	0.437	-3.3#	96	0.00

Data Path : Z:\VOASRV\HPCHEM1\MSVOA X\DATA\WX041619\
 Data File : VX008975.D
 Acq On : 16 Apr 2019 09:58
 Operator : JC/SP
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA X/WATER
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Apr 17 04:54:09 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X041519W.M
 Quant Title : SW846 8260
 QLast Update : Tue Apr 16 09:35:21 2019
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
46 T	Dibromomethane	0.246	0.248	-0.8	95	0.00
47 T	Bromodichloromethane	0.483	0.507	-5.0	97	0.00
48 T	Methyl methacrylate	0.530	0.556	-4.9	95	0.00
49 T	1,4-Dioxane	0.010	0.009	10.0	95	0.00
50 S	Toluene-d8	1.280	1.442	-12.7	103	0.00
51 T	4-Methyl-2-Pentanone	0.683	0.710	-4.0	95	0.00
52 CM	Toluene	0.914	0.954	-4.4#	98	0.00
53 T	t-1,3-Dichloropropene	0.556	0.602	-8.3	96	0.00
54 T	cis-1,3-Dichloropropene	0.623	0.661	-6.1	97	0.00
55 T	1,1,2-Trichloroethane	0.362	0.376	-3.9	97	0.00
56 T	Ethyl methacrylate	0.650	0.701	-7.8	98	0.00
57 T	1,3-Dichloropropane	0.645	0.667	-3.4	97	0.00
58 T	2-Chloroethyl Vinyl ether	0.350	0.372	-6.3	97	0.00
59 T	2-Hexanone	0.527	0.548	-4.0	95	0.00
60 T	Dibromochloromethane	0.347	0.377	-8.6	97	0.00
61 T	1,2-Dibromoethane	0.374	0.388	-3.7	95	0.00
62 S	4-Bromofluorobenzene	0.452	0.525	-16.2	106	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	91	0.00
64 T	Tetrachloroethene	0.380	0.395	-3.9	100	0.00
65 PM	Chlorobenzene	1.055	1.084	-2.7	100	0.00
66 T	1,1,1,2-Tetrachloroethane	0.372	0.389	-4.6	98	0.00
67 C	Ethyl Benzene	1.929	2.046	-6.1#	101	0.00
68 T	m/p-Xylenes	0.701	0.742	-5.8	101	0.00
69 T	o-Xylene	0.682	0.719	-5.4	101	0.00
70 T	Styrene	1.182	1.261	-6.7	100	0.00
71 P	Bromoform	0.296	0.312	-5.4	96	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	93	0.00
73 T	Isopropylbenzene	3.790	4.036	-6.5	102	0.00
74 T	N-amyl acetate	2.176	2.245	-3.2	97	0.00
75 P	1,1,2,2-Tetrachloroethane	1.385	1.353	2.3	96	0.00
76 T	1,2,3-Trichloropropane	1.221	1.232	-0.9	99	0.00
77 T	Bromobenzene	0.956	0.958	-0.2	99	0.00
78 T	n-propylbenzene	4.350	4.713	-8.3	102	0.00
79 T	2-Chlorotoluene	2.621	2.741	-4.6	102	0.00
80 T	1,3,5-Trimethylbenzene	3.180	3.399	-6.9	102	0.00
81 T	trans-1,4-Dichloro-2-butene	0.476	0.501	-5.3	94	0.00
82 T	4-Chlorotoluene	3.044	3.190	-4.8	102	0.00
83 T	tert-Butylbenzene	3.053	3.207	-5.0	102	0.00
84 T	1,2,4-Trimethylbenzene	3.237	3.416	-5.5	102	0.00
85 T	sec-Butylbenzene	3.642	3.970	-9.0	104	0.00
86 T	p-Isopropyltoluene	3.348	3.600	-7.5	103	0.00
87 T	1,3-Dichlorobenzene	1.674	1.732	-3.5	102	0.00
88 T	1,4-Dichlorobenzene	1.697	1.738	-2.4	102	0.00
89 T	n-Butylbenzene	3.118	3.411	-9.4	102	0.00

Data Path : Z:\VOASRV\HPCHEM1\MSVOA X\DATA\VX041619\
Data File : VX008975.D
Acq On : 16 Apr 2019 09:58
Operator : JC/SP
Sample : VSTDCCC050
Misc : 5.0mL/MSVOA X/WATER
ALS Vial : 2 Sample Multiplier: 1

Instrument :
MSVOA_X
LabSampleId :
VSTDCCC050

Quant Time: Apr 17 04:54:09 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X041519W.M
Quant Title : SW846 8260
QLast Update : Tue Apr 16 09:35:21 2019
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
90 T	Hexachloroethane	0.552	0.605	-9.6	101	0.00
91 T	1,2-Dichlorobenzene	1.653	1.687	-2.1	101	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.315	0.297	5.7	92	0.00
93 T	1,2,4-Trichlorobenzene	1.193	1.240	-3.9	101	0.00
94 T	Hexachlorobutadiene	0.595	0.628	-5.5	103	0.00
95 T	Naphthalene	3.822	3.800	0.6	96	0.00
96 T	1,2,3-Trichlorobenzene	1.177	1.207	-2.5	101	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6