

Data Path : Z:\VOASRV\HPCHEM1\MSVOA X\DATA\VX041720\
 Data File : VX015732.D
 Acq On : 17 Apr 2020 13:01
 Operator : JC/SP
 Sample : VX0417WBL01
 Misc : 5.0mL/MSVOA X/WATER
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 VX0417WBL01

Quant Time: Apr 20 02:55:08 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA X\METHOD\624X032520W.M
 Quant Title : METHOD 624 VOLATILE ORGANIC ANALYSIS
 QLast Update : Thu Mar 26 02:31:53 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Bromochloromethane	4.98	128	199538	30.00	ug/l	0.00
28) 1,4-Difluorobenzene	6.83	114	1111852	30.00	ug/l	0.00
57) Chlorobenzene-d5	10.10	117	1024373	30.00	ug/l	0.00

System Monitoring Compounds						
27) 1,2-Dichloroethane-d4	6.03	65	449412	28.82	ug/l	0.00
Spiked Amount	30.000	Range	50 - 169	Recovery	=	96.07%
60) 4-Bromofluorobenzene	11.12	95	500197	28.53	ug/l	0.00
Spiked Amount	30.000	Range	56 - 143	Recovery	=	95.10%
63) Toluene-d8	8.70	98	1294436	29.74	ug/l	0.00
Spiked Amount	30.000	Range	66 - 137	Recovery	=	99.13%

Target Compounds	Ovalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA X\DATA\VX041720\
Data File : VX015732.D
Acq On : 17 Apr 2020 13:01
Operator : JC/SP
Sample : VX0417WBL01
Misc : 5.0mL/MSVOA X/WATER
ALS Vial : 4 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
VX0417WBL01

Quant Time: Apr 20 02:55:08 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA X\METHOD\624X032520W.M
Quant Title : METHOD 624 VOLATILE ORGANIC ANALYSIS
QLast Update : Thu Mar 26 02:31:53 2020
Response via : Initial Calibration

