

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX041724\
 Data File : VX041132.D
 Acq On : 17 Apr 2024 18:02
 Operator : JC/MD
 Sample : P2101-14
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 VHBLK002

Quant Time: Apr 18 02:23:42 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\SFAMXML041724WMA.M
 Quant Title : VOC Analysis
 QLast Update : Thu Apr 18 02:15:13 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.763	114	285863	50.000	ug/L	0.00
28) Chlorobenzene-d5	10.055	117	252730	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	12.024	152	120380	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.368	65	96203	47.032	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	94.060%
7) Chloroethane-d5	1.648	69	48038	47.192	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	94.380%
11) 1,1-Dichloroethene-d2	2.294	65	41368	47.206	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	94.420%
21) 2-Butanone-d5	4.465	46	129907	111.251	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	111.250%
24) Chloroform-d	5.056	84	174953	46.469	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	92.940%
26) 1,2-Dichloroethane-d4	5.952	65	115643	48.336	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	96.680%
32) Benzene-d6	5.970	84	366068	50.285	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	100.580%
36) 1,2-Dichloropropane-d6	7.306	67	107834	51.174	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	102.340%
41) Toluene-d8	8.647	98	328367	48.084	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	96.160%
43) trans-1,3-Dichloroprop...	8.952	79	44045	46.724	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	93.440%
47) 2-Hexanone-d5	9.391	63	91288	106.705	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	106.710%
56) 1,1,2,2-Tetrachloroeth...	11.189	84	154835	50.363	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	100.720%
66) 1,2-Dichlorobenzene-d4	12.317	152	135726	52.428	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	104.860%

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX041724\
Data File : VX041132.D
Acq On : 17 Apr 2024 18:02
Operator : JC/MD
Sample : P2101-14
Misc : 5.0mL/MSVOA_X/WATER
ALS Vial : 17 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
VHBLK002

Quant Time: Apr 18 02:23:42 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\SFAMXML041724WMA.M
Quant Title : VOC Analysis
QLast Update : Thu Apr 18 02:15:13 2024
Response via : Initial Calibration

