

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX041724\
 Data File : VX041145.D
 Acq On : 17 Apr 2024 23:01
 Operator : JC/MD
 Sample : P2052-18
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 30 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 COALO

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\SFAMXML041724WMA.M

Title : VOC Analysis

Signal : TIC: VX041145.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.264	24	29	32	rBV2	3785	4949	0.47%	0.065%
2	1.368	43	46	62	rBV	91313	144744	13.86%	1.887%
3	1.648	88	92	107	rVB	53096	97875	9.37%	1.276%
4	2.294	192	198	210	rBV	223054	348225	33.35%	4.540%
5	2.684	259	262	263	rVB2	236	208	0.02%	0.003%
6	2.697	263	264	266	rBV2	155	145	0.01%	0.002%
7	2.788	274	279	286	rVB3	1005	1729	0.17%	0.023%
8	2.861	289	291	292	rVB	255	140	0.01%	0.002%
9	3.001	310	314	315	rVB	147	130	0.01%	0.002%
10	3.020	315	317	320	rBV2	195	181	0.02%	0.002%
11	3.129	331	335	340	rVB3	193	373	0.04%	0.005%
12	3.879	453	458	459	rVB2	164	236	0.02%	0.003%
13	3.940	466	468	471	rBV2	94	122	0.01%	0.002%
14	3.971	471	473	475	rVV	173	156	0.01%	0.002%
15	4.032	480	483	485	rBV	223	245	0.02%	0.003%
16	4.135	499	500	502	rBV	172	152	0.01%	0.002%
17	4.391	540	542	546	rBV2	105	143	0.01%	0.002%
18	4.471	546	555	575	rBV	60526	218307	20.91%	2.846%
19	4.751	599	601	602	rBV	206	166	0.02%	0.002%
20	4.940	629	632	636	rVB3	166	242	0.02%	0.003%
21	4.971	636	637	639	rBV	172	132	0.01%	0.002%
22	5.056	639	651	665	rBV	133432	407289	39.01%	5.310%
23	5.385	702	705	709	rBV2	419	808	0.08%	0.011%
24	5.531	726	729	730	rBV2	215	218	0.02%	0.003%
25	5.544	730	731	733	rVV2	288	180	0.02%	0.002%
26	5.727	759	761	763	rBV2	226	171	0.02%	0.002%
27	5.751	763	765	768	rVV2	157	169	0.02%	0.002%
28	5.861	780	783	784	rBV	175	205	0.02%	0.003%
29	5.964	788	800	817	rBV2	362044	1044111	100.00%	13.612%
30	6.367	861	866	873	rVB3	787	1461	0.14%	0.019%
31	6.489	885	886	890	rBV	202	158	0.02%	0.002%
32	6.757	921	930	946	rBV	259539	634125	60.73%	8.267%
33	7.074	981	982	984	rBV2	186	152	0.01%	0.002%
34	7.117	984	989	997	rVB6	1559	3601	0.34%	0.047%
35	7.214	997	1005	1006	rBV2	1177	1819	0.17%	0.024%
36	7.306	1012	1020	1032	rBV	204287	456576	43.73%	5.952%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX041724\
 Data File : VX041145.D
 Acq On : 17 Apr 2024 23:01
 Operator : JC/MD
 Sample : P2052-18
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 30 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 COALO

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\SFAMXML041724WMA.M
 Title : VOC Analysis

37	7.482	1046	1049	1054	rBV4	515	1030	0.10%	0.013%
38	7.562	1060	1062	1063	rBV2	147	113	0.01%	0.001%
39	7.610	1067	1070	1071	rBV2	187	152	0.01%	0.002%
40	7.653	1076	1077	1079	rVB	197	127	0.01%	0.002%
41	7.860	1109	1111	1113	rVB2	146	115	0.01%	0.001%
42	7.952	1123	1126	1130	rBV2	322	535	0.05%	0.007%
43	8.062	1140	1144	1146	rBV2	107	149	0.01%	0.002%
44	8.177	1160	1163	1164	rBV2	128	127	0.01%	0.002%
45	8.208	1166	1168	1171	rVB2	168	150	0.01%	0.002%
46	8.250	1173	1175	1177	rBV2	133	131	0.01%	0.002%
47	8.324	1181	1187	1204	rBV	119099	201540	19.30%	2.628%
48	8.519	1216	1219	1226	rVB2	468	627	0.06%	0.008%
49	8.647	1234	1240	1255	rBV	532952	832680	79.75%	10.856%
50	8.952	1285	1290	1303	rBV	84806	128358	12.29%	1.673%
51	9.116	1313	1317	1319	rVB2	266	270	0.03%	0.004%
52	9.147	1321	1322	1324	rBV	135	125	0.01%	0.002%
53	9.275	1337	1343	1350	rVB	2827	4298	0.41%	0.056%
54	9.391	1356	1362	1379	rBV	284967	473716	45.37%	6.176%
55	9.653	1403	1405	1410	rVB2	342	383	0.04%	0.005%
56	9.787	1425	1427	1431	rVB2	250	298	0.03%	0.004%
57	9.842	1431	1436	1440	rBV3	276	440	0.04%	0.006%
58	9.945	1451	1453	1455	rBV	237	202	0.02%	0.003%
59	9.994	1459	1461	1465	rVB	156	169	0.02%	0.002%
60	10.055	1465	1471	1491	rBV	534342	735612	70.45%	9.590%
61	10.238	1499	1501	1503	rBV2	398	362	0.03%	0.005%
62	10.311	1510	1513	1517	rVB2	440	672	0.06%	0.009%
63	10.348	1517	1519	1520	rBV	189	153	0.01%	0.002%
64	10.549	1550	1552	1555	rBV	103	134	0.01%	0.002%
65	10.750	1584	1585	1591	rBV2	136	210	0.02%	0.003%
66	10.848	1599	1601	1604	rVB	150	167	0.02%	0.002%
67	10.909	1607	1611	1612	rBV2	139	142	0.01%	0.002%
68	10.963	1619	1620	1624	rVB2	222	162	0.02%	0.002%
69	11.006	1624	1627	1628	rBV	155	140	0.01%	0.002%
70	11.104	1641	1643	1647	rVB2	302	222	0.02%	0.003%
71	11.140	1647	1649	1652	rBV	118	127	0.01%	0.002%
72	11.195	1652	1658	1670	rVV	394035	527563	50.53%	6.878%
73	11.317	1674	1678	1685	rVB	3999	5401	0.52%	0.070%
74	11.427	1695	1696	1699	rBV	168	174	0.02%	0.002%
75	11.488	1704	1706	1707	rVV2	214	145	0.01%	0.002%
76	11.616	1726	1727	1728	rBV	237	141	0.01%	0.002%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX041724\
 Data File : VX041145.D
 Acq On : 17 Apr 2024 23:01
 Operator : JC/MD
 Sample : P2052-18
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 30 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 COALO

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\SFAMXML041724WMA.M
 Title : VOC Analysis

77	11.665	1733	1735	1737	rVV2	168	169	0.02%	0.002%
78	11.689	1737	1739	1741	rVV2	136	119	0.01%	0.002%
79	11.713	1741	1743	1745	rVV2	330	296	0.03%	0.004%
80	11.756	1748	1750	1751	rVV2	184	150	0.01%	0.002%
81	11.799	1755	1757	1760	rVB	157	126	0.01%	0.002%
82	11.945	1779	1781	1783	rBV	202	168	0.02%	0.002%
83	11.969	1783	1785	1788	rBV2	284	324	0.03%	0.004%
84	12.024	1788	1794	1806	rBV	502223	649470	62.20%	8.467%
85	12.317	1837	1842	1856	rBV	561359	729139	69.83%	9.506%
86	12.549	1878	1880	1884	rVB2	237	200	0.02%	0.003%
87	12.670	1897	1900	1901	rBV2	129	150	0.01%	0.002%
88	12.762	1911	1915	1918	rVB3	687	908	0.09%	0.012%
89	12.805	1918	1922	1923	rBV2	168	207	0.02%	0.003%
90	12.890	1932	1936	1937	rBV	169	144	0.01%	0.002%
91	13.085	1966	1968	1971	rVB2	139	141	0.01%	0.002%
92	13.122	1971	1974	1976	rVB2	130	114	0.01%	0.001%
93	13.262	1993	1997	1998	rVB2	222	203	0.02%	0.003%
94	13.311	2003	2005	2009	rBV2	117	196	0.02%	0.003%
95	13.420	2021	2023	2026	rVB	242	176	0.02%	0.002%
96	13.567	2045	2047	2049	rVB	162	170	0.02%	0.002%
97	13.786	2080	2083	2084	rBV	262	260	0.02%	0.003%
98	13.938	2106	2108	2110	rVB	167	137	0.01%	0.002%
99	13.963	2110	2112	2116	rBV2	245	393	0.04%	0.005%
100	14.548	2206	2208	2210	rVB	244	130	0.01%	0.002%


Sum of corrected areas: 7670395

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX041724\
Data File : VX041145.D
Acq On : 17 Apr 2024 23:01
Operator : JC/MD
Sample : P2052-18
Misc : 5.0mL/MSVOA_X/WATER
ALS Vial : 30 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
COALO

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\SFAMXML041724WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX041724\
Data File : VX041145.D
Acq On : 17 Apr 2024 23:01
Operator : JC/MD
Sample : P2052-18
Misc : 5.0mL/MSVOA_X/WATER
ALS Vial : 30 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
C0AL0

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\SFAMXMLM041724WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX041724\
Data File : VX041145.D
Acq On : 17 Apr 2024 23:01
Operator : JC/MD
Sample : P2052-18
Misc : 5.0mL/MSVOA_X/WATER
ALS Vial : 30 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
C0AL0

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\SFAMXML041724WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	--Internal Standard--			
					#	RT	Resp	Conc