

Data Path : Z:\voasrv\HPCHEM1\MSVOA X\Data\WX042219\
 Data File : VX009084.D
 Acq On : 22 Apr 2019 09:51
 Operator : JC/SP
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA X/WATER
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Apr 23 03:18:38 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X041519W.M
 Quant Title : SW846 8260
 QLast Update : Wed Apr 17 06:47:58 2019
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	95	0.00
2 T	Dichlorodifluoromethane	0.576	0.606	-5.2	99	0.00
3 P	Chloromethane	0.707	0.670	5.2	97	0.00
4 C	Vinyl Chloride	0.688	0.669	2.8#	96	0.00
5 T	Bromomethane	0.447	0.343	23.3#	87	0.00
6 T	Chloroethane	0.405	0.390	3.7	94	0.00
7 T	Trichlorofluoromethane	0.803	0.777	3.2	96	0.00
8 T	Diethyl Ether	0.367	0.344	6.3	95	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.514	0.476	7.4	95	0.00
10 T	Methyl Iodide	0.511	0.443	13.3	78	0.00
11 T	Tert butyl alcohol	0.156	0.139	10.9	89	0.01
12 CM	1,1-Dichloroethene	0.536	0.477	11.0#	91	0.00
13 T	Acrolein	0.135	0.113	16.3	79	0.00
14 T	Allyl chloride	1.170	1.146	2.1	95	0.00
15 T	Acrylonitrile	0.397	0.364	8.3	91	0.00
16 T	Acetone	0.365	0.379	-3.8	101	0.00
17 T	Carbon Disulfide	1.664	1.545	7.2	98	0.00
18 T	Methyl Acetate	0.912	0.813	10.9	94	0.00
19 T	Methyl tert-butyl Ether	1.911	1.827	4.4	95	0.00
20 T	Methylene Chloride	0.625	0.573	8.3	97	0.00
21 T	trans-1,2-Dichloroethene	0.572	0.534	6.6	95	0.00
22 T	Diisopropyl ether	2.273	2.213	2.6	97	0.00
23 T	Vinyl Acetate	1.998	1.983	0.8	95	0.00
24 P	1,1-Dichloroethane	1.141	1.087	4.7	97	0.00
25 T	2-Butanone	0.584	0.575	1.5	95	0.00
26 T	2,2-Dichloropropane	0.855	0.839	1.9	98	0.00
27 T	cis-1,2-Dichloroethene	0.649	0.608	6.3	95	0.00
28 T	Bromochloromethane	0.529	0.467	11.7	97	0.00
29 T	Tetrahydrofuran	0.391	0.357	8.7	91	0.00
30 C	Chloroform	1.021	0.980	4.0#	96	0.00
31 T	Cyclohexane	1.122	1.124	-0.2	100	0.00
32 T	1,1,1-Trichloroethane	0.846	0.823	2.7	96	-0.01
33 S	1,2-Dichloroethane-d4	0.705	0.641	9.1	91	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	94	0.00
35 S	Dibromofluoromethane	0.321	0.299	6.9	91	0.00
36 T	1,1-Dichloropropene	0.517	0.501	3.1	98	0.00
37 T	Ethyl Acetate	0.665	0.647	2.7	91	0.00
38 T	Carbon Tetrachloride	0.438	0.439	-0.2	97	0.00
39 T	Methylcyclohexane	0.630	0.642	-1.9	100	0.00
40 TM	Benzene	1.526	1.486	2.6	96	0.00
41 T	Methacrylonitrile	0.382	0.368	3.7	92	0.00
42 TM	1,2-Dichloroethane	0.540	0.519	3.9	95	0.00
43 T	Isopropyl Acetate	1.072	1.039	3.1	93	0.00
44 TM	Trichloroethene	0.374	0.355	5.1	95	0.00
45 C	1,2-Dichloropropane	0.423	0.420	0.7#	96	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA X\Data\WX042219\
 Data File : VX009084.D
 Acq On : 22 Apr 2019 09:51
 Operator : JC/SP
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA X/WATER
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Apr 23 03:18:38 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X041519W.M
 Quant Title : SW846 8260
 QLast Update : Wed Apr 17 06:47:58 2019
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
46 T	Dibromomethane	0.246	0.236	4.1	95	0.00
47 T	Bromodichloromethane	0.483	0.482	0.2	96	0.00
48 T	Methyl methacrylate	0.530	0.518	2.3	93	0.00
49 T	1,4-Dioxane	0.010	0.009	10.0	92	0.00
50 S	Toluene-d8	1.280	1.197	6.5	89	0.00
51 T	4-Methyl-2-Pentanone	0.683	0.644	5.7	90	0.00
52 CM	Toluene	0.914	0.892	2.4#	96	0.00
53 T	t-1,3-Dichloropropene	0.556	0.576	-3.6	96	0.00
54 T	cis-1,3-Dichloropropene	0.623	0.633	-1.6	97	0.00
55 T	1,1,2-Trichloroethane	0.362	0.353	2.5	95	0.00
56 T	Ethyl methacrylate	0.650	0.634	2.5	92	0.00
57 T	1,3-Dichloropropane	0.645	0.627	2.8	95	0.00
58 T	2-Chloroethyl Vinyl ether	0.350	0.332	5.1	90	0.00
59 T	2-Hexanone	0.527	0.507	3.8	92	0.00
60 T	Dibromochloromethane	0.347	0.360	-3.7	96	0.00
61 T	1,2-Dibromoethane	0.374	0.367	1.9	94	0.00
62 S	4-Bromofluorobenzene	0.452	0.418	7.5	88	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	92	0.00
64 T	Tetrachloroethene	0.380	0.380	0.0	97	0.00
65 PM	Chlorobenzene	1.055	1.044	1.0	97	0.00
66 T	1,1,1,2-Tetrachloroethane	0.372	0.374	-0.5	95	0.00
67 C	Ethyl Benzene	1.929	1.946	-0.9#	97	0.00
68 T	m/p-Xylenes	0.701	0.711	-1.4	97	0.00
69 T	o-Xylene	0.682	0.679	0.4	96	0.00
70 T	Styrene	1.182	1.181	0.1	95	0.00
71 P	Bromoform	0.296	0.299	-1.0	93	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	93	0.00
73 T	Isopropylbenzene	3.790	3.832	-1.1	97	0.00
74 T	N-amyl acetate	2.176	2.094	3.8	91	0.00
75 P	1,1,2,2-Tetrachloroethane	1.385	1.283	7.4	91	0.00
76 T	1,2,3-Trichloropropane	1.221	1.131	7.4	91	0.00
77 T	Bromobenzene	0.956	0.906	5.2	94	0.00
78 T	n-propylbenzene	4.350	4.480	-3.0	97	0.00
79 T	2-Chlorotoluene	2.621	2.575	1.8	96	0.00
80 T	1,3,5-Trimethylbenzene	3.180	3.244	-2.0	98	0.00
81 T	trans-1,4-Dichloro-2-butene	0.476	0.468	1.7	88	0.00
82 T	4-Chlorotoluene	3.044	3.020	0.8	96	0.00
83 T	tert-Butylbenzene	3.053	3.060	-0.2	97	0.00
84 T	1,2,4-Trimethylbenzene	3.237	3.270	-1.0	98	0.00
85 T	sec-Butylbenzene	3.642	3.736	-2.6	98	0.00
86 T	p-Isopropyltoluene	3.348	3.429	-2.4	98	0.00
87 T	1,3-Dichlorobenzene	1.674	1.635	2.3	96	0.00
88 T	1,4-Dichlorobenzene	1.697	1.629	4.0	96	0.00
89 T	n-Butylbenzene	3.118	3.234	-3.7	97	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA X\Data\VX042219\
Data File : VX009084.D
Acq On : 22 Apr 2019 09:51
Operator : JC/SP
Sample : VSTDCCC050
Misc : 5.0mL/MSVOA X/WATER
ALS Vial : 2 Sample Multiplier: 1

Instrument :
MSVOA_X
LabSampleId :
VSTDCCC050

Quant Time: Apr 23 03:18:38 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X041519W.M
Quant Title : SW846 8260
QLast Update : Wed Apr 17 06:47:58 2019
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
90 T	Hexachloroethane	0.552	0.581	-5.3	97	0.00
91 T	1,2-Dichlorobenzene	1.653	1.587	4.0	95	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.315	0.288	8.6	90	0.00
93 T	1,2,4-Trichlorobenzene	1.193	1.172	1.8	96	0.00
94 T	Hexachlorobutadiene	0.595	0.603	-1.3	99	0.00
95 T	Naphthalene	3.822	3.672	3.9	93	0.00
96 T	1,2,3-Trichlorobenzene	1.177	1.161	1.4	97	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6