

Data Path : Z:\VOASRV\HPCHEM1\MSVOA X\DATA\VX042320\  
 Data File : VX015880.D  
 Acq On : 23 Apr 2020 11:13  
 Operator : JC/SP  
 Sample : VX0423WBL01  
 Misc : 5.0mL/MSVOA X/WATER  
 ALS Vial : 3 Sample Multiplier: 1

Instrument :  
 MSVOA\_X  
 ClientSampleId :  
 VX0423WBL01

Quant Time: Apr 24 04:18:35 2020  
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA\_X\METHOD\82X042220W.M  
 Quant Title : SW846 8260  
 QLast Update : Thu Apr 23 04:36:12 2020  
 Response via : Initial Calibration

| Internal Standards         | R.T.  | QIon | Response | Conc  | Units | Dev(Min) |
|----------------------------|-------|------|----------|-------|-------|----------|
| 1) Pentafluorobenzene      | 5.63  | 168  | 859579   | 50.00 | ug/l  | 0.00     |
| 34) 1,4-Difluorobenzene    | 6.83  | 114  | 1301515  | 50.00 | ug/l  | 0.00     |
| 63) Chlorobenzene-d5       | 10.10 | 117  | 1256385  | 50.00 | ug/l  | 0.00     |
| 72) 1,4-Dichlorobenzene-d4 | 12.06 | 152  | 666405   | 50.00 | ug/l  | 0.00     |

| System Monitoring Compounds |        |     |          |       |         |      |
|-----------------------------|--------|-----|----------|-------|---------|------|
| 33) 1,2-Dichloroethane-d4   | 6.03   | 65  | 473022   | 48.38 | ug/l    | 0.00 |
| Spiked Amount               | 50.000 |     | Recovery | =     | 96.76%  |      |
| 35) Dibromofluoromethane    | 5.47   | 113 | 379790   | 50.55 | ug/l    | 0.00 |
| Spiked Amount               | 50.000 |     | Recovery | =     | 101.10% |      |
| 50) Toluene-d8              | 8.70   | 98  | 1581459  | 52.29 | ug/l    | 0.00 |
| Spiked Amount               | 50.000 |     | Recovery | =     | 104.58% |      |
| 62) 4-Bromofluorobenzene    | 11.12  | 95  | 644420   | 51.94 | ug/l    | 0.00 |
| Spiked Amount               | 50.000 |     | Recovery | =     | 103.88% |      |

| Target Compounds | Qvalue |
|------------------|--------|
| -----            |        |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA X\DATA\VX042320\  
Data File : VX015880.D  
Acq On : 23 Apr 2020 11:13  
Operator : JC/SP  
Sample : VX0423WBL01  
Misc : 5.0mL/MSVOA X/WATER  
ALS Vial : 3 Sample Multiplier: 1

Instrument :  
MSVOA\_X  
ClientSampleId :  
VX0423WBL01

Quant Time: Apr 24 04:18:35 2020  
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA\_X\METHOD\82X042220W.M  
Quant Title : SW846 8260  
QLast Update : Thu Apr 23 04:36:12 2020  
Response via : Initial Calibration

